

Saf-Gard

SAFETY SHOE COMPANY™

VULCAN
SAFETY SHOES

DIVISION OF SAF-GARD SAFETY SHOE CO.

MICHIGAN
INDUSTRIAL SHOE

DIVISION OF SAF-GARD SAFETY SHOE CO.

2023 CATALOG

DEAR SAF-GARD CUSTOMERS,

We're excited to share our 2023 catalog with you. In it you'll find new and expanded brand offerings. New partners including Xena®, Danner® and Blumaka® complement old favorites like Timberland PRO®, Wolverine®, Hytest®, SR Max® and many more.

Xena, for example, is one of those brands that customers keep asking us about, and we're happy to bring their feminine style to Saf-Gard this year. They offer our first line of safety dress boots and work shoes designed exclusively for women by women.

Since we believe protecting each other and the planet go hand in hand, we're also excited to team up with new brands, like Blumaka. Blumaka boasts the "cleanest foam on earth"™ with insoles made using more than 85% recycled material by volume. What's so amazing about this brand is how they transform this material to achieve incredible comfort. Our Blumaka/SR Max insole retains most of its original energy return, even after over 650 miles of walking. That means that this insole feels nearly new after well over 1,000,000 steps. We believe in the Blumaka brand so much that we're giving them to our entire Saf-Gard team to wear this year.

We've also redesigned our SR Max® brand shoe boxes to use 100% recycled materials, and we're working closely with all of our suppliers to include more recycled materials with equal, or in some cases, better performance.

In addition to our new product lines and increased sustainability efforts, we've made several strategic investments throughout the company to better serve you. We continue to improve our multi-channel shoe benefit program (with online, mobile shoe store and retail offerings) by acquiring new locations and expanding our fleet of trucks. This enables us to give you more options and more of the individual attention you've come to expect from us.

Needless to say, 2022 was a busy year. And we're not slowing down. Thank you for your continued partnership. We look forward to serving you in 2023.

Saf-Gard Safety Shoe Company



LET US DO THE HEAVY LIFTING

STRAIGHTFORWARD SAFETY SOLUTIONS

For over four decades, we've built our reputation on giving you the protection and comfort you need. No fine print. No misdirection. Just honest, custom safety shoe solutions that simplify everything.

CORPORATE PROGRAMS

MADE
SIMPLE
NO
BS

When we say our shoe programs are made simple, we mean it.

TWO STEPS AND DONE.

1. Give us some background on your specific needs.

WHAT PROGRAM TYPE IS RIGHT FOR YOU?

Payroll Deduction: the shoe program is purchased from your team members' checks over a period of time.

Subsidized: the company covers a portion of your team members' costs.

Company Paid: your company pays for the shoes outright.

WHAT TYPE OF PROTECTION DO YOUR EMPLOYEES NEED?

Safety Toe	Metatarsal Guard
Slip Resistant	Conductive
Electrical Hazard	Waterproof
Static Dissipative	Specific colors to meet uniform standards

PROVIDE YOUR DETAILS

- Location addresses
- Employee data feed (if needed)
- Invoice contact(s)

2. We deliver.

We'll design a program that meets your specific needs. This includes a custom ordering website, access to our fleet of mobile shoe stores* and expert help at our retail stores*.

Our marketing team will create custom materials to help with your program roll-out and long-term engagement.

- Welcome kits
- Posters
- Quarterly promotions
- Contests and more



Ready to begin? Call us at (800) 221-8843.

Have questions about your current Saf-Gard® program? Your Territory Manager is here to help.

*For qualifying locations.

LOTS OF WAYS TO SHOP MAKES EMPLOYEE COMPLIANCE A LOT EASIER



**30+ RETAIL
STORES**



**60+ MOBILE
SHOE STORES**



ONLINE



PHONE



**HASSLE-FREE
SHIPPING**

We ship orders via UPS to your facility or directly to your employees' homes. Your choice.



**AVOID
THE WAIT**

If your team members make a purchase from a retail or mobile shoe store, they can wear their new shoes right out of the store.

DYNAMIC ONLINE TRACKING

Access your employees' entire purchasing history anytime, no matter how orders were placed.

CUSTOM WEBSITE

Your custom ordering website makes it so much easier for your team members to get exactly what they need when they need it.

CORPORATE PROGRAM PRICING

Log in using your Saf-Gard account number and see your corporate program pricing on your pre-selected styles.

"I've been using Saf-Gard for years now and I have to say, the customer service is outstanding! They always go above and beyond to make sure we're happy with our purchases. I highly recommend them to anyone looking for quality safety gear at competitive prices."

- John Doe, Safety Manager

TABLE OF CONTENTS

SAFETY ICONS	7
MEN'S SAFETY TOE	8 - 77
Dress, Oxfords & Casual	8 - 14
Athletics.....	14 - 27
Hikers	27 - 32
6" Boots	32 - 55
8" - 12" Boots	55 - 64
Loggers.....	64 - 67
Wellingtons	68 - 77
MEN'S METATARSAL GUARD	78 - 94
Oxfords	78
Athletics & Hikers.....	78 - 79
6" - 8" Boots	80 - 91
10" Boots & Wellingtons.....	91 - 94
MEN'S SOFT TOE	95 - 100
Oxfords & Dress	95
Athletics & Hikers.....	95 - 98
6" Boots	99 - 100
CONDUCTIVE	101 - 102
WOMEN'S SAFETY TOE	103 - 123
Dress, Oxfords & Casual	103 - 106
Athletics.....	107 - 115
Hikers.....	116 - 119
6"- 8" Boots	119 - 122
Wellingtons	122 - 123
WOMEN'S METATARSAL GUARD ...	124 - 128
WOMEN'S SOFT TOE	129 - 132
Oxfords & Dress	129
Athletics & Hikers	129 - 132
6" Boots	132
RUBBER BOOTS & OVERSHOES	133 - 139
INSOLES	140 - 142
SIZE CONVERSION CHARTS	142
INDEX	143 - 146

SAFETY PROPERTIES



STEEL SAFETY TOE

As part of this standard, employers require ASTM F2413-18 rated footwear in areas where employees are exposed to injury as a result of falling or rolling objects. All steel toe shoes in this catalog meet or exceed ASTM F2413-18 I/C.



COMPOSITE SAFETY TOE

Compared to their steel toe counterparts, the composite toes are manufactured using lightweight materials to make the shoe weigh less while meeting ASTM standards. These shoes meet or exceed ASTM F2413-18 I/C standards.



ALLOY SAFETY TOE

A lighter weight safety toe meeting ASTM F2413-18 I/C standards.



NANO TOE

Nonmetallic safety toe that is 50% lighter than conventional steel toes, and 40% thinner than conventional composite toes. The Nano toes provide protection meeting ASTM F2413-18 I/C standards.



METATARSAL GUARD

Metatarsal guard shoes protect both the toes and the metatarsal bone behind the toes. Metatarsal guard shoes are required in any environment where injuries can occur to the metatarsal bone. They are most commonly used in foundries, welding, air product distribution and other heavy manufacturing. All styles marked with the "MG" icon in this catalog meet the ASTM F2413-18 Mt standards.



STATIC DISSIPATIVE

SD shoes regulate the build up of an electrical charge in an employee's body. SD shoes are commonly used in manufacturing of computer components, solvent based paints and plastics. SD products reduce the risk of static shock to people and the manufactured product. All safety toe styles marked with the "SD" icon in this catalog meet the ASTM F2413-18 SD standards.



CONDUCTIVE

Conductive safety shoes protect against the hazards of static electricity build-up. They are intended to protect the wearer in an environment where the accumulation of static electricity on the body is a hazard. These shoes should not be worn by persons working near open electrical circuits. ALL styles marked with the "CD" icon in this catalog meet the ASTM F2413-18 Cd standards.



ELECTRICAL HAZARD

The soles of EH shoes provide a barrier to protect employees from open electrical currents up to 600 volts. EH shoes are often needed in maintenance, welding and engineering positions. All styles marked with the "EH" icon in this catalog meet the ASTM F2413-18 EH standards.



INSULATION

Several of our styles provide insulation against the cold and are built for the tough outdoor environments. Our range of insulation available is 200gms- 800gms. The styles offering insulation will be marked with the specific weight of insulation to help guide you in your selection.



HIGH HEAT

These shoes feature outsoles that resist a minimum high heat temperature of 572, 752 or 932 degrees Fahrenheit depending on the icon used with the shoe listing.



WATERPROOF

Waterproof boots and shoes are constructed to keep the feet dry and comfortable in wet conditions. Waterproof construction requires continuous maintenance and is not guaranteed to remain for the life of the shoe.



PUNCTURE RESISTANT

These shoes are designed to reduce the impact of sharp objects which are damaging to the foot. Puncture wounds can be hazardous to the midsole of the foot and the appropriate footwear is necessary on job sites where sharp objects can pierce the sole. These shoes meet the ASTM F2413-18 PR standards.



FLEXIBLE

These shoes provide more movement, flexibility and superior overall comfort.



SLIP RESISTANT

Slip-resistant safety footwear is the fastest growing segment of the safety footwear industry. For many employers with wet, oily, and/or greasy floors, it is common sense to require slip-resistant safety footwear. Slip related injuries can be extremely costly. No shoe is slip proof, however employers who require slip-resistant shoes can reduce worker's compensation claims.



SECURITY FRIENDLY

Security friendly styles are made from all nonmetallic components including styles with safety toe caps. Security friendly styles have non-metallic eyelets, hardware and shanks for the most sensitive security systems.



COMFORT

Saf-Gard carries several brands with unconditional 30-day comfort guarantees. These products give you 30 days to test for comfort. If you are not completely satisfied we will exchange it or process a refund.



LIGHTWEIGHT

These styles are much lighter weight than traditional safety shoes.



BLOODBORNE PATHOGEN RESISTANT

Breathable membrane helps protect from diseases caused by blood-borne pathogens. Meets ASTM F1671-07 safety standard.



SIDE ZIPPER

Boots showing this logo feature a side zipper for easy on/off.



USA MADE/ASSEMBLED

Saf-Gard is proud to offer several styles of safety shoes that are either made or assembled in the USA.



GORE-TEX®

This waterproof breathable material allows air circulation, but does not let water in. It is guaranteed 100% waterproof.



VIBRAM

High performance outsoles for rugged, outdoor and service footwear.



PORON XRD® EXTREME IMPACT PROTECTION

Metatarsal guard technology for men and women that combines comfort, flexibility and outstanding performance. Absorbs and instantly dissipates 90% of energy when impacted.



UNION

These styles are produced by the United Food & Commercial Workers International Union in USA Plants.



XTR® EXTRA-WIDE TOE CAP

Boots showing this logo feature the XTR® extra toe room, extra comfort, extra-wide composite toe or alloy toe safety toe cap.



MaxTRAX® OUTSOLE TECHNOLOGY

Industry leading slip resistance with SR Max MaxTRAX® outsole technology featured on select styles from SR Max®, Reebok®, SKECHERS Work®, Timberland PRO®, Rockport Works® and Florsheim Work®.



INDOOR COLD STORAGE OUTSOLE

Patented MaxTRAX® outsole technology featuring a rubber compound developed for use in indoor cold storage environments and walk-in freezers.

SAFETY TOE



Hush Puppies®
PROFESSIONALS



HUSH-PUPIES PROFESSIONALS®

Wing Tip Dress Shoe

05040 (Black) D 6-12,13,14,15; E 6-12,13,14,15; EEE 6-12,13,14,15

Full grain leather upper. Pigskin linings. Removable cushion footbed. DuraShocks PU outsole. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant



NEW STYLE

Florsheim
WORK



FLORSHEIM WORK®

Crossover Work Dress Oxford

SFE2643 (Black/White) D 7-12,13,14,15; EEE 7-12,13,14,15

SFE2642 (Cognac/White) D 7-12,13,14,15; EEE 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable Comortech footbed with Rebound Foam. Oil resistant rubber wedge outsole with Flexsole forefoot and patented SR Max MaxTRAX® slip-resistant tread pattern. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant



EXCLUSIVE STYLE

NEW STYLE

Florsheim
WORK



FLORSHEIM WORK®

Crossover Work Dress Oxford

SFE2644 (Black/White) D 7-12,13,14,15; EEE 7-12,13,14,15

SFE2645 (Cognac/White) D 7-12,13,14,15; EEE 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable Comortech footbed with Rebound Foam. Oil resistant rubber wedge outsole with Flexsole forefoot and patented SR Max MaxTRAX® slip-resistant tread pattern. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant



EXCLUSIVE STYLE

Florsheim
WORK



FLORSHEIM WORK®

Coronis Dress Lace Oxford

WGFS2000 (Black) D 7-12,13,14; EEE 7-12,13

Leather upper. Micro fiber suede lining. Removable EVA cushion insert with sponge comfort heel gel. EVA cushion midsole. Slip-resistant rubber outsole. No exposed metal on upper. Steel toe. SD.

ASTM F2413-18 M/ I / C SD compliant



**FLORSHEIM WORK®****Coronis Dress Slip-On****WGFS2005** (Black) D 7.5-12,13,14; EEE 7.5-12,13

Leather upper. Twin elastic side gores. Micro fiber suede lining. Removable EVA cushion insert with comfort heel gel. EVA cushioned midsole with slip-resistant rubber outsole. Steel toe. SD.

ASTM F2413-18 M/ I/ C SD compliant
**FLORSHEIM WORK®****Loedin Wing Tip Dress Oxford****WGFS2023** (Brown) D 8-12,13,14; EEE 8-12,13

Leather upper. Micro fiber suede lining. Comfort gel footbed with full length EVA core. KORE midsole/outsole with EVA cushion midsole and slip-resistant rubber heel and forepart pads. Steel toe. SD. No exposed metal on upper.

ASTM F2413-18 M/ I/ C SD compliant
**FLORSHEIM WORK®****Loedin Twin Gore Work Boot****WGFS2031** (Brown) D 8-12,13,14; EEE 8-12,13,14

Leather upper. Micro fiber suede lining. Twin side gore panels. Comfort gel footbed with full length EVA core. KORE midsole/outsole with EVA cushion midsole and slip-resistant rubber heel and forepart pads. Steel toe. SD. No exposed metal on upper.

ASTM F2413-18 M/ I/ C SD compliant
**HYTEST®****Knox Direct Attach Slip-On****10781** (Brown) W 7-12,13,14

Leather upper. Twin elastic side gores. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip and abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
**SR MAX®****Burke Casual Oxford****SRM2060** (Brown) M 7-12,13,14; EW 8-12,13**SRM2050** (Black) M 8-12,13,14,15,16; EW 8-12,13,14,15,16

Oiled, tumbled leather upper. Merry mesh linings. PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp Toe. EH. Security friendly.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**

SR MAX®**SR MAX®****Rockledge Work Oxford****SRM2090** (Black) M 5-12,13,14,15,16; EW 8-12,13,14,15

Waterproof, oiled, full grain, leather upper. Mesh linings. PU cup cushion footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE****Timberland PRO****TIMBERLAND PRO®****TiTAN Casual Work Oxford****TM47028** (Brown) M 7-12,13,14,15; W 7-12,13,14,15**TM40044** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial management. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TiTAN alloy safety toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST® SAFETY FOOTWEAR****HYTEST®****Blake Slip-On Oxford****10043** (Grey) M 8-12,13; W 8-12,13

Suede leather and canvas upper. Twin elastic side gores. Moisture wicking mesh lining. Memory foam cushion footbed. Slip resistant rubber outsole pads. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST® SAFETY FOOTWEAR****HYTEST®****Blake Slip-On Oxford****10113** (Brown) M 7-12,13,14; W 7-12,13,14**10119** (Black) W 8-12,13,14

Leather and canvas upper. Twin side gores. Abrasion resistant mesh lining. Removable memory foam footbed. EVA cushioned midsole with oil and slip-resistant rubber outsole pads. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**Thorogood Since 1892****THOROGOOD®****Uniform Classics Work Oxford****TG804-6449** (Black) M 7-12,13,14,15; W 7-12,13,14,15; XW 7-12,13,14,15

Smooth leather upper. Brushed nylon lining. Wrapped cushion footbed. Rubber midsole. Oil resistant EVA lug outsole. Goodyear storm welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



MERRELL WORK®

Jungle Moc Slip On Work Shoe**MLJ099319** (Espresso) M 8-12,13,14; W 8-12,13

Full grain leather upper. Twin elastic side gores. Breathable mesh lining. COMFORTBASE contoured footbed. Merrell air cushion in heel absorbs shock and adds stability. COMFORTBASE rubberized EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

TIMBERLAND PRO®

Titan Oiled Slip-On Oxford**TM53534** (Camel Brown) M 7.5-12,13,14,15; W 9-12,13,14,15

Full grain leather upper. Twin side gores. Spacer mesh comfort lining with antimicrobial treatment. Open cell PU footbed. PU midsole. Oil and slip-resistant Timberland PRO rubber outsole. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

TIMBERLAND PRO®

Gladstone Casual Oxford**TM85590** (Brown) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Microfiber lining with antimicrobial treatment. Dynamic Anti-Fatigue Technology absorbs shock and returns energy. Goodyear SafeGrip slip-resistant rubber outsole. Steel toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

TIMBERLAND PRO®

Branston Slip On Casual Oxford**TM91694** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Dual side gores for comfortable custom fit. Agion antimicrobial treatment for odor control. PU midsole. Nonmarking, oil and slip-resistant PU outsole. Alloy toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

UTILITY



KEEN UTILITY®

Vista Energy + Shift Slip On Casual Oxford**KN1026704** (Coffee Bean/Black) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Abrasion resistant toe overlay. Front and back nylon pull loops. Mesh and moisture wicking textile lining. Cleansport NXT for natural odor control. Removable metatomical PU footbed. KEEN.ReGEN compression resistant midsole. Oil and slip-resistant, nonmarking, rubber outsole. 100% nonmetallic. Carbon fiber comp toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

NEW STYLE



ARIAT®

Edge LTE Slip-On Work Oxford**AR10029530** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Premium leather upper. Twin elastic side gores. Nylon pull loop at back. Mesh lining. Removable All Day Cushioning footbed. 4LR stabilizing shank. Oil and slip resistant Bantamweight outsole. Comp toe. SD. 100% nonmetallic.

ASTM F2413-18 M/ I/ C SD compliant

ROCKPORT WORKS®

Langdon Work Breen Slip-On Casual Work Shoe**WGRK2151** (Tan) M 7-12,13,14; W 7-12,13

Fabric upper with twin elastic side gores. EVA footbed with truTECH heelpad. EVA midsole. Slip-resistant rubber outsole. Strobel construction for added flexibility. Comp toe. SD. Security friendly.

ASTM F2413-18 M/ I/ C SD 10 compliant

ROCKPORT WORKS®

Sailing Club 3 Eye Tie Boat Shoe**WGRK6736** (Brown) M 7-12,13,14; W 7-12,13

Crazy horse leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

TWISTED X®

Work Kicks Casual Oxford**TWMCAN003** (Light Gray) M 8-12,13,14

ecoTWX recycled material upper. Elastic gore tongue panels. ecoTweed recycled material lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Oil and slip resistant rubber outsole. Nano toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

ROCKPORT WORKS®

Twin Gore Slip-On Oxford**WGRK6748** (Brown) M 8-12,13; W 8-12,13

Tumbled full grain leather upper. Moisture wicking sueded nylon lining. Removable EVA cushion insert with heel stabilizer and adiPRENE rebounding heelpad. EVA cushion midsole. Rubber Eurotrack outsole. Comp toe. SD with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 M/ I/ C SD compliant



TWISTED X®

WORK KICKS

TWMCAN003

See item on page 12

ROCKPORT WORKS
**ROCKPORT WORKS®****World Tour Classic Oxford****WGRK6761** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert with adiPRENE shock absorbing heel and forepart pads. EVA cushion midsole with rubber outsole. Static dissipative with dual resistor technology. No metal on upper. Steel toe. SD.

ASTM F2413-18 M/ I / C SD compliant
Florsheim WORK
**FLORSHEIM WORK®****Compadre Eurocasual Oxford****WGFS2400** (Brown) D 7-11,12,13,14; EEE 7-12,13,14

Leather upper. Moisture wicking nylon mesh and Cambrelle lining. Removable F2A dual density polyurethane cushion insert insole. Soft PU midsole. Oil, slip, chemical and abrasion resistant direct attached TPU outsole. No exposed metal. Non-Metallic Composite toe. SD.

ASTM F2413-18 M/ I / C SD compliant
NAUTILUS
SAFETY FOOTWEAR
**NAUTILUS®****Specialty Slip-On Oxford****N1607** (White) M 7-12,13,14; W 7-12,13,14

Leather upper. Twin elastic side gores. Removable SD 10 comfort footbed with arch support. EVA midsole with slip-resistant rubber outsole. Comp toe. SD. Metal free.

ASTM F2413-18 M/ I / C SD 10 compliant
NAUTILUS
SAFETY FOOTWEAR
**NAUTILUS®****Twin Gore Slip On Oxford****N1630** (Black) M 8-12,13,14,15; W/XW 8-12,13,14,15**N1620** (Brown) M 8-12,13,14,15; W 8-12,13,14,15

Full grain, water resistant leather upper. Removable anti-fatigue PU footbed. EVA midsole. Slip and oil resistant Stabilizer outsole. No exposed metal on upper. Steel toe. SD.

ASTM F2413-18 M/ I / C SD compliant
HYTEST
SAFETY FOOTWEAR
**HYTEST®****Bolt Athletic****11170** (Black) M 7.5-12,13,14; W 8-12,13,14

Breathable mesh upper. Mesh lining. HYTEST memory foam footbed. EVA cushioned midsole. Slip-resistant rubber outsole. Strobel/cement construction. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant

HYTEST®**Avery Athletic****11280** (Black) M 8-12,13,14; W 8-12,13,14,15

Leather upper. Moisture wicking mesh lining. Removable C2 cushion footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp Toe. SD.

ASTM F2413-18 M/ I/ C SD 10 compliant**HYTEST®****Surge Athletic****11430** (Black) M 8-12,13,14; W 8-12,13

Mesh upper. Moisture wicking mesh lining. Removable EVA cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST®****Alastor XERGY® Athletic****11509** (Midnight Black) M 8-12,13,14; W 8-12,13,14

Mesh upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. SD.

ASTM F2413-18 M/ I/ C SD 10 compliant**HYTEST®****Alastor XERGY® Athletic****11502** (Gray Fade) M 8-12,13,14; W 8-12,13,14

Mesh upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. SD.

ASTM F2413-18 M/ I/ C SD 10 compliant**WOLVERINE DURASHOCKS®****Bolt Vent CarbonMAX Athletic****WW211005** (Black) M 8-12,13; W 8-12,13

Breathable stretch mesh upper. Moisture wicking mesh lining. Removable DuraShocks PU footbed. DuraSpring low density PU midsole. Wolverine DuraShocks dual suspension pads in outsole. CarbonMAX comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



WOLVERINE
DURA SHOCKS
COMFORT TECHNOLOGY

WOLVERINE DURASHOCKS®

Rev Vent UltraSpring™ Athletic

WW211176 (Navy) M 7-12,13,14; EW 7-12,13

Breathable stretch mesh upper with reinforced TPU cage. Breathable mesh lining. Removable DuraShocks PU footbed. UltraSpring High Rebound ETPU midsole. Oil and slip-resistant rubber lug outsole with Wolverine DuraShocks Flex. CarbonMAX comp toe. EH. Wolverine comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant



X SR MAX®

SR MAX®

Fairfax II Athletic

SRM1880 (Black) M 7-12,13,14; EW 7-12,13,14

Action leather with PU upper. Nylon mesh linings. Molded removable PU cup cushion footbed. Dual density, rubber outsole with patented SR Max MaxTRAX® oil and slip-resistant tread. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



X SR MAX®

SR MAX®

Walden Athletic

SRM4400 (Black) M 3-12,13,14,15,16; EW 8-12,13,14,15,16

Action leather with PU and PU suede upper. Mesh lining. PU cup removable footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



Timberland PRO

TIMBERLAND PRO®

Radius Ripstop Nylon/Blue Pop Athletic

STMA44A9 (Black Ripstop/Blue Pop) M 7-12,13,14,15; W 8-12,13,14

STMA4259 (Black Ripstop) M 7-12,13,14,15; W 8-12,13,14

Breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue PU footbed for shock absorption and energy return. ReBOTL materials used. HoverSpring foam midsole. TPU outsole with anatomically positioned flex grooves and oil and slip-resistant SR Max MaxTRAX® patented tread design. Comp toe. EH. Metal free.

ASTM F2413-18 M/ I/ C EH compliant



Timberland PRO

TIMBERLAND PRO®

Powerdrive Athletic

STMA21AV (Black/Orange) M 7-12,13,14,15; W 8-12,13,14

STMA1XPD (Black) M 7-12,13,14,15; W 8-12,13,14

Ripstop nylon upper. Breathable moisture wicking lining with antimicrobial treatment. Removable, anti-fatigue, PU footbed. EVA midsole. Oil and slip-resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Comp toe with CarbonShield nanotechnology. EH.

ASTM F2413-18 M/ I/ C EH compliant



**TIMBERLAND PRO®****Powertrain Athletic****TM92649** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Microfiber, leather and breathable mesh upper. Mesh lining with antimicrobial treatment. PU midsole for consistent static dissipative performance. Nonmarking, abrasion resistant, anti-fatigue PU outsole. Alloy toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

**TIMBERLAND PRO®****Powertrain Athletic****TMA176A** (Black) M 7-12,13,14,15; W 9-12,13,14,15

Ripstop nylon upper. Mesh lining with antimicrobial treatment for odor control. Anti-fatigue cushioning technology. Breathable PU footbed. Single density PU midsole. Oil, slip and abrasion resistant PU outsole. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Powertrain Athletic****TMA1GT9** (Gray/Orange) M 7-12,13,14,15; W 8-12,13,14,15**TMA1B6U** (Black) M 7.5-12,13,14,15; W 8-12,13,14,15

Ripstop nylon uppers. Mesh lining with antimicrobial treatment. Slip, oil and abrasion resistant Timberland PRO PU outsole with anti-fatigue technology. Alloy toe. SD.

ASTM F2413-18 M/ I/ C SD compliant. CSA grade 1 toe and SD compliant.

**TIMBERLAND PRO®****Setra Athletic****TMA5RMX** (Black Grey Copper) M 8-12,13,14; W 8-12,13,14

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Mutilation and metal free construction. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Setra Athletic****TMA5PKE** (Grey Black) M 8-12,13,14; W 8-12,13,14

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Mutilation and metal free construction. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant



NEW STYLE





REEBOK WORK®

Sublite Max Athletic**SRB3206** (Black) M 7-12,13,14; W 7-12,13,14

Leather upper. BK mesh lining. Memory Tech Massage removable cushioned footbed. Injected EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR Comp toe. EH.

ASTM F2413-18 M / I / C EH compliant



EXCLUSIVE STYLE



REEBOK WORK®

Floatride Energy Tactical Athletic**SRB3211** (Black) M 7-12,13,14; W 7-12,13,14

Leather, and mesh upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

ASTM F2413-18 M / I / C EH compliant



EXCLUSIVE STYLE



REEBOK WORK®

Guide Work Cross Trainer**WGIB3501** (Black) W 4-11,12,13,14,15

Leather upper. External TPU, wrap around, heel counter. Moisture wicking nylon mesh lining. Removable MemoryTech memory foam, cushion footbed. R52 rebounding EVA midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. Puncture resistant plate.

ASTM F2413-18 M / I / C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



REEBOK WORK®

Sublite Cushion Work Athletic**WGIB4039** (Black) W 4-11,12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. MemoryTech memory foam, cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant, rubber heel and forepart pads. XTR comp toe. SD with dual resistor technology. Puncture resistant plate. 100% nonmetallic.

ASTM F2413-18 M / I / C SD 10 PR compliant. CSA grade 1 toe, SD+, green triangle compliant.



REEBOK WORK®

Sublite Cushion Work Athletic**WGIB4041** (Black/Gray) W 4-11,12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. MemoryTech memory foam, cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant, rubber heel and forepart pads. XTR comp toe. EH. Puncture resistant plate. 100% nonmetallic.

ASTM F2413-18 M / I / C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



NEW STYLE




REEBOK WORK®

Nano X1 Adventure Work Athletic**WGRB3481** (Black/Grey) M 8-12,13,14; W 8-12,13,14

Stretched ripstop mesh upper. TPU stabilizer. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 removable cushion footbed. Floatride Energy Foam midsole. Oil and slip resistant rubber outsole. XTR comp toe. SD 10. 100% nonmetallic.

ASTM F2413-18 M / I / C SD 10 compliant

ARRIVING MARCH





REEBOK WORK®

Sublite Work Slip-On Athletic**WGRB4036** (Black) M 8-12,13,14,15; W 8-12,13,14,15

Leather upper. Twin elastic side gores. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. XTR Comp toe. SD with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 M / I / C SD compliant





REEBOK WORK®

Sublite Cushion Work Athletic**WGRB4039** (Black) M 8-12,13,14; W 8-12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. XTR Comp toe. SD with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 M / I / C SD compliant





REEBOK WORK®

Sublite Cushion Work Gray/Blue Athletic**WGRB4040** (Gray/Blue) M 7-12,13,14,15,16; W 8-12,13,14,15**WGRB4043** (Navy) M 7-12,13,14,15; W 7-12,13,14,15

Mesh with webbing upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. No exposed metal on upper. XTR alloy toe. Dual Resistor SD technology.

ASTM F2413-18 M / I / C SD 10 compliant





REEBOK WORK®

Sublite Cushion Work Athletic**WGRB4041** (Black/Gray) M 7-12,13,14,15,16; W 7-12,13,14,15

Mesh with leather webbing upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. XTR alloy toe. EH.

ASTM F2413-18 M / I / C EH compliant





REEBOK WORK®

Sublite Work Athletic Oxford**WGRB4050** (Black/Orange) M 8-12,13,14; W 8-12,13,14

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Oil and slip-resistant rubber heel and forepart pads. XTR comp toe. EH. No exposed metal on upper.

ASTM F2413-18 M/ I/ C EH compliant

REEBOK WORK®

Flexagon 3.0 Work Athletic**WGRB4066** (Navy/Gray) M 7-12,13,14,15,16; W 7-12,13,14,15

Breathable nylon and mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Origami inspired Flexagon foam midsole with oil and slip-resistant rubber heel and forepart pads. Flex grooves on outsole for added flex. XTR comp toe. SD with dual resistor technology. 100% metal free.

ASTM F2413-18 M/ I/ C SD 10 compliant

REEBOK WORK®

Sublite Cushion Work Athletic**WGRB4120** (Black/Gray) M 8-12,13,14; W 8-12,13,14

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Oil and slip-resistant rubber forepart and heel pads. XTR comp toe. SD 10 dual resistor technology.

ASTM F2413-18 M/ I/ C SD 10 compliant

REEBOK WORK®

Fusion Flexweave Athletic**WGRB4311** (Black/White) M 8-12,13,14; W 8-12,13

Ultraknit and Flexweave upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole with oil and slip-resistant rubber outsole. Extra wide XTR comp toe. Dual resistor SD technology. Metal free.

ASTM F2413-18 M/ I/ C SD 10 compliant

REEBOK WORK®

Sublite Work Athletic**WGRB4443** (White/Gray) M 7-12,13,14,15; W 7-12,13,14,15

Leather with MicroWeb upper. Moisture wicking nylon mesh lining. FootFuel injected EVA removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber outsole. Steel toe. SD with dual resistor technology. No exposed metal on upper.

ASTM F2413-18 M/ I/ C SD 10 compliant

NEW STYLE



VOLCOM®

True Athletic**WGVM30110** (Black) M 7-12,13,14,15

Suede leather upper. Mesh lining. Soft Landing comfort footbed. Grip Stick stone-themed oil and slip resistant rubber outsole. Comp toe. EH. 100% nonmetallic.

ASTM F2413-18 M/I/C EH compliant

ARRIVING MARCH

NEW STYLE



VOLCOM®

True Athletic**WGVM30117** (Black) M 7-12,13,14,15

Canvas fabric upper. Mesh lining. Soft Landing comfort footbed. Grip Stick stone-themed oil and slip resistant rubber outsole. Comp toe. SD 10 with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 M/I/C SD 10 compliant

ARRIVING MARCH

NEW STYLE



VOLCOM®

Stone Athletic**WGVM30468** (Grey/Black) M 7-12,13,14

Action leather and PU upper. Mesh lining. Soft Landing comfort footbed. Grip Stick stone-themed oil and slip resistant rubber outsole. 360 degree sidewall stitch. Comp toe. EH. 100% nonmetallic.

ASTM F2413-18 M/I/C EH compliant

ARRIVING MARCH

NEW STYLE



VOLCOM®

Stone Athletic**WGVM30471** (Black/Red) M 7-12,13,14; W 7-12,13,14

Action leather and PU upper. Mesh lining. Soft Landing comfort footbed. Grip Stick stone-themed oil and slip resistant rubber outsole. 360 degree sidewall stitch. Comp toe. SD 10 with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 M/I/C SD 10 compliant

ARRIVING MARCH

KEEN UTILITY®

Vista Energy Athletic**KN1024604** (Vapor/Black) M 8-12,13,14; W 8-12,13,14

Breathable 2 layer engineered mesh upper. KonnectFit heel capture system. KEEN. ReGEN cushion midsole. Oil and slip-resistant outsole. Carbon fiber toe. SD. Nonmetallic.

ASTM F2413-18 M/I/C SD compliant



SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Beau Blue Athletic****SSK200148NVBL** (Navy/Light Blue) M 7.5-12,13,14

Leather upper. Mesh lining. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH.

ASTM F2413-18 M/I/C EH compliant**EXCLUSIVE STYLE**

SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Larry Athletic****SSK606NVBL** (Navy) M 7-12,13,14

Smooth nubuck leather upper. Synthetic overlays and stitching accents. Padded collar and tongue. Soft fabric shoe lining. FlexSole shock absorbing lightweight flexible midsole. Memory foam-topped cushioned removable comfort insole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Aluminum alloy toe. EH.

ASTM F2413-18 M/I/C EH compliant**EXCLUSIVE STYLE**

SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Charles Athletic****SSK8037BLK** (Black) M 7-12,13,14

Fabric upper with RepelWell liquid and stain repellent treatment. Slip-on style with a stretch-laced front. Arch Fit cushioned footbed. EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe.

ASTM F2413-18 M/I/C compliant**EXCLUSIVE STYLE**

SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Tilido-Fletchit Slip-On Athletic****SK200206BKRD** (Black/Red) M 8-12,13,14

Synthetic/textile upper. Bungee eyewor with hands free slip in feature. Air cooled memory foam pillow footbed. EVA midsole. Slip resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/I/C EH compliant**ARRIVING APRIL**

SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Cankton-Pending Slip-On Athletic****SK200211NVGY** (Navy/Gray) M 8-12,13,14

Leather, synthetic, textile upper. Hands free slip in feature. Air cooled memory foam cushion footbed. EVA midsole. Rubber lug outsole. Steel toe. EH.

ASTM F2413-18 M/I/C EH compliant**ARRIVING APRIL**

**PUMA SAFETY®****Fuse Motion Athletic****PU643835** (Black) M 7,8-12,13,14

Sandwich-Mesh with Fuse Tec Elements upper. Quick lacing system. BreathActive lining. Evercushion BA footbed. Dual density Impulse Foam midsole. Sole Motion Impulse slip-resistant rubber outsole. Comp toe. SD. Security friendly. Vegan.

ASTM F2413-18 M/ I/ C SD compliant**PUMA SAFETY®****Velocity 2.0 Athletic****PU643845** (Black) M 8-12,13,14

Microfiber upper with TPU enforcements. Removable evercushion BA+ footbed. Dual density IMPULSE FOAM midsole. MOTION IMPULSE rubber outsole with Torsion Control System. Outsole is oil and slip-resistant. Fiberglass toe. SD. Metal free.

ASTM F2413-18 M/ I/ C SD compliant**TERRA®****Spider Athletic****TR608115BLK** (Black) M 6,7,8-11,12,13

Combination water resistant and full grain leather upper. Reflective trim windows on toe and heel. Antimicrobial, removable PU footbed. Direct inject midsole/outsole with supportive sidewall chassis. Comp toe. EH. Composite puncture resistant plate.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA Grade 1 toe, Omega, green triangle compliant.

**HYTEST FOOTRESTS 2.0®****Baseline Textile Trainer****21103** (Black) D 7-12,13,14; EEE 8-12,13

Textile upper with abrasion resistant Tec-Tuff collar strap. Moisture wicking linings. Removable tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant TPU outsole. Nano toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST®****Annex Mid Hi-Top Athletic****12320** (Black) M 4-12,13,14; W 7-12,13,14

Leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano comp toe. SD 10. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C SD 10 compliant



REEBOK WORK®

FLOATRIDE ENERGY TACTICAL

SRB3213

See item on page 25

POWERED BY



NEW STYLE

**HYTEST®****Annex Mid Hi-Top Athletic****12329** (Black/Blue) M 7-12,13,14; W 7-12,13,14

Leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano Toe. EH. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE

**WOLVERINE DURASHOCKS®****Rev Vent UltraSpring™ Mid Athletic****WW211020** (Black) M 8-12,13; EW 8-12,13

Breathable, stretch mesh upper with reinforced TPU cage. Breathable mesh lining. Removable DuraShocks PU footbed. UltraSpring high rebound ETPU midsole. Oil and slip-resistant rubber lug outsole with DuraShocks Flex. CarbonMAX composite toe. EH. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE

**TIMBERLAND PRO®****Setra Hi-Top Athletic****TMA5RRP** (Green Tan) M 8-12,13,14

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Mutilation and metal free construction. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH compliant**ARRIVING APRIL****REEBOK WORK®****Floatride Energy Tactical Hi-Top Athletic****SRB3213** (Black) M 7-12,13,14; W 7-12,13,14

Leather and mesh upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

ASTM F2413-18 M / I / C EH compliant**EXCLUSIVE STYLE****REEBOK WORK®****Trailgrip Waterproof Athletic****WGRB3401** (Black/Gray) M 8-12,13,14,15; W 8-12,13,14,15

Leather and mesh upper. Moisture wicking mesh lining with waterproof membrane. Memory Tech removable cushion footbed. DMX Ride cushion foam midsole. Oil and slip-resistant rubber outsole. XTR alloy toe. EH. WP. No exposed metal on upper.

ASTM F2413-18 M / I / C EH compliant



REEBOK WORK®

BB4500 Hi-Top Athletic**WGRB4132** (Black/Red) M 7-12,13,14; W 7-12,13,14

Leather with mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Oil and slip-resistant rubber shell outsole with sidewall stitch all around. XTR comp toe. EH. Metal free.

ASTM F2413-18 M I C EH compliant



REEBOK WORK®

BB4500 Hi-Top Athletic**WGRB4133** (Navy/Gray) M 8-12,13

Leather with mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Oil and slip-resistant rubber shell outsole with sidewall stitch all around. XTR comp toe. SD with dual resistor technology. Metal free.

ASTM F2413-18 M I C SD 10 compliant



REEBOK WORK®

BB4500 Work High-Top Athletic**WGRB4194** (Black/White) M 8-12,13,14; W 8-12,13,14

Microfiber and Airy mesh upper. Adjustable velcro top strap. Memory Tech Foam removable footbed. Fullfoam lightweight midsole. Slip resistant rubber outsole with 360 degree sidewall stitch. XTR comp toe. EH. 100% metal free.

ASTM F2413-18 M I C EH compliant



ARRIVING MARCH



REEBOK WORK®

Sublite Cushion Work Mid Athletic**WGRB4141** (Black) M 7-12,13,14; W 8-12,13,14

Microfiber and mesh upper. Moisture wicking mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. SD with dual resistor technology. No exposed metal on upper.

ASTM F2413-18 M I C SD compliant



REEBOK WORK®

Sublite Cushion Work Waterproof Mid Athletic**WGRB4144** (Black) M 8-12,13,14; W 8-12,13,14

Waterproof leather upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. No exposed metal on upper. Comp toe. EH.

ASTM F2413-18 M I C EH compliant



**TERRA®****Venom Mid High Athletic****TR608285BLK** (Black/Gray) M 7,8-11,12,13

Combination water resistant suede and nubuck leather. Reflective 3M Scotchlite heel band. Moisture wicking and abrasion resistant lining with CLEANFEET odor control treatment. Single density PU footbed. Direct inject PU midsole/outsole with supportive sidewall chassis. Comp toe. SD. Composite puncture resistant plate. TERRA FIRMA-FLEX metal free.

ASTM F2413-18 M/ I/ C SD PR compliant. CSA grade 1 toe, SD, green triangle compliant.

**SR MAX®****Winston Low Hiker****SRM4660** (Brown) M 7-12,13,14; EW 8-12,13

Action Crazy Horse upper leather with abrasion resistant toe bumper. Merry mesh lining. PU cup cushion footbed. Pylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**EXCLUSIVE STYLE****KEEN UTILITY®****Braddock Low Hiker****KN1011244** (Black/Bossa Nova) D 8-12,13,14,15; EE 8-12,13,14,15

Water resistant nubuck upper leather. Hydrophobic/hydrophilic 2 zone comfort technology lining. Removable metatomical dual density EVA footbed. Abrasion resistant heel counter. Direct attached PU midsole with overlay toe bumper. Direct attached oil and slip-resistant rubber outsole. Assembled in USA. Steel Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**KEEN UTILITY®****Atlanta Cool II Low Hiker****KN1023217** (Gargoyle/Midnight Navy) D 7-12,13,14; EE 7-12,13

Leather and mesh upper with reflective webbing. Moisture wicking textile lining. Removable metatomical, dual density, EVA footbed. KEEN.ReGEN compression resisting, cushion midsole. External Stability Shank for midfoot support. Oil and slip-resistant rubber outsole. Steel toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

**HYTEST®****Stout Waterproof Hiker****12170** (Black) M 3-12,13,14; W 3-12,13,14

Full grain waterproof leather upper. Full padded tongue and collar. Bootie with CK mesh lining. EVA full cushion footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Strobel construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant




HYTEST®
 SAFETY FOOTWEAR
HYTEST®**Knox Direct Attach Waterproof Hiker****13751** (Brown) W 8-12,13,14**13750** (Black) W 8-12,13,14

Leather upper. Moisture wicking mesh linings. EVA cushioned footbed. PU midsole. TPU outsole. Direct attached construction. Waterproof. Steel toe. EH.

ASTM F2413-18 M/I/C EH compliant

NEW STYLE


WOLVERINE®
WOLVERINE®**Chisel Waterproof Hiker****WW231047** (Tan Gravel) M 8-12,13; EW 8-12,13

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Advance comfort PU footbed. Molded EVA cushion midsole. Slip resistant rubber lug outsole. Steel toe. EH. WP.

ASTM F2413-18 M/I/C EH compliant

ARRIVING APRIL


HARLEY-DAVIDSON®
 FOOTWEAR
HARLEY-DAVIDSON®**Woodridge Athletic****HD93329** (Black/Orange) M 8-12,13

Leather upper. Mesh lining. Oil and slip-resistant rubber outsole. Nonmetallic metal free. Comp toe. EH.

ASTM F2413-18 M/I/C EH compliant
MERRELL
 WORK
MERRELL WORK®**Moab Vertex Mid Waterproof Hiker****MLJ11617** (Clay) M 8-12,13,14,15

Waterproof full grain leather and breathable mesh upper. Abrasion resistant rubber toe bumper. Breathable mesh lining with Merrell M Select DRY waterproof membrane. COMFORTBASE contoured design footbed. COMFORTBASE rubberized EVA midsole. Merrell air cushion in heel absorbs shock. Oil and slip-resistant Merrell M Select GRIP rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/I/C EH compliant
X SR MAX®
SR MAX®**Sitka Waterproof Hiker****SRM2850** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof full grain leather upper. Mesh lining with waterproof bootie. Molded, removable PU cup footbed. Single density, patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/I/C EH compliant

EXCLUSIVE STYLE

**SR MAX®****Winston Hi Hiker****SRM4760** (Brown) M 7-12,13,14; EW 8-12,13

Action Crazy Horse upper leather with abrasion resistant toe bumper. Merry mesh lining. PU cup cushion footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**EXCLUSIVE STYLE****SR MAX®****Boone Hi Hiker****SRM4790** (Black) M 7-12,13,14,15,16; EW 8-12,13,14,15

Action leather, PU and rubber upper. Merry mesh lining. Molded, removable, PU cup footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**EXCLUSIVE STYLE****TIMBERLAND PRO®****Powerdrive High-Top Hiker****STMA2BX1** (Black) M 7-12,13,14,15; W 8-12,13,14

Ripstop nylon upper. TPU toe overlay and synthetic heel overlay for added abrasion resistance. Mesh lining with antimicrobial treatment. Open cell PU footbed. EVA midsole. Oil resistant TPU outsole with SR Max MaxTRAX® patented slip-resistant tread design. CarbonShield comp toe. EH. Metal free. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

**EXCLUSIVE STYLE****TIMBERLAND PRO®****Switchback Waterproof Hiker****STMA44EN** (Black/Grey Pop) M 7-12,13,14,15; W 8-12,13,14**STMA44FE** (Brown/Golden Yellow) M 7-12,13,14,15; W 8-12,13,14

Waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood-borne pathogen membrane. ReBOTL recycled materials used. Anti-Fatigue Technology PU footbed. EVA cushion midsole. Timberland PRO TPU oil, slip and abrasion resistant outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

**EXCLUSIVE STYLE****TIMBERLAND PRO®****Mudslinger Waterproof Hiker****TM86515** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof nubuck and microfiber leather upper. Abrasion resistant synthetic toe and heel overlays. Breathable and moisture wicking lining with waterproof membrane. Removable and breathable PU footbed. EVA cushion midsole. Oil, slip and abrasion resistant rubber outsole. Heat resistant to 572 degrees F. Steel toe. EH, WP.

ASTM F2413-18 M/ I/ C EH compliant



**TIMBERLAND PRO®****Powertrain Hi-Top Athletic****TMA11QF** (Black) M 7-12,13,14,15; W 8-12,13,14,15

Synthetic upper. Mesh lining with antimicrobial treatment for odor control. Proprietary Anti-Fatigue Technology to provide shock absorption and energy return. PU midsole. Nonmarking slip and abrasion resistant PU outsole. Cement construction. Alloy safety toe. SD.

ASTM F2413-18 M/ I/ C SD compliant

**KEEN UTILITY®****Pittsburgh Waterproof Hiker****KN1007024** (Bison) D 7.5-12,13,14,15; EE 7.5-12,13,14,15

Leather upper. 2 Zone comfort lining with KEEN.DRY waterproof, breathable membrane. KEEN Key-Tech full length TPU interlocking torsion plate. Dual density compression molded EVA and PU midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**KEEN UTILITY®****Braddock Waterproof Hiker****KN1011243** (Gargoyle/Forest Night) D 7-12,13,14; EE 7.5-12,13,14

Waterproof nubuck upper leather. Hydrophobic/hydrophilic 2 zone comfort technology lining. KEEN.DRY waterproof, breathable membrane. Removable metatomical dual density EVA footbed. Abrasion resistant heel counter. Direct attached PU midsole with overlay toe bumper. Direct attached oil and slip-resistant rubber outsole. Assembled in USA. Steel Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**KEEN UTILITY®****Braddock Waterproof Hiker****KN1011242** (Cascade Brown/Tawny Olive) D 7-12,13,14,15;

EE 7-12,13,14,15

Waterproof nubuck leather upper. 2 Zone comfort lining with KEEN.DRY waterproof, breathable membrane. Removable metatomical dual density EVA footbed. Oil and slip-resistant rubber outsole. Assembled in USA. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**KEEN UTILITY®****Braddock Waterproof Hiker****KN1012771** (Bison/Ensign Blue) D 8-12,13,14; EE 8-12,13

Waterproof nubuck upper leather. Hydrophobic/hydrophilic, 2 zone comfort lining with KEEN.DRY waterproof, breathable membrane. Removable, metatomical, dual density EVA footbed. Direct attached PU midsole with overlay toe bumper. Nonmarking, oil and slip-resistant rubber outsole. Assembled in USA. Steel toe. EH. Waterproof.

ASTM F2413-18 M/ I/ C EH compliant





KEEN
UTILITY

KEEN UTILITY®**Lansing Waterproof Hiker****KN1018079** (Raven/Tawny Olive) D 8-12,13,14,15; EE 8-12,13,14,15

Waterproof leather upper with reflective webbing. Moisture wicking textile lining with KEEN.DRY waterproof, breathable membrane. Removable metatomical EVA footbed. Nonmarking, oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE



KEEN
UTILITY

KEEN UTILITY®**Vista Energy Hiker****KN1024592** (Black/Raven) D 7.5-12,13,14,15; EE 7-12,13,14,15

Mesh and synthetic, nonmutilating upper. Removable, metatomical PU footbed. KEEN.ReGEN compression molded midsole. Oil and slip-resistant, nonmarking, rubber outsole. KONNECTFIT heel-capture for locked-in heel fit. Carbon fiber safety toe. EH. 100% metal free.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE



KEEN
UTILITY

KEEN UTILITY®**Vista Energy Hiker****KN1024588** (Vapor/Black) D 7-12,13,14,15; EE 7-12,13,14,15

Mesh and synthetic, nonmutilating upper. Removable, metatomical PU footbed. KEEN.ReGEN compression molded midsole. Oil and slip-resistant, nonmarking, rubber outsole. KONNECTFIT heel-capture for locked-in heel fit. Carbon fiber safety toe. EH. 100% metal free.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE



KEEN
UTILITY

KEEN UTILITY®**Reno Waterproof 6" Mid Hiker****KN1027102** (Dark Olive/Black) D 8-12,13,14,15; EE 8-12,13,14

Leather upper. KEEN.DRY waterproof membrane construction. KEEN. BELLOWS FLEX allows foot to bend and flex with ease. KEEN.ReGEN provides added energy return. Oil and slip-resistant outsole. Carbon fiber toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE



Danner
SINCE 1932

DANNER®**Vicious Waterproof 4.5" Boot****DA13860** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Abrasion resistant heel overlay. Gore-Tex breathable, waterproof membrane. PU cushion footbed. Dual density EVA midsole. Oil and slip-resistant Vibram Vicious rubber outsole. 90 degree heel breast. Comp toe. EH. WP. 365 day warranty.

ASTM F2413-18 M/ I/ C EH compliant

ARRIVING APRIL

NEW STYLE

**AVENGER®****Flight Waterproof Hiker****N7421** (Brown) M 8-12,13

Waterproof leather upper. Waterproof membrane construction. SD10 comfort footbed. EVA midsole with slip-resistant rubber forepart and heel pads. No exposed metal on upper. Alloy toe. SD 10. WP.

ASTM F2413-18 M / I / C SD 10 compliant**TWISTED X®****Driving Moc Chukka****TWMDMST01** (Peanut) M 7.5-12,13,14; W 8-12,13,14

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 M / I / C EH compliant**ARIAT®****Edge LTE Work Chukka****AR10038398** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Premium leather upper. Mesh lining. Removable All Day Cushioning footbed. 4LR stabilizing shank. Oil and slip-resistant Bantamweight outsole. Comp toe. SD. 100% nonmetallic.

ASTM F2413-18 M / I / C SD compliant**HYTEST FOOTRESTS 2.0®****Rebound Waterproof 6" Hiker****22471** (Brown) D 8-12,13,14,15; EEE 8-12,13,14,15

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane. FootRests tri-density anti-fatigue footbed. XERGY anti-fatigue foam midsole absorbs and returns energy. Oil and slip-resistant wide track TPU outsole. Waterproof. Nano toe. EH. Podiatric seal of approval.

ASTM F2413-18 M / I / C EH compliant**HYTEST FOOTRESTS 2.0®****Rebound Waterproof 6" Hiker****22470** (Black) D 4-12,13,14; EEE 7.5-12,13,14

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane. FootRests tri-density anti-fatigue footbed. XERGY anti-fatigue foam midsole absorbs and returns energy. Oil and slip-resistant wide track TPU outsole. Waterproof. Nano toe. EH. Podiatric seal of approval.

ASTM F2413-18 M / I / C EH compliant



HYTEST FOOTRESTS 2.0®
REBOUND

22471

See item on page 32

**HYTEST FOOTRESTS 2.0®****Mission 6" Side-Zip Boot****23190** (Black) D 8-12,13,14; EEE 8-12,13,14

Nylon textile and TPU upper with inside quarter zipper. Moisture wicking mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. Podiatric seal of approval.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST FOOTRESTS 2.0®****Tread 6" Hiker****23332** (Navy) D 8-12,13,14,15; EEE 8-12,13,14

TecTuff abrasion resistant leather upper. Moisture wicking mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Oil and slip-resistant rubber outsole. Nano toe. EH. Podiatric seal of approval.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST FOOTRESTS 2.0®****Charge Waterproof 6" Hiker****23342** (Blue) D 8-12,13; EEE 8-12,13**23343** (Red) D 8-12,13,14; EEE 8-12,13,14

TecTuff abrasion resistant waterproof leather and mesh upper. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam footbed. FootHolds oil and slip resistant rubber outsole. Nano toe. EH. WP. Xergy anatomical last. APMA certified. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST FOOTRESTS®****Waterproof 6" Boot****23181** (Brown) D 7-12,13,14,15,16,17,18; EEE 7-12,13,14,15,16,17,18**23180** (Black) D 7-12,13,14,15,16,17,18; EEE 7-12,13,14,15,16,17,18

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Tri-layer anti-fatigue footbed. Dual density PU midsole. Tri-tec oil and slip-resistant rubber outsole. Storm welt construction. Composite toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST®****Apex 6" Waterproof Hiker****12254** (Brown) M 8-12,13,14; W 8-12,13,14

Waterproof, full grain leather upper with Tec-Tuff abrasion resistant toe, heel and eyestay. Moisture wicking lining with waterproof membrane. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp toe. SD. WP.

ASTM F2413-18 M/ I/ C SD 10 compliant

**HYTEST®****Apex 6" Waterproof Work Boot****12481** (Brown) M 4-12,13,14; W 7-12,13,14

Waterproof oiled full grain leather upper. Mesh lining with barrier bootie. Well-Max Flex puncture resistant insole. EVA Pesu III footbed. EVA cushioned midsole. Lightweight slip and oil resistant rubber outsole. Cement construction. Comp toe. EH. PR. WP.

ASTM F2413-18 M/ I/ C EH PR compliant**HYTEST®****Zinc 6" Work Boot****13180** (Black) M 4.5-12,13,14,15,16; W 4-12,13,14,15,16

Full grain leather. Fully lined. Removable, cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Strobel construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE

HYTEST®**Apex 2 Pike 6" Waterproof Work Boot****13500** (Black) M 4-12,13,14,15; W 7-12,13,14,15

Waterproof, full grain leather upper. Moisture wicking mesh lining with waterproof membrane. Removable Apex anti-fatigue XERGY foam footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Nano composite toe. EH. Puncture resistant plate. WP. Security friendly. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH PR compliant**HYTEST®****Kane 6" Waterproof Insulated Work Boot****13571** (Brown) M 8-12,13,14; W 8-12,13,14

Full grain waterproof leather with abrasion resistant rubber vamp. Abrasion resistant mesh lining with HY-Dry waterproof membrane. B400 Thinsulate insulation. Memory foam footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST®****Zinc 6" Waterproof Boot****13610** (Black) M 4-12,13,14; W 7-12,13,14

Full grain leather upper. Full padded tongue and collar. CK mesh lining with polyurethane membrane. Removable EVA full cushion footbed. EVA/Nexus rubber oil and slip-resistant outsole. Non-Metallic. Strobel with bootie construction. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant


HYTEST®
Safety Footwear
HYTEST®**Knox 6" Waterproof Boot****13620** (Black) W 4-12,13,14

Waterproof full grain leather upper. Moisture wicking mesh lining. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant TPU outsole. Direct attached construction. Steel toe. EH. PR. WP.

ASTM F2413-18 M/ I / C EH PR compliant
HYTEST®
Safety Footwear
HYTEST®**Knox 6" Waterproof Boot****13621** (Brown) W 8-12,13,14

Waterproof full grain and Tec-Tuff leather upper. Moisture wicking mesh lining. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant TPU outsole. Direct attached construction. Steel toe. EH. PR. WP.

ASTM F2413-18 M/ I / C EH PR compliant.
HYTEST®
Safety Footwear
HYTEST®**Knox Direct Attach Slip-On Boot****13781** (Brown) W 7-12,13,14

Leather upper. Twin elastic side gore panels. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip and abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant
HYTEST®
Safety Footwear
HYTEST®**Empire 6" Waterproof Insulated Boot****13860** (Black) M 4-12,13,14,15; EW 4-12,13,14,15

PU coated, waterproof leather upper. Molded, waterproof foot. Taibrelle lining with waterproof barrier bootie. Insulated. Removable EVA Pesu II full cushion footbed. Dual density PU slip-resistant outsole. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant
HYTEST®
Safety Footwear
HYTEST®**Byron 6" Waterproof Work Boot****13890** (Black) D 4-12,13,14,15; E 7-12,13,14,15; EEE 4-12,13,14,15

Waterproof full grain black leather upper. Mesh lining with waterproof barrier bootie. 100 grams Thinsulate insulation. Fully padded tongue and collar. Removable EVA Pesu II full cushion footbed. Goodyear welt construction. Dual density oil and slip-resistant polyurethane outsole.

ASTM F2413-18 M/ I / C EH compliant

**HYTEST®****Knock 6" Waterproof Boot****13990** (Black) W 4-12,13,14**13991** (Brown) W 8-12,13,14

Waterproof full grain leather upper. Waterproof construction. Moisture wicking mesh lining. Removable cushioned footbed. PU cushioned midsole. Oil resistant rubber outsole. Direct attached construction. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**HYTEST®****Admiral 6" Waterproof Boot****43501** (Brown) M 8-12,13,14

Waterproof full grain leather. Moisture wicking mesh lining with waterproof membrane. Removable tri-layer anti-fatigue footbed. PU cushioned midsole. Oil and slip-resistant TPU outsole featuring DuraShocks technology. Direct attached construction. Steel toe. EH. WP. Assembled in USA. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant**WOLVERINE DURASHOCKS SR®****6" Work Boot****WW2053** (Canyon) M 8-12,13,14; EW 8-12,13

Sueded nubuck leather upper with pig skin. Unlined. Removable dual density footbed. Direct attached PU midsole with slip resisting, energy returning, Wolverine Durashocks SR Dual-Density PU outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**WOLVERINE DURASHOCKS SR®****Direct Attach 6" Boot****WW3120** (Brown) M 7-12,13,14; W 7-12,13,14

This work boot features a genuine full grain leather and猪skin upper. Permanent direct-attach molding seals out water. Patented, long-lasting Dri-Lex lining wicks away sweat and keeps skin dry and comfortable. Removable double density footbed adds cushioning and stability. Tough, lightweight polyurethane midsole. Fiberglass shank stabilizes foot, weighs 75% less than steel and reduces fatigue. Oil, abrasion and slip-resistant PU outsole.

ASTM F2413-18 M/ I/ C EH compliant**WOLVERINE DURASHOCKS®****Warrior Waterproof 6" Boot****WW10926** (Brown) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking lining with breathable waterproof membrane. Removable EPX Anti-Fatigue footbed. Advanced comfort PU midsole. Oil resistant rubber outsole is heat resistant up to 932 degrees Fahrenheit. CarbonMAX safety toe. EH. WP.

ASTM F2413-18 M/ I/ C/ EH compliant

NEW STYLE



WOLVERINE
DURA SHOCKS[®]
COMFORT TECHNOLOGY

WOLVERINE DURASHOCKS[®]**I-90 DuraShocks[®] Moc-Toe 6" Waterproof Boot****Boot****WW201095** (Black) M 7-12,13,14

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Removable DuraShocks dual density PU footbed. PU midsole. DuraShocks oil, slip and high abrasion TPU outsole pads. CarbonMAX comp toe. EH. WP. Goodyear welt construction. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

WOLVERINE
DURA SHOCKS[®]
COMFORT TECHNOLOGY

WOLVERINE DURASHOCKS[®]**Raider 6" Waterproof Boot****WW211161** (Brown) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable WaterProof Plus membrane. Removable dual density footbed. Advance Comfort PU midsole. Oil and slip-resistant rubber lug outsole with Wolverine DuraShocks Flex. CarbonMAX comp toe. EH. WP. Wolverine comfort guarantee

ASTM F2413-18 M/ I/ C EH compliant

WOLVERINE


WOLVERINE[®]**Cabor EPX[®] Waterproof 6" Boot****WW10314** (Dark Brown) M 7-12,13,14; EW 8-12,13

Waterproof upper leather. Wave mesh lining with Wolverine PC Dry waterproof membrane. Dual density PU EPX anti-fatigue footbed. PU midsole. Slip-resistant rubber outsole. Direct attached construction. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

WOLVERINE


WOLVERINE[®]**Blade LX Waterproof 6" Boot****WW10653** (Chocolate Chip) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather with abrasion resistant toe overlay and heel counter. Moisture wicking mesh lining with WaterProof Plus breathable membrane. Removable EPX anti-fatigue footbed. Advanced Comfort PU midsole. Slip-resistant rubber lug outsole. Direct attached construction. Wolverine CarbonMAX nanotechnology safety toe. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

WOLVERINE


WOLVERINE[®]**Hellcat UltraSpring™ 6" Waterproof Work Boot****WW201175** (Tobacco) M 7-12,13,14; EW 7-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Removable Ortholite UltraLite full cushion footbed. UltraSpring high rebound ETPU midsole. Oil and slip-resistant rubber lug outsole. Goodyear welt construction. CarbonMAX composite toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE


WOLVERINE®
WOLVERINE®**Floorhand Waterproof Romeo Boot****WW231018** (Sudan Brown) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather upper. Convenient front and back pull loops. Twin side gore panels. Moisture wicking lining with breathable, waterproof membrane. ETPU cushion footbed. Molded EVA midsole. Rubber lug outsole with abrasion resistant TPU layer. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**ARRIVING APRIL**
WOLVERINE®
WOLVERINE®**SwampMonster 6" Waterproof Boot****WW5698** (Brown) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather upper with SwampMonster shell. Wave mesh lining. Removable air cell PU cushion footbed. Wolverine slip-resistant rubber outsole. Cement construction. Steel toe. EH. Waterproof.

ASTM F2413-18 M/ I/ C EH compliant
WOLVERINE®
WOLVERINE®**Bonaventure Waterproof Hiker****WW8399** (Black) M 7.5-12,13,14; EW 7.5-12,13

Saf-Gard exclusive style. Waterproof full grain leather upper. Wave mesh lining. Removable air cell PU cushion footbed with anti microbial mesh sock liner. Compression molded EVA midsole. Rubber lug outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**
CATERPILLAR®**Threshold 6" Waterproof Boot****CT90936** (Black) M 7-12,13,14,15; W 7-12,13,14

Full grain leather upper. Lightweight, flexible ERGO midsole. Slip-resistant rubber outsole. Steel toe. EH. Seam sealed waterproof construction.

ASTM F2413-18 M/ I/ C EH compliant
BATES®**Tactical Sport Side-Zip Hiker****BA3164** (Black) M 4-12,13,14,15; EW 7-12,13,14

Full grain leather and 1680D Performance Polyester upper. YKK inside quarter zipper. Moisture wicking lining. PU foam removable footbed. Shock absorbing CMEVA midsole. TacTRAX slip-resistant rubber outsole. 90 degree heel breast. Flexible stropel construction. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant.


SR MAX®
SR MAX®**Denali 6" Waterproof Hiker****SRM2650** (Black) M 7-12,13,14,15,16; EW 7-12,13,14,15,16**SRM2660** (Brown) M 7-12,13,14; EW 7-12,13,14

Waterproof, oiled, tumbled leather upper. Waterproof bootie construction. Nylon mesh linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Estes 6" Waterproof Hiker****SRM2670** (Brown) M 7-12,13,14,15,16; EW 7-12,13,14,15

Waterproof, oiled, Crazy Horse leather upper. Waterproof membrane bootie construction. Removable PU cup antistatic footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. SD. WP.

ASTM F2413-18 M/ I/ C SD-10 compliant**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Washington 6" Boot****SRM5000** (Black) M 7-12,13,14; EW 7-12,13,14

Water repellent, oiled, full grain leather upper. Taibrelle with fabric linings. Molded removable PU cup insole. Direct attached PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant.**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Lewiston 6" Waterproof Boot****SRM9160** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15**SRM9150** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled leather upper. Fabric lining with waterproof membrane. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Concord Waterproof Hiker****SRM9170** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled Crazy Horse upper leather. Fabric lining with waterproof membrane. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**

NEW STYLE


Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA1W6B** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15**STMA41QN** (Casterock) M 7-12,13,14,15; W 7-12,13,14

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Oil and slip-resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof. Insulated.

ASTM F2413-18 M / I / C EH compliant**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA41PY** (Earth Bandit) M 7-12,13,14,15; W 7-12,13,14**STMA1W52** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof upper leather. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, open cell PU footbed. PU midssole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. Steel toe. EH. WP/Insulated.

ASTM F2413-18 M / I / C EH compliant**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA5TDH** (Cinnamon) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with seam sealed waterproof construction. Breathable, moisture wicking lining with anti-microbial treatment for odor control. 200 grams insulation. Single density, moisture wicking and air permeable, open cell PU footbed. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip resistant tread pattern. Steel toe. EH. WP/Insulated.

ASTM F2413-18 M / I / C EH compliant**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Boot****TM26038** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with sealed seams. Anti-microbial mesh lining. Open cell PU footbed with anti-microbial treatment. 200 grams Thermolite insulation. Direct injected blown TPR midsole. Timberland PRO oil resistant rubber lug outsole. Steel toe. EH. WP. Insulated.

ASTM F2413-18 M / I / C EH compliant
Timberland PRO
TIMBERLAND PRO®**TITAN 6" Boot****TM26064** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Open cell PU footbed with Outlast Adaptive Comfort technology. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. TITAN alloy safety toe. EH.

ASTM F2413-18 M / I / C EH compliant

TIMBERLAND PRO®

SWITCHBACK

STMA44EN

See item on page 29



POWERED BY

MAX TRAX®

**TIMBERLAND PRO®****TiTAN 6" Waterproof Boot****TM26078** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings with waterproof membrane. Open cell PU footbed with Outlast Adaptive Comfort technology. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. Blood borne pathogen feature. TiTAN alloy safety toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Pit Boss 6" Boot****TM33031** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15

Nubuck upper leather. Cambrelle lining with antimicrobial treatment for odor control. Removable open cell PU footbed. PU midsole. Timberland PRO abrasion, oil and slip-resistant rubber outsole. Heat resistant up to 572 degrees F. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Pit Boss 6" Boot****TM33034** (Brown) M 7-12,13,14; W 7-12,13,14**TM33032** (Black) M 7-12,13,14,15; W 7-12,13,14

Oiled nubuck upper leather. Cambrelle lining with antimicrobial treatment for odor control. Removable open cell PU footbed. PU midsole. Timberland PRO abrasion, oil and slip-resistant rubber outsole. Heat resistant up to 572 degrees F. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Powerwelt 6" Waterproof Boot****TM47001** (Brown/Black) M 7-12,13,14,15; W 7-12,13,14,15

Full grain and Ever-Guard heat and abrasion resistant leather upper. Waterproof membrane with blood borne pathogen feature. Ortholite footbed with Outlast Adaptive Comfort cover. Goodyear welt Cast-Bond construction for a durable chemical and mechanical bond. Nonmarking, oil resistant PU outsole with Ladder Lock heel radius. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Endurance 6" Waterproof Boot****TM47591** (Rancher Brown) M 7-12,13,14,15; W 7-12,13,14**TM47592** (Black) M 7-12,13,14; W 7.5-12,13,14,15

Waterproof full grain upper leather. Timberland PRO high abrasion double rubber toe feature and rubber heel counter. Mesh lining with antimicrobial treatment and waterproof membrane with blood borne pathogen feature. Contoured single density PU footbed with antimicrobial cover. Timberland PRO oil, slip and heat resistant rubber outsole with Ladder Lock shank. Outsole is heat resistant to 932 degrees F. Metallic puncture resistant plate. Steel toe. EH. PR. WP.

ASTM F2413-18 M/ I/ C EH, PR compliant. CSA grade 1 toe. Omega.

CSA green triangle compliant.



**TIMBERLAND PRO®****TITAN 6" Boot****TM50508** (Brown) M 7-12,13,14,15; W 8-12,13,14,15**TM50507** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Nonmetallic hardware. Anti-microbial, spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial management. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TiTAN nonmetallic safety toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**TIMBERLAND PRO®****Endurance 6" Boot****TM52562** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Anti-microbial spacer mesh linings. Timberland PRO rubber double toe and rubber backstay for added abrasion resistance. PU footbed with anti-microbial cover. Anti-fatigue PU midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole with Ladder Lock heel radius. Outsole is heat resistant up to 932 degrees F. Steel-Flex puncture resistant plate. Steel Toe. EH. PR.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe. Omega. Green triangle compliant.**TIMBERLAND PRO®****Helix 6" Waterproof Boot****TM85594** (Brown) M 6.5-12,13,14,15; W 6-12,13,14,15

Waterproof full grain leather with waterproof membrane. Breathable and moisture wicking lining with antimicrobial treatment. Anti-Fatigue Technology PU footbed. EVA midsole with oil and slip-resistant rubber outsole. Rubber outsole is heat resistant to 572 degrees F. Blood borne pathogen resistant. Waterproof. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**TIMBERLAND PRO®****Hyperion 6" Waterproof Work Boot****TM90646** (Brown/Black) M 8-12,13,14,15; W 7-12,13,14,15

Premium leather upper. Ever-Guard leather heel and backstay. Molded Timberland PRO rubber toe protector. Breathable and moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. Anti-Fatigue Technology PU footbed for shock absorption and energy return. EVA midsole. Vibram rubber outsole is oil, abrasion and slip-resistant. Ladder Lock heel breast. Alloy toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**TIMBERLAND PRO®****Boondock 6" Waterproof Work Boot****TM92615** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with Ever-Guard abrasion resistant heel counter. Molded Timberland PRO high abrasion rubber toe piece. Waterproof membrane with blood borne pathogen feature. Cushioned footbed. Goodyear welt forepart with cemented heel construction. Oil, abrasion and slip-resistant TPU outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Rigmaster 6" Waterproof Work Boot****TMA11RO** (Brown) M 7.5-12,13,14,15; W 7.5-12,13,14,15

Tumbled leather and Ever-Guard leather upper. Mesh lining with antimicrobial treatment. Waterproof/blood-borne pathogen membrane. Single density open cell PU footbed with antimicrobial cover. Single density PU outsole is oil and abrasion resistant. Ladder Lock shank feature. Goodyear welt Cast-Bond construction. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Helix HD 6" Waterproof Work Boot****TMA1HQL** (Brown) M 8-12,13,14; W 8-12,13

Distressed full grain leather upper. Molded Timberland PRO rubber toe protector. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. PU footbed for shock absorption and energy return. PU midsole. Timberland PRO rubber outsole is oil, abrasion and slip-resistant. Direct attached construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Hypercharge 6" Waterproof Boot****TMA1Q54** (Brown) M 8-12,13,14,15; W 8-12,13,14,15

Full grain leather upper. Breathable and moisture wicking lining with anti-microbial treatment. Anti-Fatigue Technology PU footbed. EVA midsole. Nonmarking, slip, abrasion and oil resistant Timberland PRO rubber outsole with Ladder Lock heel is heat resistant to 572 degrees F. Comp toe with CarbonShield technology. EH. Waterproof construction.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Hypercharge 6" Waterproof Boot****TMA1RVS** (Brown) M 8-12,13,14; W 8-12,13

Waterproof full grain leather upper. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. Anti-Fatigue Technology PU footbed for shock absorption and energy return. Stable Stride Technology stability platform. Independent Suspension Network for support and agility. EVA midsole. Timberland PRO rubber outsole is oil, slip and abrasion resistant. Heat resistant to 572 degrees F. Comp toe with CarbonShield. EH.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Boss Hog 6" Waterproof Boot****TMA1XJP** (Black) M 8-12,13,14,15; W 9.5-12,13,14**TMA1XK1** (Brown) M 8-12,13,14; W 9.5-12,13,14

Full grain waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane. Anti-fatigue PU footbed. EVA midsole. Oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. Comp toe powered by CarbonShield technology. EH. Nonmetallic puncture plate. Security friendly. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



**TIMBERLAND PRO®****Work Summit 6" Waterproof Boot****TMA225Q** (Brown) M 8-12,13,14; W 8-12,13,14

Waterproof leather upper. Abrasion resistant toe and heel overlays. Mesh lining with anti-microbial treatment and waterproof and blood borne pathogen membrane. Step Propel footbed with eTPU beads. midsole. Oil, slip and abrasion resistant TPU outsole. Comp toe powered with CarbonShield technology. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**REEBOK WORK®****Trainex 6" Waterproof Sport Boot****WGRB6765** (Black) M 4-12,13,14,15; W 4.5-12,13,14

Water resisting leather upper. Nylon mesh and waterproof membrane lining. Removable EVA cushion insert with sponge rubber heel wedge. Direct attached PU midsole with rubber outsole. 90 degree heel breast. Heel airbag.100% metal free. Comp toe. EH. Nonmetallic puncture plate.

ASTM F2413-18 M/ I/ C EH PR compliant**REEBOK WORK®****Rapid Response 6" Side Zip Stealth Boot****WGRB8694** (Desert Tan) M 7.5-12,13,14; W 8-12,13

Suede leather and ballistic nylon upper. Inside quarter zipper. Nylon mesh lining. Removable F2 PU cushion footbed with Shock Eliminator heel cushion. EVA cushion midsole. Mountain Trail rubber outsole. 100% nonmetallic. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant**ARIAT®****Turbo Chelsea Waterproof Pull-On Boot****AR10036738** (Barley Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. Twin elastic gore panels. Energy Max footbed dissipates pressure. Oil and slip resistant, dual density, PU/TPU outsole with defined heel breast. Direct attached construction. Waterproof Pro construction. 100% nonmetallic. Carbon fiber composite toe. EH. WP. Assembled in U.S.A.

ASTM F2413-18 M/ I/ C EH compliant**ARIAT®****Turbo 6" Waterproof Boot****AR10036739** (Rich Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. Energy Max footbed dissipates pressure. Oil and slip-resistant, dual density, PU/TPU outsole with defined heel breast. Direct attached construction. Waterproof Pro construction. 100% nonmetallic. Carbon fiber composite toe. EH. WP. Assembled in U.S.A.

ASTM F2413-18 M/ I/ C EH compliant



KEEN
UTILITY

KEEN UTILITY®
Dover 6" Waterproof Boot
KN1021467 (Dark Earth/Black) D 8-12,13; EE 8-12,13

Waterproof leather upper. Moisture wicking texture lining with KEEN.DRY waterproof, breathable membrane. Konnectfit heel-capture system for a locked in feel. Removable metatomical PU footbed. KEEN Luftcell:Air-infused PU midsole. Oil and slip-resistant rubber outsole. Carbon fiber toe. EH. WP. Assembled in USA.

ASTM F2413-18 M/ I/ C EH compliant


KEEN
UTILITY

KEEN UTILITY®
Chicago 6" Waterproof Boot
KN1024182 (Tobacco/Black) D 7-12,13,14,15; EE 7-12,13,14,15

KN1024184 (Black/Forged Iron) D 7-12,13,14,15; EE 7-12,13,14,15

Leather upper. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. KEEN.ReGEN cushion midsole. Oil and slip-resistant rubber outsole is heat resistant to 572 degrees F. 90 degree heel breast. Carbon fiber toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant


KEEN
UTILITY

KEEN UTILITY®
Troy 6" Waterproof Boot
KN1025697 (Magnet/Black) D 8-12,13,14; EE 8-12,13,14

Leather upper. KEEN.BELLOWS FLEX for added forepart flex. Moisture wicking textile lining with KEEN.DRY waterproof, breathable membrane. Removable dual density PolyAer PU footbed. KEEN Luftcell air infused PU midsole. Oil and slip-resistant rubber outsole with LuftCore shock absorbing heel. 90 degree heel breast. Heat resistant to 572 degrees F. Carbon fiber safety toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant


KEEN
UTILITY

KEEN UTILITY®
Louisville 6" Waterproof Boot
KN1015401 (Cascade Brown) D 8-12,13,14; EE 8-12,13,14

KN1011357 (Black) D 7-12,13,14,15; EE 7-12,13,14,15

Abrasion resistant tough-tec leather upper. KEEN.DRY waterproof, breathable membrane lining. Removable metatomical dual density EVA footbed. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant


KEEN
UTILITY

KEEN UTILITY®
Coburg 6" Waterproof Boot
KN1018023 (Cascade Brown/Brindle) D 9-12,13,14; EE 8.5-12,13

Waterproof leather upper. Hydrophobic/hydrophilic 2 zone comfort technology linings with KEEN.DRY waterproof, breathable membrane. Cleansport NXT for natural odor control. Removable metatomical dual density EVA footbed. Direct attached PU midsole with overlay toe bumper. Direct attached oil and slip-resistant rubber outsole. Assembled in USA. WP. Steel Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant


NEW STYLE


KEEN
UTILITY
KEEN UTILITY®**Independence Waterproof 6" Boot****KN1026487** (Dark Earth/Black) D 8-12,13,14; EE 8-12,13,14

Full grain, waterproof leather upper. Moisture wicking mesh textile lining with Cleansport NXT Technology for natural odor control. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. Direct attached KEEN.Luftcell air infused PU midsole with heel and toe overlays. Oil and slip-resistant PU KEEN.ToughSole outsole with 90 degree heel breast. Carbon fiber comp toe. EH. WP. Assembled in U.S.A.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE


KEEN
UTILITY
KEEN UTILITY®**Independence Waterproof 6" Boot****KN1026486** (Black) D 8-12,13,14; EE 8-12,13,14

Full grain, waterproof leather upper. Moisture wicking mesh textile lining with Cleansport NXT Technology for natural odor control. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. Direct attached KEEN.Luftcell air infused PU midsole with heel and toe overlays. Oil and slip-resistant PU KEEN.ToughSole outsole with 90 degree heel breast. Carbon fiber comp toe. EH. WP. Assembled in U.S.A.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE


KEEN
UTILITY
KEEN UTILITY®**Pittsburgh Energy Waterproof 6" Boot****KN1026892** (Cascade Brown/Green Pastures) D 7-12,13,14;

EE 8-12,13,14

Full grain waterproof leather with PFC-Free Treatment. Reflective webbing for added safety and visibility. Moisture wicking mesh textile lining with Cleansport NXT Technology for natural odor control. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. KEEN.ReGEN compression resisting midsole. Oil and slip-resistant rubber outsole. Carbon fiber comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant
CAROLINA
Built For Work.
CAROLINA®**Sarge Lo 6" Work Boot****CA1309** (Light Brown) D 8-12,13,14; EE 8-12,13,14

Pitstop leather upper. Dri-Lex lining. Poron performance cushioning insole with removable AG7 PU footbed. Dual density PU outsole. Goodyear welt construction. Steel toe. EH. Union made in USA.

ASTM F2413-18 M/ I/ C EH compliant
CAROLINA
Built For Work.
CAROLINA®**Circuit 6" Waterproof Insulated Boot****CA3535** (Dark Brown) D 8-12,13,14; EE 9-12,13,14

Bandit Nutcase upper leather. Mesh lining with SCUBALINER waterproof membrane and 400 grams Thinsulate insulation. Removable EVA footbed. Oil and slip-resistant rubber outsole. Comp toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant



KEEN UTILITY®

PITTSBURGH ENERGY

KN1026892

See item on page 48

**Georgia Boot****GEORGIA BOOT®****Georgia Giant 6" Boot****GA6374** (Soggy Brown) M 7-12,13,14,15,16,17; W 7-12,13,14,15

Full grain leather upper. Oil resistant bumper guard. High performance linings. Covered cushion footbed. EVA midsole. Oil resistant PU outsole. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**Georgia Boot****GEORGIA BOOT®****Eagle One Waterproof Slip On Chelsea Boot****GAGB00337** (Brown) M 8-12,13,14; W 8.5-11,12,13

SPR full grain leather. Twin elastic side gores. High performance mesh lining with Georgia waterproof construction. Cushioned EVA midsole. Oil, chemical, abrasion and slip-resistant rubber outsole. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**IRON AGE****IRON AGE®****Compound Waterproof Shaft Boot****WGIA9650** (Brown/Black) W 7-12,13,14,15; EW 4-12,13,14

Molded rubber bottom with waterproof leather shaft. Nylon mesh with waterproof membrane lining. Removable EVA cushion insert insole with sponge rubber heel wedge. IronTreads rubber slip-resistant outsole. Waterproof. Comp Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**ROCKY**
Outdoor Gear**ROCKY®****MobiLite 6" Waterproof Work Boot****RY6114** (Brown) M 8-12,13,14,15,16; W 8-12,13,14,15

Leather upper. Rocky waterproof construction. Removable PU footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**Thorogood**
Since 1892**THOROGOOD®****American Heritage 6" Moc Toe Wedge Boot****TG804-4200** (Tobacco) D 8-12,13,14; EE 8-12,13,14

Oil tanned leather upper. Cotton drill vamp lining. Removable dual density Ultimate Shock Absorption footbed on Poron 4000 comfort cushion. Rubber midsole. PU MAXWear oil and slip-resistant wedge outsole. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant





Thorogood
Since 1892

THOROGOOD®

American Heritage 6" Moc Toe Work Boot

TG804-4375 (Trail Crazyhorse) D 9-12,13; EE 9-12,13

Crazy Horse upper leather. Removable dual density Ultimate Shock Absorption footbed on Poron comfort cushion insole. Single density PU MAXWear sole with 90 degree heel breast. Goodyear storm welt construction. Steel toe. EH. Made in USA.

ASTM F2413-18 M/ I/ C EH compliant



Thorogood
Since 1892

THOROGOOD®

The Deuce 6" Tactical Side-Zip Boot

TG804-6190 (Black) M 8-12,13,14; W 8-12,13,14

Leather upper with 400g air mesh nylon upper. YKK inside quarter zipper. BBP X-Stream waterproof membrane. Blood borne pathogen resistant. Removable PU SHOCK ZONE cushion footbed. Z-Trac ASR dual density slip-resistant rubber outsole. 100% nonmetallic. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



Twisted X

TWISTED X®

6" Work Boot

TWMXCC001 (Distressed Saddle) M 8-12,13,14; W 8-12,13,14

Full grain leather upper. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



Twisted X

TWISTED X®

Waterproof 6" Wedge Sole Boot

TWMCAAW01 (Brown) M 8-12,13,14; W 8-12,13,14

Oiled leather upper. Air mesh lining. Waterproof construction. Molded cushion footbed. Slip-resistant rubber wedge outsole. Alloy toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



5.11

5.11 TACTICAL®

Company 3.0 Pull-On Boot

FEL12421 (Black) M 8-12,13

Water resistant leather upper. Nylon padded collar. Force foam PU cushioning. X-25 Ortholite footbed. Oil and slip-resistant outsole. Carbon tac toe. EH. PR.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



NEW STYLE



Danner®
SINCE 1932

DANNER®**Steel Yard 6" Waterproof Boot****DA12531** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Danner Dry waterproof membrane lining. Patent pending, ventilated, dual density, cushion footbed. Oil and slip resistant Steel Yard rubber outsole. Steel toe. EH. WP. 365 day warranty.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE



Danner®
SINCE 1932

DANNER®**Field Ranger 6" Waterproof Boot****DA15161** (Brown) D 8-12,13,14; EE 8-12,13,14

Leather and abrasion resistant textile upper with abrasion resistant toe bumper. Danner Dry waterproof membrane lining. OrthoLite removable cushion footbed. Trail Guard TPU shank provides lateral support. Oil and slip-resistant Field Ranger outsole with 90 degree heel breast. Comp toe. EH. WP. 365 day warranty.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE



Danner®
SINCE 1932

DANNER®**Caliper 6" Waterproof Boot****DA19453** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Danner Dry waterproof membrane lining. Memory foam stropel underfoot sock liner. PU and memory foam Dual Layer Comfort footbed. Oil and slip resistant rubber outsole with 90 degree heel breast. Aluminum toe. EH. WP. 365 day warranty.

ASTM F2413-18 M / I / C EH compliant

carhartt C

CARHARTT®**Ground Force 6" Waterproof Boot****CME6355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper. Fast Dry lining with Storm Defender waterproof, breathable membrane. Abrasion resistant rubber toe and heel underlays. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

ASTM F2413-18 M / I / C EH compliant

carhartt C

CARHARTT®**6" Mock Toe Waterproof Wedge Boot****CMW6295** (Brown) M 8-12,13

Oil tanned leather upper. FastDry lining with Storm Defender waterproof, breathable membrane. PU stropel pad with PU cushion footbed. Dual density rubber wedge outsole. Goodyear welt construction. Steel toe. EH. WP.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE



Blundstone®
TASMANIA AUSTRALIA-1870

BLUNDSTONE®**Stout Pull-On Chelsea Boot****BL140** (Brown) M 8-12,13

Water resistant upper leather. Twin side elastic gore panels. Comfort cushion footbed. SPS Max-XRD Technology in the heel and forepart for increased impact protection. PU midsole. Oil and slip-resistant TPU outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE



Blundstone®
TASMANIA AUSTRALIA-1870

BLUNDSTONE®**Stout Pull-On Chelsea Boot****BL172** (Brown) EE 7,8-12,13

Oil tanned upper leather. Twin side elastic gore panels. Breathable Comfort Classic PU footbed with XRD Extreme Impact pads at ball and heel. SPS Max-XRD Technology in heel and forepart strike zones. PU midsole with toe kick guard. Oil resistant TPU outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

Blundstone®
TASMANIA AUSTRALIA-1870

BLUNDSTONE®**XTREME Safety Series Pull On Boot****BL179** (Black) EE 7-12,13,14

Leather upper. Elastic gore side panels. Removable xtreme comfort EVA with Poron XRD footbed. PU midsole with TPU outsole. Steel toe. EH. Nonmetallic puncture resistant plate.

ASTM F2413-18 M/ I/ C EH PR compliant

Blundstone®
TASMANIA AUSTRALIA-1870

BLUNDSTONE®**990 Chelsea Pull-On Boot****BL990** (Black) M 8-12,13

Water resistant upper leather. Twin side elastic gore panels. Abrasion resistant, molded, TPU toe overlay. Comfort cushion footbed. SPS Max-XRD Technology in the heel and forepart for increased impact protection. Shock absorbing PU midsole. Oil and slip-resistant rubber outsole is heat resistant to 572 degrees F. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

AVENGER
SAFETY FOOTWEAR

AVENGER®**6" Waterproof Hiker****N7223** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Crazy Horse leather upper. Waterproof membrane construction. Removable Rebound foam footbed. Direct attached dual density PU oil and slip-resistant outsole. Waterproof. 100% nonmetallic. Comp toe. EH. Lenzi puncture resistant plate.

ASTM F2413-18 M/ I/ C EH PR compliant

**AVENGER®****6" Waterproof Hiker****N7245** (Black) M 7-12,13,14; W 7-12,13,14

Water resistant upper leather. Waterproof bladder construction. Removable PU dual density footbed. Rubber toe overlay for added abrasion resistance. No exposed metal on upper. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. 100% metal free.

ASTM F2413-18 M/ I / C EH compliant**AVENGER®****6" Waterproof Insulated Boot****N7264** (Brown) M 7-12,13,14; W 7.5-12,13,14

Waterproof full grain leather with abrasion resistant toe bumper and heel overlay. 200 grams Thinsulate insulation. Waterproof membrane. Removable dual density footbed. Slip-resistant rubber outsole. Comp toe. EH. WP/Insulated. Security friendly.

ASTM F2413-18 M/ I / C EH compliant**AVENGER®****Crosscut 6" Waterproof Boot****N7712** (Black) M 7-12,13,14; W 9-12,13,14

Waterproof full grain leather and textile upper. Waterproof membrane. Removable dual density footbed. Slip-resistant rubber outsole. No exposed metal. Lenzi puncture plate. Steel toe. EH. PR. WP.

ASTM F2413-18 M/ I / C EH PR compliant**REDBACK BOOTS®****Nevada Romeo Work Boot****REDUSNPU9** (Puma Brown) EE 7-12,13

Full grain leather upper. Twin side gore panels. Front and back nylon pull loops. Fatigue fighting Anatomic Support System helps to prevent arch sagging and foot strain. Dual density Air Cushion PU midsole. Oil, acid and slip resistant TPU outsole. Direct attached construction. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant**TERRA®****Findlay Waterproof Hiker****TR305205BLK** (Black) M 7,8-11,12,13

Full grain nubuck upper leather with reflective 3M Scotchlite trim. Moisture wicking and abrasion resistant aero-lining. Waterproof bootie with CLEANFEET odor control. PU cushion footbed. Shock absorbing PU midsole. PU protective toe bumper. Slip-resistant rubber outsole. Comp toe. SD. Composite puncture resistant plate. WP. TERRA FIRMA-FLEX metal free.

ASTM F2413-18 M/ I / C SD PR compliant. CSA grade 1 toe, SD, green triangle compliant.

NEW STYLE

**ROYER®**

ROYER®

Agility Arctic Grip 6" Waterproof Boot**RO5628AG** (Brown) EE 7-11,12,13,14,15

Crazy Horse leather and SHIELDTEX abrasion resistant fabric with PARESHOK TPU abrasion resistant toe bumper. Waterproof AIRFLOW membrane. Breathable R-LITE footbed. Direct attached PU midsole. Vibram Arctic Grip slip-resistant, rubber outsole. Comp toe. EH. Nonmetallic puncture resistant plate. Metal free. Assembled in Canada.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**HAIX®****Airpower XR200 6" Waterproof Hiker****HX604103** (Brown) M 8-12,13,14; W 9-12,13

Oiled nubuck upper leather with molded toe overlay. 2 Zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Arch Support System keeps the foot properly supported. Slip-resistant rubber outsole. Comp toe. EH. Nonmetallic puncture plate. Para-aramid European Class 1 cut protection. WP. Engineered in Germany. Manufactured in Europe.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**HAIX®****Black Eagle Waterproof 5" Side-Zip Boot****HX620012** (Black) M 8-12,13,14; W 8-12,13,14

Leather upper. Inside quarter zipper. CROSSTECH membrane is waterproof and bloodborne pathogen resistant. Haix Climate System allows warm air and moisture to escape. Removable, washable, cushion footbed. Oil and slip-resistant rubber/PU outsole. Comp toe. EH. Nonmetallic puncture plate. WP.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe. Omega. Green triangle.

**HOSS**

HOSS BOOT COMPANY®

Ridge Waterproof 6" Hiker**HS60230** (Brown) D 8-12,13,14; EE 8-12,13

Full grain leather upper. Nonmetallic lacing hardware. Abrasion resistant toe bumper. Nylon mesh moisture managing lining with waterproof membrane. Removable PU/memory foam cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole is heat resistant to 572 degrees F. Comp toe. EH. Fabric puncture resistant plate. WP.

ASTM F2413-18 M/ I/ C EH PR compliant

**HYTEST
SAFETY FOOTWEAR**

HYTEST®

Apex 2 Pike 8" Waterproof Boot**14200** (Black) M 4-12,13,14,15; W 9.5-12,13,14,15

Waterproof, full grain leather upper. Moisture wicking mesh lining with waterproof membrane. Removable Apex anti-fatigue XERGY foam footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Nano composite toe. EH. Puncture resistant plate. WP. Security friendly. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH PR compliant




HYTEST®
 SAFETY FOOTWEAR
HYTEST®**Knox 8" Waterproof Direct Attach Boot****14781** (Brown) W 4-12,13,14

Waterproof leather upper. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip, and abrasion resistant TPU outsole. Direct attached construction. WP. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
WOLVERINE
WOLVERINE®**Cabor EPX® Waterproof 8" Boot****WW10316** (Dark Brown) M 7.5-12,13,14; EW 7.5-12,13

Waterproof leather upper. Mesh lining. Fatigue-fighting EPX footbed. PU Midsole. Slip-resistant rubber outsole. Comp toe. EH. Waterproof construction.

ASTM F2413-18 M/ I/ C EH compliant
BATES
BATES®**GX-8 8" Waterproof Side-Zip Boot****BA2272** (Black) M 7-12,13,14,15; EW 7.5-12,13,14

Waterproof leather with ballistic nylon upper. Waterproof, breathable GORE-TEX lining. YKK nylon side zipper. Cushioned removable insert. Athletic cement construction. Oil and slip-resistant rubber outsole. Comp Toe. EH. Security friendly construction

ASTM F2413-18 M/ I/ C EH compliant
BATES
BATES®**GX-8 8" Side-Zip Boot****BA2276** (Desert Tan) M 7-12,13,14,15; EW 7-12,13,14

Stain and water resistant Wolverine Warrior leather upper. Breathable mesh lining. YKK nylon side zipper. Cushioned removable insert. Athletic cement construction. Oil and slip-resistant rubber outsole. Comp Toe. EH. Security friendly construction.

ASTM F2413-18 M/ I/ C EH compliant
BATES
BATES®**Tactical Sport Side-Zip 8" Boot****BA3184** (Black) M 5-12,13,14,15; EW 7-12,13,14

Full grain leather and 1680D Performance Polyester upper. YKK inside quarter zipper. Moisture wicking lining. PU foam removable footbed. Shock absorbing CMEVA midsole. TacTRAX slip-resistant rubber outsole. 90 degree heel breast. Flexible stropel construction. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant


SR MAX®
SR MAX®**Bear 8" Waterproof Insulated Boot****SRM2950** (Black) M 7-12,13,14; EW 8-12,13

Waterproof, oiled, full grain leather upper. Mesh lining with waterproof bootie. 400 grams Thinsulate insulation. PU cup removable insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole with cold storage compound. Metal free. Comp toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant
**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Logan 8" Waterproof Insulated Boot****SRM9960** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled Crazy Horse upper leather. Fabric lining with waterproof membrane and 200 g insulation. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant
**EXCLUSIVE STYLE**
SR MAX®
SR MAX®**Fairbanks 8" Waterproof Insulated Boot****SRM9990** (Black) M 7-12,13,14,15; EW 8-12,13,14,15

Waterproof, oiled, full grain leather upper. Waterproof membrane bootie. 800 grams insulation. Memory foam with PU footbed. PU midsole with toe overlay piece. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Direct attached construction. Comp toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant
**EXCLUSIVE STYLE**
TiTAN
TIMBERLAND PRO®**TiTAN 8" Waterproof Boot****TM47019** (Brown) M 7.5-12,13,14,15; W 8-12,13,14,15

Full grain waterproof upper leather. Waterproof membrane. Anti-microbial spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial treatment. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TiTAN alloy safety toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

TIMBERLAND PRO
TIMBERLAND PRO®**Endurance 8" Boot****TM52561** (Brown) M 7-12,13,14; W 7-12,13,14,15

Full grain leather upper. Anti-microbial spacer mesh linings. Timberland PRO rubber double toe and rubber backstay for added abrasion resistance. PU footbed with anti-microbial cover. Anti-fatigue PU midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole with Ladder Lock heel radius. Outsole is heat resistant to 932 degrees F. Steel-Flex puncture resistant plate. Steel Toe. EH. PR.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



POWERED BY



TIMBERLAND PRO®

8" DIRECT ATTACH BOOT

STMA1WDJ

See item on page 59

**TIMBERLAND PRO®****8" Direct Attach Waterproof Insulated Boot****STMA1WDJ** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15**STMA1WDU** (Black) M 7-12,13,14,15; W 7-12,13,14,15


Waterproof nubuck leather upper. Breathable and moisture wicking lining with antimicrobial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof/Insulated.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE****TIMBERLAND PRO®****Boondock 8" Waterproof Insulated Boot****TM89628** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather upper. Molded Timberland PRO rubber toe protector. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. 600 grams Thermolite insulation. Anti-Fatigue Technology PU footbed for shock absorption and energy return. 3/4 welt with cement heel construction. Timberland PRO TPU outsole is oil, abrasion and slip-resistant. Comp toe. EH. WP. Insulated.

ASTM F2413-18 M/ I/ C EH compliant**TIMBERLAND PRO®****Boondock 8" Waterproof Boot****TM92671** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Molded Timberland PRO rubber toe protector. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-Fatigue technology PU footbed. Oil, slip and abrasion resistant TPU outsole. Combination 3/4 Goodyear welt/cement heel construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**TIMBERLAND PRO®****Endurance 8" Waterproof Boot****TM95567** (Black) M 8-12,13; W 8-12,13

Full grain leather upper with Timberland PRO rubber double toe and rubber backstay. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane. Blood borne pathogen feature. Removable, contoured, breathable PU footbed. Anti-fatigue technology midsole. Oil, slip and abrasion resistant rubber outsole. Ladder Lock heel breast. Heat resistant up to 932 degrees F. Steel toe. EH. Puncture resistant plate. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**TIMBERLAND PRO®****Helix HD 8" Waterproof Boot****TMA1RW4** (Brown) M 8-12,13,14; W 8-12,13

Distressed full grain leather upper. Molded Timberland PRO rubber toe protector. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. Anti-Fatigue Technology PU footbed for shock absorption and energy return. PU midsole. Timberland PRO rubber outsole is oil, abrasion and slip-resistant. Heat resistant to 572 degrees F. Direct attached construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****Summit 8" Waterproof Boot****TMA24FK** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain, waterproof upper leather with waterproof membrane. Molded, abrasion resistant toe feature. ExoSpine technology helps reduce ankle rolling. Breathable, moisture wicking lining with antimicrobial treatment for odor control. Blood borne pathogen feature. Step Propel footbed for shock absorption and energy return. Comp toe powered by CarbonShield Technology. Oil, slip and abrasion resistant, nonmarking rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant**REEBOK WORK®****Floatride Energy Tactical 8" Side-Zip Boot****WGRB3214** (Black) M 7-12,13,14; W 7-12,13,14

Leather and ballistic nylon upper. Inside quarter zipper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

ASTM F2413-18 M/ I / C EH compliant**REEBOK WORK®****Floatride Energy Tactical 8" Side-Zip Boot****WGRB4360** (Coyote) M 8-12,13,14; W 8-12,13,14

Leather and ballistic nylon upper. YKK inside quarter zipper. Moisture wicking nylon mesh lining. EVA cushioned, removable footbed. Floatride Energy midsole. Slip-resistant rubber outsole. XTR comp toe. EH. Security friendly.

ASTM F2413-18 M/ I / C EH compliant**REEBOK WORK®****Sublite Cushion Tactical 8" Waterproof Tactical Boot****WGRB8807** (Black) M 8-12,13,14; W 8-12,13,14

Leather and ballistic nylon upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. Waterproof construction. Inside quarter zipper. Comp toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant**KEEN UTILITY®****Coburg 8" Waterproof Boot****KN1017833** (Cascade Brown/Brindle) D 8-12,13; EE 8-12,13,14

Waterproof leather and KEEN.Tuff-Tex abrasion resistant fabric upper. Molded heel guard protection. Hydrophobic/hydrophilic 2 zone comfort lining with KEEN.DRY waterproof, breathable membrane. CLEANSPORT NXT treatment for odor control. Removable metatomical dual density EVA footbed. Direct attached PU midsole. Oil and slip-resistant, nonmarking rubber outsole. Steel toe. EH. Waterproof. Assembled in USA.

ASTM F2413-18 M/ I / C EH compliant


CAROLINA®
 Built For Work.
CAROLINA®**Sarge Hi 8" Domestic Work Boot****CA1809** (Light Brown) D 8-12,13,14; EE 8-12,13,14

Pitstop leather upper. Dri-Lex lining. Poron performance cushioning insole with removable AG7 PU footbed. Dual density PU outsole. Goodyear welt construction. Steel toe. EH. Made in USA.

ASTM F2413-18 M/ I/ C EH compliant



Since 1892
THOROGOOD®**1957 Series 8" Waterproof Moc Toe Wedge Boot****TG804-3800** (Briar Pitstop) D 9-12,13; EE 8-12,13

Briar Pitstop upper leather. X-Stream waterproof membrane. Removable memory foam footbed. Single density slip-resistant MAXwear PU wedge outsole. Goodyear welt construction. Made in USA. Union made. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



Since 1892
THOROGOOD®**American Heritage 8" Moc Toe Wedge Boot****TG804-4208** (Tobacco) D 8-12,13; EE 7.5-12,13

Full grain leather. Unlined. Removable Ultimate Shock Absorption PU footbed. Poron cushion insole. MAXwear PU wedge outsole. Goodyear storm welt construction. Made in USA. Union Made. Steel Toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



Since 1892
THOROGOOD®**American Heritage 8" Work Boot****TG804-4364** (Tobacco) D 8-12,13,14; EEE 8-12,13

Oil tanned leather upper. Drill vamp lining. Removable dual density Ultimate Shock Absorption footbed on Poron 4000 Comfort Cushion. Rubber midsole. Oil and slip-resistant PU MAXwear wedge outsole. Goodyear storm welt construction. Steel toe. EH. Made in USA.

ASTM F2413-18 M/ I/ C EH compliant



Since 1892
THOROGOOD®**American Heritage 8" Moc Toe Work Boot****TG804-4378** (Trail Crazyhorse) D 8-12,13; EE 9-12,13

Trail Crazy Horse full grain leather upper. Unlined. Ultimate Shock Absorption PU footbed. Poron cushion insole. MAXwear 90 PU outsole with 90 degree heel breast. Goodyear storm welt construction. Made in USA. Union made. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant





Thorogood
Since 1892

THOROGOOD®

American Heritage Wedge 8" Moc Toe Boot

TG804-4478 (Trail Crazyhorse) EE 8-12,13

Crazyhorse leather upper. Removable dual density Ultimate Shock Absorption footbed on Poron Comfort Cushion. Oil and slip-resistant PU MAXWear wedge outsole. Goodyear storm welt construction. Steel toe. EH. Made in USA.

ASTM F2413-18 M/ I/ C EH compliant



Thorogood
Since 1892

THOROGOOD®

The Deuce 8" Tactical Side-Zip Waterproof Boot

TG804-6191 (Black) M 8-12,13,14; W 8-12,13,14

Full grain and action leather with Air Mesh upper. Inside quarter YKK zipper. Two zone wicking mesh lining with Thoro-Dri waterproof system that is blood-borne pathogen compliant. Removable dual density PU Shock-Zone footbed with airflow vents. Z-Trac PU/rubber slip-resistant outsole. Comp toe. EH. WP. 100% nonmetallic.

ASTM F2413-18 M/ I/ C EH compliant



UNDER ARMOUR

UNDER ARMOUR®

Stellar G2 Protect Side-Zip Boot

UA3024947 (Black) M 8-12,13,14

Leather and 900D nylon upper treated with DWR water repellent finish. Reinforced TPU shank. Molded EVA midsole. Rubber lug outsole. Comp Toe.

ASTM F2413-18 M/ I/ C compliant



5.11

5.11 TACTICAL®

A.T.A.C. 2.0 8" Shield Boot

FEL12416 (Black) M 8-12,13

Waterproof leather and nylon upper. SlipStream lining with waterproof/bloodborne pathogen membrane. Ortholite ankle foam and achilles heel flex zone for wider range of motion and better heel hold and comfort. YKK inside quarter zipper. Dual density Ortholite footbed. Puncture resistant board. ATAC midsole with oil and slip-resistant outsole. CARBON-TAC composite toe. EH. PR. WP.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA Grade 1 toe, Omega, Green

Triangle compliant.



Danner
SINCE 1932

DANNER®

Steel Yard 8" Waterproof Boot

DA12534 (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Danner Dry waterproof membrane lining. Patent pending, ventilated, dual density, cushion footbed. Oil and slip resistant Steel Yard rubber outsole. Steel toe. EH. WP. 365 day warranty.

ASTM F2413-18 M/ I/ C EH compliant



NEW STYLE



Danner®
SINCE 1932

DANNER®**Vicious Waterproof 8" Boot****DA13868** (Brown) D 8-12,13,14; EE 8-12,13

Full grain leather upper. Abrasion resistant heel overlay. Gore-Tex breathable, waterproof membrane. PU cushion footbed. Dual density EVA midsole. Oil and slip-resistant Vibram Vicious rubber outsole. 90 degree heel breast. Comp toe. EH. WP. 365 day warranty.

ASTM F2413-18 M/I/C EH compliant



ARRIVING APRIL



Danner®
SINCE 1932

DANNER®**Quarry USA 8" Waterproof Boot****DA17311** (Black) D 8.5-12,13; EE 8.5-12,13

Full grain leather upper. Gore-Tex breathable, waterproof membrane. Ortholite comfort footbed. Vibram Quarry midsole. Oil and slip-resistant Vibram Quarry outsole with 90 degree heel breast. Stitchdown construction. Alloy toe. EH. WP. Manufactured in USA.

ASTM F2413-18 M/I/C EH compliant



Danner®
SINCE 1932

DANNER®**Quarry USA 8" Waterproof Insulated Boot****DA17321** (Brown) D 9-12,13; EE 8.5-12,13

Nubuck leather upper. Gore-Tex breathable, waterproof membrane. Ortholite comfort footbed. Vibram Quarry midsole. 400 grams Thinsulate insulation. Oil and slip-resistant Vibram Fire and Ice rubber outsole with 90 degree heel breast. Stitchdown construction. Comp toe. EH. WP. Insulated. Manufactured in USA.

ASTM F2413-18 M/I/C EH compliant



carhartt C

CARHARTT®**Ground Force 8" Waterproof Boot****CME8355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper. Fast Dry lining with Storm Defender waterproof, breathable membrane. Abrasion resistant rubber toe and heel underlays. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

ASTM F2413-18 M/I/C EH compliant



AVENGER
SAFETY FOOTWEAR

AVENGER®**8" Waterproof Work Boot****N7573** (Brown/Black) M 8-12,13,14; W 9-12,13

Crazy Horse upper leather. Abrasion resistant toe bumper and heel overlay. Waterproof membrane. 600 g Thinsulate insulation. Removable PU dual density footbed. Oil and slip-resistant, nitrile rubber outsole with 90 degree heel breast. Flex welt construction. Carbon nanofiber comp toe. EH. Lenzi puncture resistant plate.

ASTM F2413-18 M/I/C EH PR compliant



NEW STYLE

**ROYER®****ROYER®****Agility Arctic Grip 8" Waterproof Boot****RO5725AG** (Brown) EE 7-11,12,13,14,15

Crazy Horse leather and SHIELDTEX abrasion resistant fabric with PARESHOK TPU abrasion resistant toe bumper. Waterproof AIRFLOW membrane. Breathable R-LITE footbed. Direct attached PU midsole. Vibram Arctic Grip slip-resistant, rubber outsole. Comp toe. EH. WP. Nonmetallic puncture resistant plate. WP. Metal free.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**HAIX®****HAIX®****Protector Ultra 8" Waterproof Chain Saw Boot****HX603110** (Lime Green) M 8-12,13,14; W 8.5-12,13

Nubuck leather upper with rubber toe and heel overlays. Reflective material at heel and ankle for better visibility. Soft top collar prevents sawdust and woodchips from getting inside. 2 zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Nonmetallic puncture plate. Para-aramid European Class 2 cut protection. WP. Engineered in Germany. Manufactured in Europe.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**HAIX®****HAIX®****Protector Ultra 8" Waterproof Chain Saw Boot****HX603111** (Red) M 8-12,13,14; W 9.5-12,13

Nubuck leather upper with rubber toe and heel overlays. Reflective material at heel and ankle for better visibility. Soft top collar prevents sawdust and woodchips from getting inside. 2 zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Nonmetallic puncture plate. Para-aramid European Class 2 cut protection. WP. Engineered in Germany. Manufactured in Europe.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**HAIX®****HAIX®****Protector Prime 9" Waterproof Chainsaw Boot****HX603102** (Orange) M 8-12,13,14; W 9-12,13

Nubuck leather upper with rubber toe and heel overlays. 2 Zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Para-aramid European Class 2 cut protection. Nonmetallic puncture plate. WP. Engineered in Germany. Manufactured in Europe.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.

**Timberland PRO****TIMBERLAND PRO®****Boondock HD Logger Waterproof Boot****TMA29G9** (Brown) M 8-12,13,14,15; W 8-12,13,14

Waterproof leather upper. Molded Timberland PRO rubber toe protector. ExoSpine technology provides structure, durability and improved heel fit. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Step Propel footbed for shock absorption and energy return. PU midsole. Oil and slip-resistant TPU outsole with Ladder Lock shank feature. Goodyear welt construction. CarbonShield comp toe. EH. WP.

ASTM F2413-18 M/I/ C EH compliant



NEW STYLE


**Timberland
PRO**
TIMBERLAND PRO®**Evergreen Waterproof Insulated Logger****TMA28QQ** (Brown) M 7-12,13,14

Waterproof upper leather. Removable leather kiltie. ExoSpine technology provides stability and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment and waterproof and blood borne technology membrane. Insulated lining. ReBOTL recycled materials. Anti-Fatigue Technology PU footbed. Independent Suspension Network system for control and support. Vibram Fire and Ice rubber logger outsole. CarbonShield comp toe. EH. WP/Insulated.

ASTM F2413-18 M / I / C EH compliant

NEW STYLE


**FRYE
SUPPLY**
FRYE®**8" Waterproof Logger Boot****WGFR40202** (Dark Brown) M 8-12,13,14; W 8-12,13,14

Crazy Horse leather upper. Moisture wicking lining for comfort and odor absorption. Hydrotex waterproof system. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant Vibram rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP.

ASTM F2413-18 M / I / C EH compliant**ARRIVING MARCH**

NEW STYLE


**FRYE
SUPPLY**
FRYE®**8" Waterproof Logger Boot****WGFR40201** (Black) M 8-12,13,14; W 8-12,13,14

Crazy Horse leather upper. Moisture wicking lining for comfort and odor absorption. Hydrotex waterproof system. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant Vibram rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP.

ASTM F2413-18 M / I / C EH compliant**ARRIVING MARCH**
CAROLINA
Built For Work.
CAROLINA®**Elm 8" Logger****CA1821** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Steel Shank. Welt Construction. One piece rubber lug oil resistant outsole. Steel toe. EH.

ASTM F2413-18 M / I / C EH compliant
CAROLINA
Built For Work.
CAROLINA®**Elm 8" Logger****CA1825** (Black) D 8-12,13,14; EE 8-12,13

Full grain leather upper. Steel Shank. Welt Construction. One piece rubber lug oil resistant outsole. Steel toe. EH.

ASTM F2413-18 M / I / C EH compliant


CAROLINA®
 Built For Work.
CAROLINA®**Elm Copper Waterproof Insulated Logger****CA5821** (Brown) D 7-12,13,14; EE 7.5-12,13,14

Copper Crazy Horse upper leather. Taibrelle lining with waterproof SCUBALINER membrane. 600 grams Thinsulate insulation. Goodyear welt construction. Steel toe. EH. WP/Insulated.

ASTM F2413-18 M/ I / C EH compliant
CAROLINA®
 Built For Work.
CAROLINA®**Timber 8" Waterproof Logger****CA6921** (Dark Brown) D 8-12,13; EE 9-12,13

Leather upper. Mesh lining with SCUBALINER waterproof membrane. Removable PU dual-density memory foam footbed. Goodyear welt construction. Oil resistant, one piece rubber lug outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant
CAROLINA®
 Built For Work.
CAROLINA®**Birch 8" Waterproof Logger****CA7522** (Brown) D 7-12,13,14; EE 8-12,13,14

Gaucho crazy horse leather upper. Removable kiltie. Mesh lining with waterproof SCUBALINER membrane. Removable AG7 PU footbed. Triple rib steel shank. Leather welt construction. Vibram one piece rubber lug logger outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant
CAROLINA®
 Built For Work.
CAROLINA®**Spruce Waterproof Logger****CA9824** (Dark Brown) D 7-12,13,14; EE 8-12,13,14

Crazy Horse leather upper. Removable leather kiltie. Taibrelle lining with waterproof SCUBALINER membrane. Pillow Cushion footbed. One piece, oil and slip resistant rubber lug outsole. Triple ribbed steel shank. Goodyear welt construction. Steel toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant
Georgia Boot®
GEORGIA BOOT®**8" Waterproof Logger****GA7313** (Chocolate) M 7-12,13,14,15; W 8-12,13,14

Full grain leather upper. Removable brush guard kiltie. Georgia Waterproof System construction. Covered cushion insole with removable cushion PU footbed. Abrasion resistant rubber Georgia Logger outsole. Goodyear welt construction. Steel toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant



Georgia Boot

GEORGIA BOOT®

Comfort Core Waterproof Logger

GAGB00097 (Brown) M 8-12,13; W 8-12,13

Full grain leather upper. High performance mesh lining with Georgia Waterproof System. Leather brush guard kiltie. CC7 Comfort Core removable cushion footbed. Oil and slip-resistant Vibram rubber outsole. Goodyear welt construction. Waterproof. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



CHIPPEWA®

Paladin 8" Waterproof Logger

CH73060 (Briar) M 6-12,13,14; W 7-12,13,14

Oiled waterproof leather upper. Goodyear leather welt construction. Chip-A-Tex waterproof bootie. Nylex lining. Steel shank. Texon insole. 400 grams Thinsulate Ultra insulation. Vibram one piece Tacoma logger outsole. Steel Toe. EH. WP/ Insulated.

ASTM F2413-18 M/ I/ C EH compliant



CHIPPEWA®

Paladin 8" Waterproof Logger

CH73050 (Black) M 6-12,13,14; W 7-12,13,14

Oiled waterproof leather upper. Goodyear leather welt construction. Chip-A-Tex waterproof bootie. Nylex lining. Steel shank. Texon insole. 400 grams Thinsulate Ultra insulation. Vibram one piece Tacoma logger outsole. Steel Toe. EH. WP/ Insulated.

ASTM F2413-18 M/ I/ C EH compliant



CARHARTT®

8" Waterproof Climbing Boot

CML8360 (Brown) M 8-12,13,14; W 8-12,13,14,15

Crazy Horse upper leather with Carstrong reinforced panel uppers. Back pull loop. TPU heel guard with Achilles flex joint for ankle stability and side impact protection. Storm Defender waterproof, breathable membrane. Cushioned, removable PU footbed. Rubber outsole with 90 degree heel breast and aggressive tread design that sheds mud and debris. Goodyear welt construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



NEW STYLE



CARHARTT®

8" Waterproof Insulated Logger

CML8369 (Chocolate Brown) M 8-12,13,14; W 8-12,13,14

Oil tanned leather upper with Carstrong reinforced fabric panels. TPU heel guard with Achilles flex joint for ankle stability and side impact protection. StormDefender breathable, waterproof membrane. 400 grams Thinsulate insulation. PU cushion footbed. Rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP/ insulated.

ASTM F2413-18 M/ I/ C EH compliant




**HYTEST
FOOTRESTS**
HYTEST FOOTRESTS 2.0®**Crossover Wellington****25251** (Brown) D 8-12,13,14; EEE 8-12,13,14

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE


**HYTEST
SAFETY FOOTWEAR**
HYTEST®**Waterproof Wellington****15581** (Brown) M 7-12,13,14; W 7-12,13,14

Waterproof, full grain leather upper. Moisture wicking mesh lining. Waterproof construction. Removable cushion footbed. Ultralight EVA midsole. Oil and slip-resistant rubber outsole. BonWelt construction. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

ARRIVING APRIL


**WOLVERINE
DURA SHOCKS®
COMFORT TECHNOLOGY**
WOLVERINE DURASHOCKS®**Raider Waterproof Wellington****WW211129** (Peanut) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Waterproof Plus waterproof membrane. Removable dual density footbed. Advanced Comfort PU midsole. Oil and slip-resistant rubber outsole. Contour welt construction. CarbonMAX comp toe. EH. WP. Wolverine comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant
**WOLVERINE
DURA SHOCKS®
COMFORT TECHNOLOGY**
WOLVERINE DURASHOCKS®**Rancher Waterproof Wellington****WW211130** (Bone) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable Waterplus membrane. Removable DuraShocks dual density PU footbed. Advance Comfort PU midsole. Wolverine DuraShocks oil and slip-resistant, high abrasion, TPU, dual suspension outsole pads. Bonwelt construction. CarbonMAX comp toe. EH. WP. Wolverine comfort guarantee.

ASTM F2413-18 M/ I/ C EH compliant
**WOLVERINE
DURA SHOCKS®
COMFORT TECHNOLOGY**
WOLVERINE DURASHOCKS®**Rancher Waterproof Wellington****WW231013** (Peanut/Red) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Removable, full cushion, molded PU footbed. Compression molded PU midsole. DuraShocks SR dual density PU slip-resistant outsole. Bonwelt cement construction. CarbonMAX comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

ARRIVING APRIL

WOLVERINE®

RANCHER WELLINGTON

WW231013

See item on page 68





WOLVERINE®
Hell Waterproof Wellington

WW10680 (Dark Brown) M 8-12,13,14; EW 8-12,13,14

Waterproof full grain leather. Moisture wicking mesh lining. Removable full cushion footbed. Rubber midsole. Rubber lug outsole. Cement construction. Waterproof. Steel toe. EH.

ASTM F2413-18 M / I / C EH compliant



WOLVERINE®
Cabor EPX® Waterproof Wellington

WW10318 (Dark Brown) M 7-12,13,14; EW 7-12,13

Waterproof upper leather. Wave mesh lining with Wolverine PC Dry waterproof membrane. Dual density PU EPX anti-fatigue footbed. PU midsole. Slip-resistant rubber outsole. Direct attached construction. Comp toe. EH. WP.

ASTM F2413-18 M / I / C EH compliant



WOLVERINE®
Rancher Square Toe Wellington

WW10702 (Dark Brown/Rust) M 7-12,13,14; EW 8-12,13

Full grain leather upper. Moisture wicking lining. Removable OrthoLite cushioned footbed. Ultra-Light EVA midsole. Rubber lug outsole. Steel toe. EH.

ASTM F2413-18 M / I / C EH compliant



WOLVERINE®
Hellcat UltraSpring™ Waterproof Wellington

WW201178 (Tobacco) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Removable Ortholite UltraLite full cushion footbed. UltraSpring high rebound ETPU midsole. Oil and slip-resistant rubber lug outsole. Goodyear welt construction. CarbonMAX composite toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH compliant



WOLVERINE®
Rancher Claw Square Toe Wellington

WW201218 (Brown/Flag) M 8-12,13; EW 8-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Full cushion, molded EVA footbed. EVA midsole. Oil and slip-resistant rubber lug outsole. BonWelt construction. Steel toe. EH. WP.

ASTM F2413-18 M / I / C EH compliant





**HARLEY-DAVIDSON®
FOOTWEAR**

HARLEY-DAVIDSON®**Altman Wellington****HD93563** (Black) M 8-12,13

Waterproof full grain leather upper. Mesh lining. Oil and slip-resistant rubber outsole. Goodyear welt construction. Composite Toe. EH. Waterproof construction.

ASTM F2413-18 M/ I/ C EH compliant

X SR MAX®

SR MAX®**Beaumont Waterproof Wellington****SRM2160** (Dark Brown) M 7-12,13,14,15,16

Waterproof, oiled, Crazy Horse leather upper. Lining with waterproof membrane. Removable PU cup footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant**EXCLUSIVE STYLE**

X SR MAX®

SR MAX®**Midland Waterproof Wellington****SRM2170** (Brown) M 7-12,13,14,15,16

Waterproof, oiled, Crazy Horse leather upper. Lining with waterproof membrane. Removable PU cup antistatic footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. SD. WP.

ASTM F2413-18 M/ I/ C SD-10 compliant**EXCLUSIVE STYLE**

**Timberland
PRO**

TIMBERLAND PRO®**Rigmaster Waterproof Wellington****TM89604** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane. Anti-Fatigue technology PU footbed. Goodyear welt cast-bond construction. Oil, slip and abrasion resistant PU outsole. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**Timberland
PRO**

TIMBERLAND PRO®**Helix Waterproof Wellington****TMA1XFX** (Brown) M 8-12,13; W 8-12,13

Waterproof upper leather. ExoSpine technology provides structure, durability and improved heel fit. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane. Anti-Fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO rubber outsole with Ladder-Lock shank. Outsole is heat resistant to 572 degrees F. Direct attach construction. Comp toe powered by CarbonShield technology. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****True Grit Waterproof Square-Toe Wellington****TMA2297** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain waterproof and Ever-Guard upper leather. Exospine back of boot technology. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood borne pathogen membrane. Anti-fatigue technology footbed. Goodyear welt Cast-Bond construction. Oil, slip and abrasion resistant TPU outsole. Comp toe powered by CarbonSheild. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**TIMBERLAND PRO®****True Grit Waterproof Wellington****TMA24BH** (Brown Earth) M 8-12,13,14; W 8-12,13,14

Waterproof full grain leather with ExoSpine technology for structure, durability, and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-fatigue technology PU footbed. PU midsole. Oil, slip and abrasion resistant rubber outsole with Ladder Lock 90 degree heel breast. Heat resistant up to 572 degrees F. Goodyear welt Cast-Bond construction. Comp toe powered by CarbonShield technology. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

**FRYE®****10" Waterproof Western Work Boot****WGFR40103** (Tan) M 8-12,13,14; W 8-12,13,14

Crazy Horse leather upper. Moisture wicking lining for comfort and odor absorption. Hydrotex waterproof system. Release Expander feature. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. EVA midsole. Oil and slip resistant outsole with defined heel beast. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



ARRIVING MARCH

**JUSTIN BOOTS®****Handler Square Toe Wellington****JUSE4824** (Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. J-Flex Flexible Comfort System footbed cushioning. Dual density, nonmarking rubber outsole resists slips, abrasion and metal chips. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant

**JUSTIN BOOTS®****Switch Wellington****JUSE4812** (Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. J-Flex Flexible Comfort System footbed. Stampede oil, slip and abrasion resistant, dual density rubber outsole. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant




ARIAT
WORK
ARIAT®**WorkHog Waterproof Wellington****AR10017420** (Bruin Brown) D 8-12,13,14; EE 8-12,13

Waterproof leather upper. Mesh lining. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Patented U-Turn Entry system. ATS Max Technology for stability and foot-fatigue reduction. Waterproof PRO construction. Goodyear welt construction. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant
ARIAT
WORK
ARIAT®**WorkHog Patriot Wellington****AR10022968** (Earth/Sand Camo) D 9-12,13; EE 9-12,13

Full grain leather foot with sand camo printed shaft and American flag patch. Mesh lining. ATS Max technology for stability, support and foot fatigue reduction. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
ARIAT
WORK
ARIAT®**WorkHog XT Waterproof Wellington****AR10024966** (Tumbled Bark) D 8-12,13,14,15; EE 8-12,13,14

Waterproof upper leather. Mesh lining. Waterproof PRO construction. Energy Max rebound foam footbed. EVA cushion midsole. Oil and slip-resistant Duratread outsole. Patented U-Turn Entry System for easy entry. ATS Max technology for stability and foot-fatigue reduction. Carbon fiber safety toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant
ARIAT
WORK
ARIAT®**Intrepid VentTEK Wellington****AR10023042** (Bruin Brown/Sassy Orange) D 8-12,13,14,15;

EE 8-12,13,14

Full grain upper leather with VentTEK mesh panels. U-Turn Entry System. High tech Dri-freeze lining. Pro Performance PU footbed. PU midsole. Oil and slip resistant Duratread rubber outsole with 90 degree heel breast. Outsole is heat resistant to 572 degrees F. Comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
ARIAT
WORK
ARIAT®**Groundbreaker Wide Square Toe Waterproof****Wellington****AR10015196** (Palm Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather with 900 denier nylon upper. Mesh lining. Waterproof PRO waterproof construction. Contoured All Day Cushioning PU footbed. EVA midsole. Oil and slip resistant Duratread rubber outsole. 90 degree heel breast. Outsole is heat resistant up to 572 degrees F. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant

NEW STYLE

NEW STYLE

NEW STYLE



ARIAT®

WORKHOG XT PATRIOT

AR10036002

See item on page 75

NEW STYLE


**ARIAT
WORK**
ARIAT®**WorkHog XT Patriot Waterproof Wellington****AR10036002** (Distressed Brown) EE 7-12,13,14,15

Leather upper. U.S. flag embroidered on upper. WorkHog Waterproof PRO construction with waterproof membrane. Removable Energy Max anti-fatigue footbed. ATS Max extra wide shank for maximum support and less fatigue. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Goodyear welt construction. Carbon safety toe. EH. WP.

ASTM F2413-18 M/ I / C EH compliant**Georgia Boot****GEORGIA BOOT®****Giant Wellington****GA4374** (Soggy Brown) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Oil resistant wrap around bumper guard. High performance lining. Covered cushion footbed. EVA midsole. Rubber outsole. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant**Georgia Boot****GEORGIA BOOT®****Athens Waterproof Wellington****GA4603** (Brown) M 8-12,13,14; W 9-12,13

Waterproof leather with suede panels. Georgia waterproof system construction. Advanced Memory PU footbed. Anchor Disk by Georgia provides added heel support. EVA midsole. Rubber outsole. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I / C EH compliant
Thorogood
Since 1882
THOROGOOD®**American Heritage 11" Waterproof Wellington****TG804-3320** (Crazyhorse) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Waterproof bootie construction. Removable Ultimate Shock Absorption footbed on Poron Comfort Cushion insole. Oil and slip-resistant MAXwear 90 PU outsole with 90 degree heel breast. Goodyear welt construction. Steel toe. EH.WP. Made in USA.

ASTM F2413-18 M/ I / C EH compliant
TWISTED X
TWISTED X®**12" Western Pull-On Work Boot****TWMXBA006** (Brown Elephant Print & Bone) D 7-12,13,14;

EE 7-12,13,14

Full grain leather vamp with TWX recycled leather shaft. Blend85 recycled foam footbed with ecoTWEED recycled cover. CellStretch comfort technology provides cushioning and comfort. Compression molded EVA midsole integrated with molasses to reduce EVA content. Oil and slip-resistant rubber outsole. Double stitched stormwelt construction. Alloy toe. EH.

ASTM F2413-18 M/ I / C EH compliant


TWISTED X
TWISTED X®**11" Pull On Waterproof Boot****TWMHKBCW1** (Brown) M 8-12,13,14; W 8-12,13

Full grain leather upper with reinforced pull tabs. Breathable, air mesh, waterproof lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Molded EVA shock absorbing midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant
TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBA002** (Rubberized Brown/Grey) D 8-12,13,14; EE 8-12,13,14

Full grain leather shaft with reinforced pull tabs. DuraTWX hybrid performance leather vamp is water resistant, breathable, anti-corrosive and abrasion resistant. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA molded midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBW01** (Mocha/Navy) D 7.8-12,13,14; EE 8-12,13,14

Full grain leather shaft with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA molded midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBN001** (Tan/Tan) D 8-12,13; EE 8-12,13

Full grain leather shaft with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA molded midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Nano toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBN002** (Mocha/Slate) D 8-12,13,14; EE 8-12,13,14

Full grain leather shaft with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA molded midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Nano toe. EH.

ASTM F2413-18 M/ I/ C EH compliant


TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBN004** (Texas Flag/Brown) D 8-12,13,14; EE 8-12,13

Full grain leather upper with reinforced pull holes. Air mesh linings. CellStretch comfort technology. Double stitched storm welt construction. Oil and slip-resistant rubber outsole. Nano comp toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
TWISTED X
TWISTED X®**12" Western Work Boot****TWMXBA001** (Burgundy/Sky Blue) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper with reinforced leather pull holes. Air mesh lined shaft for improved breathability and moisture wicking. Moisture wicking, anti-bacterial footbed. Compression molded EVA midsole with integrated CellStretch technology. Oil and slip-resistant rubber outsole. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
Dr. Martens
AirWair
Pull On
DR. MARTENS®**Pull On Wellington****DMR10294201** (Gaucho Volcano) M 5-14 (no half sizes)

Industrial full grain leather upper. Leather side pull loops. Nylon backed foam moisture wicking lining. Padded ankle support. EVA cushioned footbed. Air cushioned Commando PVC oil and slip-resistant outsole. Goodyear welt construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
Dr. Martens
AirWair
Icon
DR. MARTENS®**Icon 2295 Pull-On Wellington****DMR13160201** (Gaucho Volcano) EW 8-12,13,14 (no half sizes)

Industrial oiled, full grain, water resistant upper leather. Full padded ankle. Nylon backed foam, moisture wicking lining. Removable, nylon covered, EVA footbed. Air cushioned, commando style, PVC outsole is resistant to oil, fat, petroleum and alkali. Welted construction. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant
carhartt
CARHARTT®**Ground Force 10" Waterproof Wellington****CME1355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper with Carstrong reinforced fabric shaft. Abrasion resistant rubber toe and heel underlays. FastDry moisture wicking lining with Storm Defender waterproof, breathable membrane. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

ASTM F2413-18 M/ I/ C EH compliant

METATARSAL GUARD

**HYTEST
FOOTRESTS**



HYTEST FOOTRESTS®

XT Internal Met-Guard Slip-On Oxford

10961 (Brown) M 4-12,13,14; W 4-12,13,14

Full grain leather upper. Abrasion resistant mesh lining. Removable Footrests XT Poly-Tec three layer comfort footbed. Lightweight HY-Cush PU cushion midsole. Oil and slip-resistant rubber outsole. HYTEST Stealth nano technology safety toe. EH. Poron XRD internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant



TWISTED X



TWISTED X®

Internal Met-Guard Driving Moc

TWMDDMSM01 (Peanut) M 7-12,13,14; W 7-12,13,14

Full grain leather upper. Removable, moisture wicking, anti-bacterial, machine washable, molded footbed. Oil and slip-resistant rubber outsole. Steel toe. EH. Met Guard shield internal met.

ASTM F2413-18 M/ I/ C EH Mt compliant



**HYTEST
FOOTRESTS 2.0**
ARMY TECHNOLOGY



HYTEST FOOTRESTS 2.0®

Trio Internal Met-Guard Waterproof Athletic

20250 (Black) D 7-12,13,14; EEE 8-12,13,14

Full grain waterproof leather with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. WP. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH Mt compliant



**HYTEST
FOOTRESTS 2.0**
ARMY TECHNOLOGY



HYTEST FOOTRESTS 2.0®

Baseline Internal Met-Guard Trainer

21400 (Black) D 8-12,13,14; EEE 8-12,13,14

TecTuff abrasion resistant leather upper. Moisture wicking mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Oil and slip-resistant rubber outsole. Poron XRD internal met guard. Nano toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant



**HYTEST®****Annex Internal Met-Guard Athletic****11729** (Black) M 3-12,13,14; W 7-12,13,14

TecTuff and leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. ASTM F2413-18 M/ I/ C EH Mt compliant.

ASTM F2413-18 M/ I/ C EH Mt compliant**KEEN UTILITY®****Detroit XT Internal Met-Guard Hiker****KN1021315** (Steel Gray/Bossa Nova) D 7-12,13,14,15,16,17; EE

7-12,13,14,15,16,17

Water resistant upper leather with reflective webbing for added visibility. Moisture wicking textile lining with CLEANSPORT NXT treatment for natural odor control. Removable metatomical PU footbed. KEEN.KEY-TECH FLEX contoured underfoot support. Dual density compression molded EVA midsole. Nonmarking, oil and slip-resistant rubber outsole. Steel toe. EH. XRD internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**REEBOK WORK®****Trailgrip Internal Met-Guard Athletic****WGRB3400** (Navy/Black) M 8-12,13,14; W 8-12,13,14

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech removable cushion footbed. DMX Ride cushion foam midsole. Oil and slip-resistant rubber outsole. XTR alloy toe. EH. CushGuard internal met guard. No exposed metal on upper.

ASTM F2413-18 M/ I/ C EH Mt compliant**REEBOK WORK®****Sublite Cushion Work Internal Met-Guard Athletic****WGRB4143** (Black/Gray) M 7-12,13; W 8-12,13

Leather upper. Moisture wicking mesh lining. Memory Tech Massage cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. EH. CushGuard internal met guard. No exposed metal on upper.

ASTM F2413-18 M/ I/ C EH Mt compliant**TIMBERLAND PRO®****Powertrain Internal Met-Guard Sport Boot****TMA1GHM** (Black) M 4-12,13,14,15; W 4-12,13,14,15

Ripstop nylon upper. Mesh lining with antimicrobial treatment for odor control. Anti-fatigue cushioning technology. Anatomically shaped open cell PU met guard. Oil, slip and abrasion resistant PU outsole. Alloy toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant

NEW STYLE



ARIAT®

Edge LTE Internal Met-Guard Chukka**AR10034149** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Convenient back pull loop. Mesh lining. Removable All Day cushioning footbed. 4LR lightweight stabilizing shank. Oil and slip resistant Bantamweight outsole with defined heel breast. Comp toe. EH. Flexible XRD Extreme Impact Protection internal met guard.

ASTM F2413-18 M / I / C EH Mt compliant

HYTEST FOOTRESTS 2.0®

Rebound 6" Internal Met-Guard Waterproof Hiker**23131** (Brown) D 8-12,13,14; EEE 8-12,13,14

Waterproof, full grain leather upper with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. XRD internal met guard. WP.

ASTM F2413-18 M / I / C EH Mt compliant

HYTEST FOOTRESTS 2.0®

Rebound 6" Internal Met-Guard Waterproof Hiker**23130** (Black) D 4-12,13,14; EEE 7-12,13,14

Waterproof full grain leather with Tec-Tuff abrasion resistant toe. Moisture wicking lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Poron XRD internal met guard. WP.

ASTM F2413-18 M / I / C EH Mt compliant

HYTEST FOOTRESTS 2.0®

Trio Internal Met-Guard Waterproof Hiker**23250** (Black) D 7-12,13,14; EEE 8-12,13,14

Full grain waterproof leather with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. WP. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH Mt compliant

HYTEST®

Apex Internal Met-Guard Waterproof 6" Hiker**12451** (Brown) M 4-12,13,14,15; W 7-12,13,14,15

Nomad waterproof leather upper. Mesh lining with waterproof bootie. Pesu III EVA footbed. EVA molded midsole. Apex oil and slip-resistant rubber outsole is heat resistant to 752 degrees F. Steel toe. EH. Poron XRD internal met guard.

ASTM F2413-18 M / I / C EH Mt compliant

NEW STYLE



HYTEST®

Knock 6" Internal Met-Guard Waterproof Boot**Boot****13261** (Brown) W 7-12,13,14

Waterproof leather upper. Moisture wicking mesh lining. Seam sealed waterproof construction. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. Internal met guard. WP. Direct attached construction.

ASTM F2413-18 M/ I/ C EH Mt compliant



HYTEST®

Apex 6" Internal Met-Guard Waterproof Boot**12253** (Brown) M 4-12,13,14,15; W 7-12,13,14,15

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane. 600g Thinsulate Ultra insulation. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. XRD internal metatarsal guard. Waterproof/insulated.

ASTM F2413-18 M/ I/ C EH Mt compliant



HYTEST FOOTRESTS®

High Energy 6" Internal Met-Guard Waterproof Boot**Boot****13562** (Brown) M 7.5-12,13,14,15; W 8-12,13,14,15

Waterproof full grain leather upper. Mesh lining. Waterproof membrane. Molded PU insole with molded EVA stabilizer and foam footbed. High abrasion heel overlay. Molded TPU toe overlay. Poron XRD internal met guard. Comp toe. EH. Mt. PR.

ASTM F2413-18 M/ I/ C EH Mt PR compliant



HYTEST FOOTRESTS®

Internal Met-Guard Waterproof 6" Boot**23231** (Brown) D 4-12,13,14,15; EEE 7-12,13,14,15

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. Internal met-guard. Dual density PU midsole. Tri-Tec oil and slip-resistant rubber outsole. Storm welt construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant




HYTEST FOOTRESTS®

Met-Guard Waterproof 6" Boot**23300** (Black) D 7-12,13,14,15,18; EEE 8-12,13,14,15,17,18

Waterproof tumbled full grain leather upper. High abrasion performance mesh with Breathe Right foam and HBR barrier bootie lining. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. TPU external Smart Guard. Dual density PU midsole. Tri-Tec oil and slip-resistant outsole. Welt construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant




HYTEST®
Safety Footwear
HYTEST®**Apex 6" Internal Met-Guard Waterproof Boot****12250** (Black) M 4-12,13,14,15; W 8-12,13,14,15

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST®
Safety Footwear
HYTEST®**Apex 6" Internal Met-Guard Waterproof Boot****12251** (Brown) M 4-12,13,14,15,16,17; W 7-12,13,14,15,16,17

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST®
Safety Footwear
HYTEST®**Apex 6" Internal Met-Guard Slip-On Boot****13200** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Abrasion resistant mesh linings. Pesu III EVA Footbed. EVA cushioned midsole. TPU stabilizer and shank. Oil and slip-resistant rubber outsole. Poron XRD internal met guard. Steel toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST®
Safety Footwear
HYTEST®**Apex 6" Internal Met-Guard Boot****13450** (Black) M 8-12,13,14,15; W 8-12,13,14

Tumbled full grain leather upper. Breathable comfort mesh linings. Removable Pesu III EVA footbed. Poron XRD internal met guard. EVA comfort midsole. Apex oil and slip-resistant rubber outsole. Steel toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST®
Safety Footwear
HYTEST®**Apex 6" Internal Met-Guard Side-Zip Boot****13540** (Black) M 5.5-12,13,14; W 7-12,13,14

Full grain leather upper. Moisture wicking mesh lining. Inside quarter zipper. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant

**HYTEST®****Knox 6" Internal Met-Guard Boot****13910** (Black) W 8-12,13,14

Full grain and Tec-Tuff leather upper. Moisture wicking mesh lining. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant TPU outsole. Direct attached construction. Steel toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant

NEW STYLE

**AVENGER®****Foundation Internal Met-Guard Waterproof****Hiker****N7402** (Brown) M 8-12,13; W 9-11,12,13

Waterproof full grain leather upper. Waterproof membrane. Removable, dual density footbed. Dual density, slip resistant, PU direct attached outsole. Lenzi puncture plate. Carbon nanofiber toe. EH. Internal met guard. PR. WP. Metal free.

ASTM F2413-18 M/ I/ C EH Mt PR compliant**HYTEST®****Admiral 6" Internal Met-Guard Waterproof Boot****43511** (Brown) W 8-12,13

Waterproof full grain leather. Moisture wicking mesh lining with waterproof membrane. Removable tri-layer anti-fatigue footbed. PU cushioned midsole. Oil and slip-resistant TPU outsole featuring DuraShocks technology. Direct attached construction. Steel toe. EH. Internal met guard. WP. Assembled in USA.

ASTM F2413-18 M/ I/ EH Mt compliant**WOLVERINE®****McKay 6" Waterproof Internal Met-Guard Boot****WW5679** (Brown) M 7-12,13,14; EW 7-12,13

Full grain leather upper. Waterproof CK mesh lining. Removable full cushion footbed. Wolverine slip-resistant PU/rubber outsole. Goodyear welt construction. Waterproof. Steel toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**WOLVERINE®****Warrior Internal Met-Guard Waterproof 6" Boot****WW10942** (Dark Coffee) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking lining with breathable waterproof membrane. Removable EPX Anti-Fatigue footbed. PU midsole. Oil resistant rubber outsole. Heat resistant to 932 degrees F. Comp toe. EH. Internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant



WOLVERINE®

BLADE LX WATERPROOF

WW10706

See item on page 85



WOLVERINE®
Blade LX Internal Met-Guard Waterproof 6" Boot

WW10706 (Brown) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Abrasion resistant toe and heel. Moisture wicking mesh lining with Waterproof Plus breathable membrane. Removable EPX anti-fatigue footbed. Advanced Comfort PU midsole. Rubber lug outsole. Heat resistant to 572 degrees F. Direct attached construction. CarbonMAX nanotechnology safety toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant



HARLEY-DAVIDSON®

Jake 6" Side-Zip Boot

HD95055 (Black) M 7-12,13; W 7-12,13

Full grain leather upper. Full length cushion sock lining. YKK inside quarter, locking zipper. Oil resistant rubber outsole. Goodyear welt construction. Steel toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant



Timberland PRO

Met-Guard 6" Boot

TM40000 (Black) M 7-12,13,14,15; W 7-12,13,14,15

Timberland PRO Ever-Guard leather upper. Antimicrobial Cambrelle fabric lining. Ortholite footbed. Kevlar sewing thread on welt, met shield and toe rand. Hinged ABS high-impact metatarsal shield. Goodyear welt construction. Steel toe. EH. Timberland PRO oil, slip, and abrasion resistant rubber outsole is heat resistant to 932 degrees F.

ASTM F2413-18 M/ I/ C EH Mt compliant



Timberland PRO HELIX

TIMBERLAND PRO®

Helix 6" Internal Met-Guard Work Boot

TM89697 (Brown) M 8.5-12,13,14; W 8-12,13

Premium full-grain leather upper. Timberland PRO rubber double toe. Timberland PRO rubber outsole with Ladder Lock shank. Outsole is slip, oil and abrasion resistant. Composite safety toe is shaped on TiTAN last. Anti-fatigue technology with conical geometry in PU footbed. Internal, anatomical, breathable open-cell polyurethane and rubber anti-fatigue technology metatarsal guard. Mesh lining with antimicrobial treatment for odor control.

ASTM F2413-18 M/ I/ C EH Mt compliant



KEEN
UTILITY

KEEN UTILITY®

Louisville 6" Waterproof Internal Met-Guard Hiker

KN1007969 (Brown) D 7-12,13,14,15; EE 7-12,13,14,15

Waterproof full grain and abrasion resistant Tough-Tec leather. KEEN.DRY waterproof membrane. Removable metatomical dual density EVA footbed. Compression molded EVA midsole. Oil and slip-resistant rubber outsole with molded toe overlay and 90 degree heel breast. Steel toe. EH. Internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant




CAROLINA®
Built For Work.
CAROLINA®**INT Lo 6" Met-Guard Boot**
CA508USA (Dark Brown) D 4-12,13,14,15,16; EE 8-12,13,14,15,16;
EEE 6.5-12,13,14,15,16

Briar Pitstop upper leather. Vibram Alpha one piece outsole. External covered metatarsal guard. Goodyear welt construction with Kevlar stitching. Dri-Lex lining. Radiantex insole board. Pillow cushion insole. Broad toe last. Union made in USA.

ASTM F2413-18 M/ I/ C EH Mt compliant

NEW STYLE


CAROLINA®
Built For Work.
CAROLINA®**MetPro 6" Met-Guard Boot**
CA599 (Medium Brown) D 8.5-12,13; EE 8-12,13,14

Crazy Horse upper leather. Taibrelle lining. Removable AG7 PU footbed. External leather covered met guard. Goodyear welt construction. Vibram rubber outsole. Steel toe. EH. External leather covered met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant
CAROLINA®
Built For Work.
CAROLINA®**Bruno INT 6" Internal Met-Guard Boot**
CA5582 (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Crazy Horse leather upper with abrasion resistant coated leather toe. Mesh lining. Pillow Cushion insole with removable AG7 PU footbed. EVA midsole. Rubber outsole. Comp Toe. EH. Internal PU met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant
Florsheim
WORK
FLORSHEIM WORK®**Hercules Internal Met-Guard Quick Release Boot**
WGFE690 (Black) D 5-12,13,14,15; EEE 5.5-12,13,14

Full grain leather upper. Moisture wicking nylon mesh lining. Removable F2A dual density polyurethane cushion insert insole. PU midsole. Slip, oil, chemical and abrasion resistant direct injected rubber outsole. No exposed metal. Steel toe. EH. Flex-Met internal met guard technology.

ASTM F2413-18 M/ I/ C EH Mt compliant
IRON AGE
IRON AGE®**Dozer 6" Internal Met-Guard Boot**
WGIA0163 (Brown) M 8-12,13,14; W 8-12,13

Leather upper. Abrasion resistant toe bumper. Moisture wicking nylon mesh lining. Removable EVA cushion footbed with sponge rubber heel wedge. Rubber lug outsole. Goodyear welt construction with Kevlar stitching. Steel toe. EH. Internal Flex-Met metatarsal guard.

ASTM F2413-18 M/ I/ C EH Mt compliant



IRON AGE®

Groundbreaker 6" Met-Guard Boot**WGIA5016** (Black) M 8-12,13,14; W 8-12,13

Full grain leather upper. External leather covered met guard. Moisture wicking nylon mesh lining. Removable EVA footbed with sponge rubber heel wedge. Oil, slip and chemical resistant, solid rubber outsole. Goodyear welt construction. Kevlar stitching. Steel toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant

IRON AGE®

Groundbreaker 6" Met-Guard Boot**WGIA5018** (Brown) M 8-11,12,13; W 10-11,12,13

Leather upper with leather covered elastic gore side panels. Quick-Release elastic collar with two pull tabs. Moisture wicking mesh lining. BootBed dual layered, memory foam footbed. Vibram TC4 rubber outsole is heat resistant to 572 degrees F. Steel toe. EH. CushGuard internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant

WORK ZONE®

612 6" Met-Guard Boot**WZM612-BL** (Black) M 6-11,12,13,14

Oiled full grain leather upper. Leather covered external met guard. Moisture absorbing lining. Poliyou footbed. Oil resistant rubber outsole. Goodyear welt construction. Steel toe. Mt.

ASTM F2413-18 M/ I/ C Mt compliant

MICHELIN®

Sledge 6" Met-Guard Boot**MIXPX761** (Brown) M 7.5-12,13,14; W 8-12,13

Leather upper. TPU/PU contoured removable orthotic footbed. Leather covered external met guard. Oil and slip-resistant rubber outsole. Steel Toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant

HYTEST FOOTRESTS®

High Energy 8" Internal Met-Guard Waterproof Boot**14562** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather upper with high abrasion heel. Molded TPU toe guard for extra protection. Abrasion resistant mesh lining. Waterproof membrane. Well-Max Flex puncture resistant insole. Molded PU High Energy performance midsole. Molded EVA stabilizer and foam footbed for added cushion and support. Dura-Tech oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Strobel/cement construction.

ASTM F2413-18 M/ I/ C EH Mt compliant

**HYTEST FOOTRESTS®****8" Internal Met-Guard Waterproof Boot****24231** (Brown) D 7-12,13,14,15; EEE 7-12,13,14,15

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. Dual density PU midsole. Tri-Tec oil and slip-resistant rubber outsole. Storm welt construction.

ASTM F2413-18 M/ I/ C EH Mt compliant

NEW STYLE

**HYTEST FOOTRESTS 2.0®****Trio 8" Waterproof Internal Met-Guard Boot****24251** (Brown) D 8-12,13; EEE 8-12,13

Waterproof, full grain leather upper with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control lining technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano comp toe. EH. Terrapin TM internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant**HYTEST®****Boulder 8" Internal Met-Guard Boot****04321** (Brown) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Moisture wicking mesh lining. Aerogel thermal insulation protects from heat transfer. Removable tri-layer, anti-fatigue footbed. Heat, oil and slip-resistant rubber outsole. Heat resistant up to 932 degrees F. Goodyear welt construction. Internal met guard. Alloy toe. EH. Mt. Insulated.

ASTM F2413-18 M/ I/ C EH Mt compliant**HYTEST®****Apex 8" Internal Met-Guard Waterproof Boot****14261** (Brown) M 4-12,13,14; W 7-12,13,14

Thunder full grain leather upper. High abrasion performance mesh lining. Waterproof membrane. Removable Pesu III EVA footbed. EVA cushion midsole with oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Comp toe. EH. Cement construction.

ASTM F2413-18 M/ I/ C EH Mt compliant**WOLVERINE®****Warrior Internal Met-Guard Waterproof 8" Boot****WW10945** (Brown) M 7-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. EPX cushion footbed. PU midsole with raised heel upkick and toe overlay. Oil and slip-resistant rubber outsole. Heat resistant up to 932 degrees F. Direct attached construction. Comp toe. EH. Internal met guard. WP. 30 day comfort guarantee.

ASTM F2413-18 M/ I/ C EH Mt compliant

HYTEST®

TRIO

24251

See item on page 88





WOLVERINE®
Mckay 8" Waterproof Internal Met-Guard Boot

WW5680 (Brown) M 7-12,13,14; EW 7-12,13

Full grain leather upper. Waterproof CK mesh lining. Removable full cushion footbed. Wolverine slip-resistant PU/rubber outsole. Goodyear welt construction. Waterproof. Steel toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant

CAROLINA®
Built For Work.

CAROLINA®**INT Hi 8" Met-Guard Boot**

CA505USA (Dark Brown) D 7-12,13,14,15,16; EE 7-12,13,14,15

Briar Pitstop upper leather. Vibram one piece outsole. External covered metatarsal guard. Goodyear welt construction with Kevlar stitching. Dri-Lex lining. Radiantex insole board. Pillow cushion insole. Broad toe last. Steel toe. EH. Mt. Union made in USA.

ASTM F2413-18 M/ I/ C EH Mt compliant

CAROLINA®
Built For Work.

CAROLINA®

Elm INT 8" Waterproof Insulated Logger

CA7821 (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Crazy Horse leather upper. Taibrelle lining with waterproof SCUBALINER membrane and 600 g Thinsulate insulation. PU internal met guard. Oil resistant one piece rubber lug outsole. Goodyear welt construction. Steel toe. EH. Internal met. Waterproof/insulated. ASTM F2413-18 M/ I/ C EH Mt compliant.

ASTM F2413-18 M/ I/ C EH Mt compliant

CAROLINA®
Built For Work.

CAROLINA®

Buster 8" Waterproof Internal Met-Guard

Boot

CA9582 (Brown) D 8-12,13; EE 8.5-12,13

Leather upper. Mesh lining with SCUBALINER waterproof membrane. Removable memory foam footbed. PC2 internal PU midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. PU internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant

ROYER®

ROYER®

XPAN RealFlex 8" Met-Guard Boot

RO12002XP (Black) EEE 8-11,12,13,14

Waterproof, full grain leather upper. Kevlar flame resistant stitching. Velcro wrap around fit adjustments. Leather linings. V2000 cushion footbed. Arrow dual density rubber XPAN technology outsole is heat resistant to 932 degrees F. Aluminum alloy toe cap. EH. External, leather covered, REALFLEX metatarsal guard. Made in Canada.

ASTM F2413-18 M/ I/ C EH Mt compliant. CSA grade 1 toe (blue rectangle), Omega, metatarsal protection.

90 SAFGARD.COM | (800) 221-8843

NEW STYLE

**ROYER®****ROYER®****XPAN 8" Met-Guard Boot****RO12161XP** (Brown) EEE 7-12,13,14

Waterproof, full grain leather upper with Kevlar stitching. Velcro backed, leather upper lace and metguard covers. Leather/taibrelle linings. V2000 footbed. Dual density rubber Arrow outsole is heat resistant up to 932 degrees F. Aluminum safety toe. REALFLEX external, leather covered met guard. Nonmetallic puncture resistant plate.

ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe,

Omega, green triangle compliant.



NEW STYLE

**ROYER®****ROYER®****8" Met-Guard Boot****RO12311XPJ** (Brown) EEE 9-11,12,13

Waterproof, full grain leather upper. Kevlar flame resistant stitching. Velcro wrap around fit adjustments. Leather and Taibrelle linings. V2000 cushion footbed. JYG dual density rubber XPAN technology, vulcanized rubber outsole. Aluminum alloy toe cap. EH. Internal INTERGUARD metatarsal guard with exterior leather covered velcro backed wrap. Heat resistant to 932 degrees F. Non metallic puncture resistant plate. Made in Canada.

ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe,

Omega, green triangle, metatarsal protection.

**MICHELIN****MICHELIN®****Sledge Met-Guard 8" Boot****MIXPX781** (Brown) M 8-12,13,14; W 8-12,13

Leather upper. TPU/PU contoured removable orthotic footbed. Leather covered external met guard. Oil and slip-resistant rubber outsole. Steel Toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant

**Blundstone®**
TASMANIA AUSTRALIA - 1870**BLUNDSTONE®****994 Internal Met-Guard 8" Boot****BL994** (Black) MW 7-12,13,14

Water resistant leather upper. Thermal regulating bamboo lining. Kevlar stitching. Removable PU footbed with Poron XRD. Molded TPU abrasion resistant toe overlay. PU midsole. Rubber outsole. Poron XRD met guard. Nonmetallic puncture resistant plate.

ASTM F2413-18 M/ I/ C EH Mt PR compliant

**HYTEST
FOOTRESTS****HYTEST FOOTRESTS®****Massena 10" Internal Met-Guard Boot****04052** (Brown) M 4-12,13,14,15,16,17,18; W 7.5-12,13,14,15,16,17,18

Full grain heat resistant upper leather. Abrasion resistant toe overlay. Abrasion resistant, breathable, moisture absorbing lining. Poron XRD internal met guard. Kevlar heat resistant stitching. Clincher heat, oil and slip-resistant rubber outsole. Heat resistant up to 752 degrees F. Goodyear welt construction. Comp toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant




HYTEST
SAFETY FOOTWEAR
HYTEST®**Iron Internal Met-Gard 10" Boot****04055** (Brown) M 4-12,13,14,15,16; W 7-12,13,14,15,16

Full-grain heat resistant and waterproof leather upper. Cambrelle lining. Pesu III EVA footbed. Internal met-guard. Storm welt construction. Clincher heat, oil, and slip-resistant rubber outsole. Heat resistant up to 752 degrees F. Mark 590L last. Comp toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant
Timberland
PRO
TIMBERLAND PRO®**Gravel Pit 10" Internal Met-Guard Boot****TM53531** (Black) M 7.5-12,13,14,15; W 7-12,13,14,15

Waterproof and Ever-Guard abrasion resistant upper leather with rubber toe overlay. Breathable and moisture wicking lining with waterproof membrane. Thermolite zoned insulation (400g). PU midsole. Oil, slip, and abrasion resistant Timberland PRO rubber outsole with Ladder-Lock shank. Heat resistant up to 932 degrees Fahrenheit. Steel toe. EH. Internal met guard. Puncture resistant metal plate.

ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe, Omega, green triangle compliant.
HYTEST
FOOTRESTS
HYTEST FOOTRESTS®**High Energy Internal Met-Guard Wellington****15041** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather. Mesh lining. Waterproof membrane. Molded EVA stabilizer and foam footbed. PU midsole. Dura-Tech oil and slip-resistant rubber outsole. Molded TPU toe guard. WellMax puncture resistant fabric plate. Internal met guard. Comp Toe. EH. Mt. PR.

ASTM F2413-18 M/ I/ C EH Mt PR compliant
HYTEST
SAFETY FOOTWEAR
HYTEST®**Ryder Internal Met-Guard Wellington****15021** (Brown) M 8-12,13,14; EW 8-12,13,14

Premium nubuck upper. Unlined shaft. Pesu III molded EVA footbed for lightweight comfort. Goodyear welt construction. Clincher HY-01 outsole heat resistant up to 752 degrees F, bonded using high heat cement procedures. Steel toe. EH. XRD internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST
SAFETY FOOTWEAR
HYTEST®**Knock Internal Met-Guard Waterproof Wellington****15221** (Brown) W 8-12,13,14

Waterproof upper leather. Moisture wicking mesh lining with seam sealed waterproof construction. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant rubber outsole. Direct attached construction. Steel toe. EH. Internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant


HYTEST
SAFETY FOOTWEAR
HYTEST®**Apex Internal Met-Guard Waterproof Wellington****15261** (Brown) M 4-12,13,14; W 7-12,13,14

Thunder full grain leather. High abrasion mesh lining. Waterproof membrane. Pesu III EVA footbed. Oil and slip-resistant rubber outsole. XRD internal metatarsal guard. Cement construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M / I / C EH Mt compliant
HYTEST
SAFETY FOOTWEAR
HYTEST®**Ajax Internal Met-Guard Wellington****15271** (Brown) M 8-12,13,14; EW 8-12,13,14

Full grain leather upper. Lined vamp. Removable cushion footbed. PU/rubber slip-resistant outsole. Goodyear welt construction. Steel toe. EH. Internal met guard.

ASTM F2413-18 M / I / C EH Mt compliant
Timberland
PRO
TIMBERLAND PRO®**Excave Internal Met-Guard Waterproof Wellington****TM89652** (Brown) M 8-12,13,14; W 8-12,13,14

Waterproof, full grain and suede leather upper. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Breathable open cell PU and rubber internal met guard. Contoured, breathable PU footbed. Oil, slip and abrasion resistant rubber outsole with Ladder Lock shank is heat resistant to 572 degrees F. Steel toe. EH. Mt. WP.

ASTM F2413-18 M / I / C EH Mt compliant
Timberland
PRO
TIMBERLAND PRO®**True Grit Internal Met-Guard Waterproof Wellington****TMA25F5** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather with ExoSpine technology for structure, durability, and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-fatigue technology PU footbed. PU midsole. Oil, slip and abrasion resistant rubber outsole with Ladder Lock 90 degree heel breast. Heat resistant up to 572 degrees F. Goodyear welt Cast-Bond construction. Comp toe powered by CarbonShield technology. Flexible SKYDEX impact protection met guard with Anti-Fatigue technology shell. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 M / I / C EH Mt compliant
CAROLINA
Built For Work.
CAROLINA®**Well X Internal Met-Guard Wellington****CA4582** (Dark Brown) D 8-12,13,14; EE 9-12,13,14

Crazy Horse leather upper with abrasion resistant leather forepart. Mesh lining. Pillow cushion insole with removable AG7 PU footbed. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. PU internal met guard.

ASTM F2413-18 M / I / C EH Mt compliant

**JUSTIN BOOTS®****Keavon Internal Met-Guard Waterproof Wellington****JUSE4570** (Dark Brown) D 7.5-12,13,14; EE 8-12,13,14

Leather upper. Orthotic footbed. Waterproof construction. Internal XRD Impact Protection metatarsal guard. Rubber outsole. Steel toe. EH. Internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**IRON AGE®****Hauler Internal Met-Guard Side-Zip Wellington****WGIA0195** (Brown) M 8-12,13,14; W 8.5-12,13

Leather upper. Inside quarter zipper. Moisture wicking nylon mesh lining. Removable PU cushion footbed. Direct attached PU outsole. 100% nonmetallic. Comp toe. EH. Internal Flex-Met metatarsal guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**TWISTED X®****12" Internal Met-Guard Western Work Boot****TWMLCSM01** (Cognac Glazed Pebble/Lime) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Air mesh lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Steel toe. EH. MetGuard shield, internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**TWISTED X®****11" Internal Met-Guard Work Boot****TWMXCNM01** (Distressed Saddle) M 8-12,13,14; W 8-12,13,14

Full grain leather upper with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. MetGuard shield, internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant

MEN'S

SOFT TOE

NEW STYLE

X SR MAX®



SR MAX®

Saratoga Slip-On Oxford

SRM6520 (Black) M 7-12,13,14,15; EW 7-12,13,14,15

PU upper. Mesh lining. PU and memory foam footbed. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE

Dr. Martens AirWair Originals



DR. MARTENS®

1461 Originals Oxford

DMR24381001 (Black) MW 4-14 (no half sizes)

Industrial full grain upper leather. Moisture wicking, antimicrobial, breathable lining. Contoured SoftWair footbed with memory foam cushion at the heel and anatomically shaped arch support. Air-cushion rubber and PVC hybrid Grip-Trax outsole.

Soft toe. No safety toe cap. ASTM EH compliant.



X SR MAX®



SR MAX®

Manteo EVA Clog

SRM7700 (Black) EW 7-14 (no half sizes)

Injection molded EVA upper and midsole. Unlined. Removable cushion EVA footbed. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Waterproof. 100% nonmetallic.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE

CAT



CATERPILLAR®

ProRush Speed Athletic

CT110567 (Black/White) EW 8-12,13

Mesh, sport nubuck, nappa PU upper treated with moisture repellent Street Shield. EVA footbed with mesh cover, treated with NXT for odor control. EVA cushion midsole. Slip-resistant rubber outsole. Flexible stropel construction.

Soft toe. No safety toe cap.



**SR MAX®****Charlotte Slip-On Athletic****SRM1400** (Black) M 7-12,13,14,15,16,17,18; EW 7-12,13,14,15

Action leather with PU upper. Spandex underlays. Nylon mesh linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE**

NEW STYLE

**SR MAX®****Southport Slip-On Canvas Skate Athletic****SRM1630** (Black) M 7-12,13,14

100Z canvas textile upper treated with DuPont™ Teflon® fabric protector. Twin elastic side gores. Canvas lining. PU with memory foam footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Vulcanized construction.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Dover Athletic****SRM6100** (Black) M 7-13,14,15,16; EW 7-13,14,15

PU upper. Nylon mesh with tricot linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Nonmetallic.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Maxton Athletic****SRM6200** (Black) M 7-12,13,14

PU upper. Nylon linings. Molded removable PU cup insole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Nonmetallic.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Aiken Athletic****SRM6550** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Mesh and TPU upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. Mesh lining. PU and memory foam footbed. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE**

REEBOK WORK®

SUBLITE MAX

SRB3201

See item on page 98



POWERED BY





REEBOK WORK®

Sublite Max Athletic**SRB3200** (Gray/Sky Blue) M 3-12,13,14; W 8-12,13,14**SRB3201** (Black/Gray) M 7-12,13,14; W 7-12,13,14

Microfiber and mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. BK mesh lining. Memory Tech Massage removable cushioned footbed. Injected EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.

EXCLUSIVE STYLE



REEBOK WORK®

Forever Floatride Energy Athletic**SRB3311** (Black/White) W 8-12,13

Breathable mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. Moisture wicking mesh lining. Removable EVA cushion footbed. Floatride Energy Foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.

EXCLUSIVE STYLE



REEBOK WORK®

Forever Floatride Energy Athletic**SRB3312** (Blue/White) W 8-12,13

Breathable mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. Moisture wicking mesh lining. Removable EVA cushion footbed. Floatride Energy Foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.

EXCLUSIVE STYLE



SKECHERS WORK®

David Athletic**SSK605NVBL** (Navy) M 7-12,13,14

Nubuck leather upper. Fabric linings. Molded removable EVA footbed. FlexSole injection molded EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.

EXCLUSIVE STYLE



REEBOK WORK®

Senexis Max Sport Boot**SRB1250** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Leather upper. Mesh lining. EVA cushion foam insole with fabric cover. Shock absorbing EVA molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.

EXCLUSIVE STYLE

**SR MAX®****Jasper Tactical Side-Zip Boot****SRM2400** (Black) M 7-12,13,14

Waterproof full grain leather with 1000 denier nylon upper. PU cup insole. Phylon midsole. Inside quarter zipper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Kobuk 6" Waterproof Hiker****SRM2600** (Black) M 8-12,13,14; EW 8-12,13,14**SRM2610** (Brown) M 8-12,13,14; EW 8-12,13,14

Waterproof, oiled, tumbled leather upper. Waterproof bootie construction. Taibrelle linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Cascade Waterproof 6" Boot****SRM9110** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15**SRM9100** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof full grain leather upper. Fabric lining with waterproof membrane. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****TIMBERLAND PRO®****6" Direct Attach Waterproof Insulated Boot****STMA1V48** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.**EXCLUSIVE STYLE****TIMBERLAND PRO®****6" Direct Attach Waterproof Insulated Boot****STMA41S9** (Cinnamon) M 7-12,13,14,15; W 7-12,13,14,15

Nubuck leather upper. Seam sealed waterproof construction. Breathable, moisture wicking lining with anti-microbial treatment for odor control. 200 grams insulation. Single density, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. EH. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.**EXCLUSIVE STYLE**



TIMBERLAND PRO®

6" Direct Attach Waterproof Insulated Boot**STMA1W6M** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.



EXCLUSIVE STYLE



TIMBERLAND PRO®

6" Direct Attach Waterproof Insulated Boot**STMA5MEP** (Earth Bandit) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof upper leather. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. EH. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.



EXCLUSIVE STYLE



TIMBERLAND PRO®

6" Direct Attach Waterproof Insulated Boot**STMA5MFA** (Castlerock) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof upper leather. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. EH. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.



EXCLUSIVE STYLE



DR. MARTENS®

1460 Industrial 8" Boot**DMR24382001** (Black) MW 4-14 (no half sizes)

Water and spill resistant, full grain leather upper. Memory foam footbed with moisture wicking SoftWair cover. PVC outsole with rubber pods of GRIP-TRAX slip-resistant rubber.

Soft toe. No safety toe cap.



DR. MARTENS®

2976 Chelsea Industrial Chelsea Boot**DMR24383001** (Black) MW 4-14 (no half sizes)

Water and spill resistant, full grain leather upper. Twin elastic side gores. Memory foam footbed with moisture wicking SoftWair cover. PVC outsole with rubber pods of GRIP-TRAX slip-resistant rubber.

Soft toe. No safety toe cap.



MEN'S & WOMEN'S

CONDUCTIVE



REEBOK WORK®

Sublite Cushion Work Athletic Oxford

WGRB4049 (Black) Men's M 8-12,13,14; W 8-12,13,14

Leather upper. Moisture wicking nylon mesh lining. Foot Force F2A removable PU cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. Conductive. No exposed metal on upper. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I/ C Cd compliant



REEBOK WORK®

Tyak High Performance Athletic Oxford

WGRB4177 (Black) Men's M 5.5-11,12,13,14,15; W 4.5-11,12,13,14,15

Leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I/ C Cd compliant



HYTEST®

Brace Hiker

12011 (Black) Men's M 4-12,13,14; W 8-12,13

Leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip resistant rubber outsole. Nano toe. Cd. Security friendly. 30 day comfort guarantee. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I/ C Cd compliant



HYTEST®

Avery 6" Conductive Hiker

12571 (Brown) Men's M 4.5-12,13,14; W 7.5-12,13,14

Full grain leather upper. Moisture wicking mesh lining. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant, conductive rubber outsole. Steel toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I/ C Cd compliant





REEBOK WORK®

Tyak Performance Hiker**WGRB4327** (Golden Tan) Men's M 5,6,7-11,12,13,14; W 6,7-11,12,13,14,15

Nubuck leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I / C Cd compliant

REEBOK WORK®

Sublite Cushion Work Athletic**WGRB049** (Black) Women's M 6-10; W 6-10

Leather upper. Moisture wicking nylon mesh lining. Foot Force F2A removable PU cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. Conductive. No exposed metal on upper. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 F/ I / C Cd compliant

REEBOK WORK®

Tyak High Performance Athletic Oxford**WGRB417** (Black) Women's M 5-10,11; W 5-10,11

Leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 F/ I / C Cd compliant

REEBOK WORK®

Tyak Classic Performance Hiker**WGRB437** (Golden Tan) Women's M 5-10; W 5-10

Nubuck leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 F/ I / C Cd compliant

LEGGE SYSTEMS®

Conductive 14" Rubber Boot**LS1031** (Black) Men's M 8-14 (no half sizes)

14 Inch high vulcanized rubber boot. Woven poly-cotton canvas lining. Conductive cushion insert footbed. Chemical and slip-resistant, vulcanized, conductive rubber outsole. Steel toe. Conductive. WP. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

ASTM F2413-18 M/ I / C CD compliant

WOMEN'S

SAFETY TOE

ROCKPORT
WORKS



ROCKPORT WORKS®

Top Shore Penny Loafer

WGRK600 (Black) M 6-10,11,12; W 6-10,11,12

Leather upper. Imitation leather lining with anti-slip heel counter. Removable wrapped memory foam cushion insert. Slip-resistant rubber outsole. Steel toe. SD with dual resistor technology.

ASTM F2413-18 F/I/C SD compliant



MELLOW WALK®

Vanessa Slip On Oxford

MW402109 (Black) M 5.5-11

Leather upper. Onstream lining. Removable Dreamfit Comfort footbed with Memory Foam. Dual density rubber outsole. Steel toe. EH. Puncture resistant plate.

ASTM F2413-18 F/I/C EH PR compliant. CSA grade 1 toe, Omega, Green Triangle compliant.



MERRELL
WORK



MERRELL WORK®

Jungle Moc Slip On Work Shoe

MLJ099304 (Espresso) M 6-10

Full grain leather upper with twin elastic side gores. Breathable mesh lining. COMFORTBASE cushion footbed. COMFORTBASE rubberized EVA midsole. Merrell air cushion in the heel. Merrell M Select GRIP oil and slip resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/I/C EH compliant



X SR MAX®



SR MAX®

Sarasota Comfort Oxford

SRM405 (Black) M 5-10,11

Full grain leather upper. Span Tex fabric lining. PU cup footbed with extra cushion layer. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH.

ASTM F2413-18 F/I/C EH compliant



EXCLUSIVE STYLE

**SR MAX®****Albany Comfort Twin Gore Slip On****SRM415** (Black) M 5-10,11

Full grain leather upper. Twin elastic side gores. Span Tex fabric lining. PU cup footbed with extra cushion layer. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH.

ASTM F2413-18 F / I / C EH compliant**EXCLUSIVE STYLE****TIMBERLAND PRO®****TiTAN Work Oxford****TM63189** (Brown) M 6-10,11; W 6-10,11

Full grain leather upper. Breathable and moisture wicking lining with anti-microbial treatment. Removable, contoured, breathable PU footbed. PU midsole. Oil, slip and abrasion resistant Timberland PRO rubber outsole. Alloy toe. EH.

ASTM F2413-18 F / I / C EH compliant**ROCKPORT WORKS®****Parrissa Classic Work Slip-On****WGRK643** (Black) M 5-10,11; W 5-10,11

Suede leather upper with twin elastic side gores. Suedetec lining. truFLEX foam removable footbed. truFLEX midsole. truFLEX spine provides impact absorption. Oil and slip-resistant rubber outsole. Comp toe. SD. Security friendly.

ASTM F2413-18 F / I / C SD 35 compliant**ROCKPORT WORKS®****Parrissa Classic Work Slip-On****WGRK644** (Gold) M 6-10,11

Suede leather upper with twin elastic side gores. Suedetec lining. truFLEX foam removable footbed. truFLEX midsole. truFLEX spine provides impact absorption. Oil and slip-resistant rubber outsole. Comp toe. EH. Security friendly.

ASTM F2413-18 F / I / C EH compliant**ROCKPORT WORKS®****Sailing Club Boat Shoe****WGRK670** (Navy/Tan) M 5-11; W 6-11

Leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. SD.

ASTM F2413-18 F / I / C SD 10 compliant

**ROCKPORT WORKS®****Sailing Club 3 Eye Tie Boat Shoe****WGRK676** (Brown) M 6-11; W 6-11

Crazy horse leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant**NAUTILUS®****Specialty Slip-On Oxford****N1652** (White) M 5-10,11,12; W 5-10,11,12

Leather upper. Twin elastic side gores. Removable SD 10 comfort footbed with arch support. EVA midsole with slip-resistant rubber outsole. Comp toe. SD. Metal free.

ASTM F2413-18 F/I/C SD 10 compliant
mellow walk
**MELLOW WALK®****Jessica Skater Slip-On Oxford****MW482072** (Black/White) M 6-10

Leather upper. Twin side gores. Synthetic lining. Memory foam footbed with Dreamfit Comfort insoles. Dual density rubber outsole. Cement with sidewall stitch construction. Steel Toe. SD.

ASTM F2413-18 F/I/C SD compliant. CSA grade 1 toe, SD compliant.**TWISTED X®****Chukka Driving Moc****TWWDMST01** (Brown) M 6-10,11

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant**ROCKPORT WORKS®****Carly Work Side-Zip Bootie****WGRK751** (Black) M 6-10; W 6-10

Leather upper. Dual side zippers. Moisture wicking, microsuede antimicrobial lining for odor absorption. tru365 lightweight and breathable foam comfort footbed. Rubber outsole with slip-resistant pads. Alloy toe. EH.

ASTM F2413-18 F/I/C EH compliant

NEW STYLE

Xena WORK WEAR**XENA WORKWEAR®****Gravity Side-Zip Safety Shoe****XEGRCG3** (Cognac) M 5.6-10.11

Full grain leather upper. YKK inside quarter zipper. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant outsole. Steel toe. Handcrafted in North America. 6 month Xena warranty.

ASTM F2413-18 F/ I/ C compliant

NEW STYLE

Xena WORK WEAR**XENA WORKWEAR®****Gravity Vegan Side-Zip Safety Shoe****XEGRBT1** (Blackout) M 6-10.11

Waterproof vegan leather. YKK inside quarter zipper. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant outsole. Steel toe. Handcrafted in North America. 6 month Xena warranty.

ASTM F2413-18 F/ I/ C compliant

NEW STYLE

ROCKPORT WORKS**ROCKPORT WORKS®****Junction View Twin Gore Slip-On Boot****WGRK800** (Brown) W 6.5-10.11

Kid suede upper. Elastic side gore panels. Imitation leather lining with anti-slip heel counter. Removable wrapped memory foam cushioned insert. TPR outsole with 90 degree heel breast. Steel toe.

ASTM F2413-18 F/ I/ C compliant.

NEW STYLE

Xena WORK WEAR**XENA WORKWEAR®****Omega Side-Zip Safety Boot****XEOMB01** (Bourbon Brown) M 5.6-10.11**XEOMBL1** (Stylish Black) M 5.6-10.11; W 7.5-10

Full grain leather upper. Outside quarter zipper. Inside quarter gore panel. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant dual density outsole. Steel toe. EH. Hand crafted in North America. 6 month Xena warranty.

ASTM F2413-18 F/ I/ C EH compliant

NEW STYLE

**HYTEST®****Blake Canvas Twin Gore Slip-On Oxford****17033** (Storm Blue) W 6-10**17034** (Colony Blue) W 6-10

Suede leather and canvas upper. Twin elastic side gores. Moisture wicking mesh lining. Memory foam cushion footbed. Slip resistant rubber outsole pads. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant**HYTEST®****Blake Twin Gore Slip-On Oxford****17300** (Black) M 5.5-10,11; W 5-10,11**17302** (Gray) W 5.5-10,11

Leather upper. Twin elastic side gores. Abrasion resistant mesh lining. Removable memory foam footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant**HYTEST®****Myra Athletic****17320** (Black) W 6-10,11

Leather and PU upper. Breathable mesh lining. Removable EVA footbed. Molded EVA midsole. Oil and slip-resistant rubber outsole. Strobel/cement construction. Comp toe. SD.

ASTM F2413-18 F/I/C SD 10 compliant**HYTEST®****Alpha XERGY® Athletic****17402** (Teal Fade) M 6-10,11**17400** (Black) M 6-10,11; W 7-10

Mesh upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. SD.

ASTM F2413-18 F/I/C SD 10 compliant**HYTEST®****Dash Athletic****17433** (Teal/Black) W 6-10

Mesh upper. Moisture wicking mesh lining. Removable EVA cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/I/C EH compliant



TIMBERLAND PRO®

RADIUS ATHLETIC

TMA2844

See item on page 109


**SR MAX®****Fairfax II Athletic****SRM188** (Black) M 6-10,11; EW 6-10,11

Action leather with PU upper. Nylon mesh linings. Molded removable PU cup cushion footbed. Dual density, rubber outsole with patented SR Max MaxTRAX® oil and slip-resistant tread. Comp toe. EH.

ASTM F2413-18 F / I / C EH compliant
**TIMBERLAND PRO®****Powerdrive Athletic****STMA1XS7** (Black/Aqua) M 5-10,11; W 6-10,11

Ripstop nylon upper. Breathable moisture wicking lining with antimicrobial treatment. Removable, anti-fatigue, PU footbed. EVA midsole. Oil and slip-resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Comp toe with CarbonShield nanotechnology. EH.

ASTM F2413-18 F / I / C EH compliant
EXCLUSIVE STYLE
**TIMBERLAND PRO®****Radius Athletic****STMA44B9** (Black/Rose Pop) M 5-10,11; W 5-10,11**STMA4279** (Grey Ripstop) M 5.5-10,11; W 6-10,11

Breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue PU footbed. HoverSpring foam midsole. TPU outsole with anatomically positioned flex grooves and oil and slip-resistant SR Max MaxTRAX® patented tread design. Comp toe. EH.

ASTM F2413-18 F / I / C EH compliant
EXCLUSIVE STYLE
**TIMBERLAND PRO®****Powertrain Athletic****TMA1H1S** (Lavender) M 6-10,11; W 6-10,11**TMA1B7F** (Black) M 5.5-10,11; W 5.5-10,11

Ripstop nylon upper. Protective TPU toe overlay. Breathable PU footbed. Oil, slip and abrasion resistant, dual density PU outsole with Anti-Fatigue Technology. Alloy toe. SD.

ASTM F2413-18 F / I / C SD compliant. CSA grade 1 toe, SD compliant.
**TIMBERLAND PRO®****Radius Athletic****TMA2844** (Black/Purple) M 6-10,11; W 6-10,11**TMA283H** (Black) M 5-10,11; W 6-10,11

Breathable Rebotl mesh upper contains recycled materials. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue technology PU footbed with dynamic arch. HoverSpring foam midsole. Flex Tech Timberland PRO oil, slip and abrasion resistant rubber outsole features anatomically positioned flex grooves. Comp toe. EH. Metal free.

ASTM F2413-18 F / I / C EH compliant


NEW STYLE

**TIMBERLAND PRO®****Setra Athletic****WMA5RTJ** (Green White) W 6-10,11

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Mutilation and metal free construction. 30 day comfort guarantee.

ASTM F2413-18 M/I/C EH compliant**ARRIVING APRIL****REEBOK WORK®****Sublite Work Slip-On Athletic****WGRB036** (Black) W 6-10,11

Leather upper. Twin elastic side gores. Moisture wicking mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. Comp toe. SD with dual resistor technology.

ASTM F2413-18 F/I/C SD compliant**REEBOK WORK®****Sublite Cushion Work Athletic****WGRB039** (Black) W 6-10,11

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. Comp toe. SD with dual resistor technology. 100% nonmetallic.

ASTM F2413-18 F/I/C SD compliant**REEBOK WORK®****Sublite Cushion Work Athletic****WGRB045** (Gray/Aqua) W 6-10,11

Mesh with webbing upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. No exposed metal on upper. XTR alloy toe. Dual resistor SD technology.

ASTM F2413-18 F/I/C SD compliant**REEBOK WORK®****Sublite Cushion Work Athletic****WGRB046** (Navy/Pink) W 6-10,11**WGRB041** (Black/Gray) W 6-10,11

Mesh with webbing upper. No exposed metal on upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. SubLite EVA cushion midsole with rubber forepart and heel pads. Full foot flex grooves for improved mobility and flex. Alloy toe. EH.

ASTM F2413-18 F/I/C EH compliant



REEBOK WORK®

Sublite Cushion Work Athletic**WGRB055** (Black/Plum) W 6-10,11

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Oil and slip-resistant rubber forepart and heel pads. XTR comp toe. SD 10 dual resistor technology.

ASTM F2413-18 F/I/C SD 10 compliant

REEBOK WORK®

Fusion Flexweave Athletic**WGRB314** (Black/Teal) M 6-10; W 6-10

Ultraknit and Flexweave upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole with oil and slip-resistant rubber outsole. Extra wide XTR comp toe. Dual resistor SD technology. Metal free.

ASTM F2413-18 F/I/C SD 10 compliant

REEBOK WORK®

Nano X1 Adventure Work Athletic**WGRB382** (Slate Blue/Salmon) W 6-10,11

Stretched ripstop mesh upper. TPU stabilizer. Moisture wicking nylon mesh upper. Memory Tech Massage 2.0 removable cushion footbed. Floatride Energy Foam midsole. Oil and slip resistant rubber outsole. XTR comp toe. EH. 100% nonmetallic.

ASTM F2413-18 F/I/C EH compliant

REEBOK WORK®

Nano X1 Adventure Work Athletic**WGRB383** (Silver/Army Green/Pink) M 6-10,11

Stretched ripstop mesh upper. TPU stabilizer. Moisture wicking nylon mesh upper. Memory Tech Massage 2.0 removable cushion footbed. Floatride Energy Foam midsole. Oil and slip resistant rubber outsole. XTR comp toe. EH. 100% nonmetallic.

ASTM F2413-18 F/I/C EH compliant

REEBOK WORK®

Flexagon 3.0 Work Athletic**WGRB429** (Burgundy) W 6-11**WGRB464** (Black/Gray) M 6-10,11

Breathable nylon and mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Origami inspired Flexagon foam midsole with oil and slip-resistant rubber heel and forepart pads. Flex grooves on outsole for added flex. XTR comp toe. SD with dual resistor technology. 100% metal free.

ASTM F2413-18 F/I/C SD 10 compliant



REEBOK WORK®

Sublite Work Athletic**WGRB434** (White/Gray) M 6-11; W 6-11

Leather with MicroWeb upper. Moisture wicking nylon mesh lining. FootFuel injected EVA removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber outsole. Steel toe. SD with dual resistor technology. No exposed metal on upper.

ASTM F2413-18 F/I/C SD 10 compliant

NEW STYLE



VOLCOM®

True Athletic**WGVM30110F** (Black) M 6-10,11

Suede leather upper. Mesh lining. Soft Landing comfort footbed. Grip Stick stone-themed oil and slip resistant rubber outsole. Comp toe. EH. 100% nonmetallic.

ASTM F2413-18 F/I/C EH compliant

ARRIVING MARCH



KEEN UTILITY®

Vista Energy Athletic**KN1025241** (Hydrangea/Black) M 6-10,11; W 6-10,11

Breathable 2 layer engineered mesh upper. KonnectFit heel capture system. KEEN. ReGEN cushion midsole. Oil and slip-resistant outsole. Carbon fiber toe. SD. Nonmetallic.

ASTM F2413-18 F/I/C SD compliant

KEEN UTILITY®

Atlanta Cool II Low Hiker**KN1023220** (Gargoyle/Blue Fog) W 6-10,11

Leather and mesh upper with reflective webbing. Moisture wicking textile lining. Removable metatomical, dual density, EVA footbed. KEEN.ReGEN compression resisting, cushion midsole. External Stability Shank for midfoot support. Oil and slip-resistant rubber outsole. Steel toe. SD.

ASTM F2413-18 F/I/C SD compliant

SKECHERS WORK®

Sadie Athletic**SSK108097NVAQ** (Navy/Aqua) M 6-10,11

Water and stain resistant nylon upper with navy TPU toe and heel overlays. Padded knit tongue and heel wrap collar Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy Toe. EH.

ASTM F2413-18 F/I/C EH compliant

EXCLUSIVE STYLE



KEEN UTILITY®

VISTA ENERGY

KN1025241

See item on page 112

**SKECHERS WORK®****Reagan Athletic****SSK108098BKPK** (Black/Pink) M 6-10,11**SSK108098GYPR** (Gray/Purple) M 6-10,11

Leather upper. Mesh lining. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy Toe. EH.

ASTM F2413-18 F/ I/ C EH compliant**EXCLUSIVE STYLE****SKECHERS WORK®****Jackie Athletic****SSK406NVAQ** (Navy/Aqua) M 6-10,11

Nubuck leather upper. Soft fabric lining. Synthetic overlays and stitching accents. Memory foam topped, cushioned, removable footbed. FlexSole shock absorbing lightweight flexible midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Aluminum alloy toe. EH.

ASTM F2413-18 F/ I/ C EH compliant**EXCLUSIVE STYLE****SKECHERS WORK®****Leslie Athletic****SSK8436BLK** (Black) M 5-10,11**SSK8436NVY** (Navy) M 5-10,11

Fabric upper with RepelWell liquid and stain repellent treatment. Slip-on style with a stretch-laced front. Arch Fit cushioned footbed. EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe.

ASTM F2413-18 F/ I/ C compliant**EXCLUSIVE STYLE****NEW STYLE****SKECHERS WORK®****Uno SR - Deloney Athletic****SK108101RED** (Red) M 6-10,11**SK108101BLK** (Black) M 6-10,11

Perforated synthetic durabuck upper. Air-Cooled memory foam cushion footbed. Skech-Air visible air bag midsole. Slip resistant traction outsole. Comp toe. EH.

ASTM F2413-18 F/ I/ C EH compliant**ARRIVING APRIL****PUMA SAFETY®****Velocity Athletic****PU642855** (Black) M 6-10

Tumbled full grain leather upper. BreathActive lining. Evercushion MISS run footbed. MISS SAFETY MOTION rubber outsole with Torsion Control System. Steel toe. SD with cushioning IQ.Cell integrated in the heel.

ASTM F2413-18 F/ I/ C SD compliant

**PUMA SAFETY®****Celerity Knit Athletic****PU642925** (Black) M 5,6-10

Safety Knit non metallic upper. Added TPU material at toe and heel. BreatheActive lining. Removable Evercushion Miss footbed. Cushioning IQ Cell integrated in heel. Slip-resistant rubber outsole. Steel toe. SD. Vegan.

ASTM F2413-18 F/I/C SD compliant**PUMA SAFETY®****Motion Athletic****PU643945** (Black/Blue) M 6-10

Safety Knit upper with TPU toe, heel and eyerow overlays. Breathe Active functional lining. Evercushion CUSTOM FIT footbed. IMPULSE FOAM midsole. POWER PLATE torsion control system. Slip-resistant rubber outsole. Comp toe. SD. Metal free. Vegan.

ASTM F2413-18 F/I/C SD compliant**TIMBERLAND PRO®****Setra Hi-Top Athletic****TMA5UVU** (Grey/Rose) W 6-10,11

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Mutilation and metal free construction. 30 day comfort guarantee.

ASTM F2413-18 M/I/C EH compliant**ARRIVING APRIL****REEBOK WORK®****Ever Road 3.0 DMX Work Bootie****WGRB259** (Navy/Gray) M 6-10; W 6-10

Nonporous microfiber upper. Twin elastic side gores. Backstay pull on loop. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 footbed. EVA midsole. Slip resistant rubber outsole. XTR comp toe. Dual resistor SD technology. 100% metal free.

ASTM F2413-18 F/I/C SD 10 compliant**REEBOK WORK®****Sublite Cushion Work Mid Athletic****WGRB406** (Black) M 6-10

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Slip-resistant rubber forepart and heel pads. XTR comp toe. SD 10 with dual resistor technology. Metal free.

ASTM F2413-18 F/I/C SD 10 compliant

NEW STYLE

NEW STYLE

NEW STYLE


X SR MAX®
SR MAX®**Sitka Waterproof Hiker****SRM285** (Black) M 5-10,11; EW 5-10,11

Waterproof full grain leather upper. Mesh lining with waterproof bootie. Molded, removable PU cup footbed. Single density, patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/ I/ C EH compliant**EXCLUSIVE STYLE**
X SR MAX®
SR MAX®**Boone Hi Hiker****SRM479** (Black) M 6-10; EW 6-10

Action leather, PU and rubber upper. Merrell mesh lining. Molded, removable, PU cup footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/ I/ C EH compliant**EXCLUSIVE STYLE**
**Timberland
PRO**
NEW STYLE**TIMBERLAND PRO®****Switchback Waterproof Hiker****STMA44N1** (Black/Grey Pop) M 5.5-10,11; W 6-10

Waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood borne pathogen membrane. ReBOTL recycled materials used. Anti-Fatigue Technology PU footbed. EVA cushion midsole. Timberland PRO TPU oil, slip and abrasion resistant outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 F/ I/ C EH compliant**EXCLUSIVE STYLE**
**ROCKPORT
WORKS**
NEW STYLE**ROCKPORT WORKS®****Pulse Tech Waterproof Hiker Bootie****WGRK777** (Gray) M 6-10,11

Nubuck leather upper. Fabric lining with waterproof membrane. Removable Comfortech cushion footbed. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/ I/ C EH compliant
KEEN
UTILITY
NEW STYLE**KEEN UTILITY®****Reno Waterproof 6" Mid Hiker****KN1027104** (Magnet/Ipanema) M 6-10; W 6-10

Leather upper. KEEN.DRY waterproof membrane construction. KEEN. BELLOWS FLEX allows foot to bend and flex with ease. KEEN.ReGEN provides added energy return. Oil and slip-resistant outsole. Carbon fiber toe. EH. WP.

ASTM F2413-18 F/ I/ C EH compliant



AVENGER®

Framer Waterproof Hiker**N7123** (Brown) M 5.5-9,10; W 6-10,11

Waterproof full grain leather. Nonmetal hardware. Waterproof membrane. Removable, dual density footbed. Direct attached, slip-resistant, PU outsole. Lenzi puncture plate. Comp toe. EH. PR. WP. Security friendly.

ASTM F2413-18 F/I/C EH PR compliant



AVENGER®

Framer Waterproof Insulated Hiker**N7130** (Brown) M 6-10; W 7-10

Waterproof full grain leather. Nonmetal hardware. 400 grams Thinsulate insulation. Waterproof membrane. Removable, dual density footbed. Direct attached, slip-resistant, PU outsole. Lenzi puncture plate. Comp toe. EH. PR. WP/Insulated. Security friendly.

ASTM F2413-18 F/I/C EH PR compliant



AVENGER®

Waterproof Hiker**N7286** (Tan) M 6-9,10; W 7-9,10

Waterproof full grain leather upper. Waterproof construction. Removable dual density footbed. Slip-resistant PU outsole. Comp Toe. EH. WP. Flexible puncture resistant plate. Metal free.

ASTM F2413-18 F/I/C EH PR compliant



AVENGER®

Flight Waterproof Hiker**N7471** (Brown) M 6-10,11

Waterproof leather upper. Waterproof membrane construction. SD10 comfort footbed. EVA midsole with slip-resistant rubber forepart and heel pads. No exposed metal on upper. Alloy toe. SD 10. WP.

ASTM F2413-18 F/I/C SD 10 compliant



AVENGER®

Foreman Waterproof Romeo Pull-On Boot**N7120** (Brown) M 6-10

Full grain leather upper. Twin elastic side gores. Front and back nylon pull loops. Removable dual density cushion footbed. Slip-resistant PU outsole. Direct attached construction. Comp toe. EH. Flexible puncture resistant plate. Waterproof construction. Metal free.

ASTM F2413-18 F/I/C EH PR compliant



NEW STYLE



XENA WORKWEAR®

VALENCE

XEVACB1

See item on page 119

NEW STYLE


Xena WORK WEAR
XENA WORKWEAR®**Valence Slip-On Safety Boot****XEVACB1** (Chestnut) M 6-10,11**XEVABL1** (Black) M 6-10,11

Performance vegan upper leather. Twin side panel gores. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant, dual density outsole. Steel toe. SD-35. No exposed metal on upper. Hand crafted in North America. 6 month Xena warranty.

ASTM F2413-18 F/ I/ C SD-35 compliant

NEW STYLE


HYTEST
SAFETY FOOTWEAR
HYTEST®**Lithium Amber 6" Waterproof Work Boot****17751** (Brown) W 6-10,11

Waterproof leather upper. Seam sealed waterproof construction. Abrasion resistant, moisture wicking lining. PU cushion footbed. PU cushion midsole with abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH. WP.

ASTM F2413-18 F/ I/ C EH compliant

NEW STYLE


WOLVERINE
WOLVERINE®**Piper Peak® AG Waterproof Hiker****WW10181** (Black) M 5-10,11; W 6-10**WW10180** (Brown) M 5-10,11; W 5-10

Waterproof roughneck leather. Non metallic hardware. Wave mesh lining with waterproof membrane. Removable air cell PU cushion insole. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Comp Toe. EH. WP.

ASTM F2413-18 F/ I/ C EH compliant

NEW STYLE


WOLVERINE
WOLVERINE®**Piper Waterproof 6" Boot****WW221032** (Cashew) M 6-10,11; W 6-10

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Removable open cell PU cushion footbed. Ultra-Light EVA midsole. Slip-resistant rubber outsole. Comp toe. EH. WP.

ASTM F2413-18 F/ I/ C EH compliant**ARRIVING APRIL**
HARLEY-DAVIDSON
FOOTWEAR
HARLEY-DAVIDSON®**Raine Side-Zip Boot****HD83883** (Black) M 6-10,11

Leather upper. Mesh lining. YKK locking, inside quarter zipper. Oil, slip and abrasion resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 F/ I/ C EH compliant


SR MAX®
SR MAX®**Denali 6" Waterproof Hiker****SRM265** (Black) M 5-10,11; EW 5-10,11

Waterproof, oiled, tumbled leather upper. Waterproof membrane bootie. PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. Security friendly.

ASTM F2413-18 F/ I/ C EH compliant.

**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA1X7R** (Wheat) M 5.5-10,11

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof.

ASTM F2413-18 F/ I/ C EH compliant

**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA1X8S** (Black) M 5.5-10,11

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof.

ASTM F2413-18 F/ I/ C EH compliant

**EXCLUSIVE STYLE**
Timberland PRO
TIMBERLAND PRO®**TITAN 6" Boot****TM26388** (Brown) M 5.5-10,11; W 6-10,11**TM72399** (Black) M 5.5-10,11; W 5.5-10,11

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial management. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TiTAN alloy safety toe. EH.

ASTM F2413-18 F/ I/ C EH compliant


Timberland PRO
TIMBERLAND PRO®**TITAN 6" Waterproof Boot****TM53359** (Brown) M 5.5-10,11; W 5.5-10,11

Leather upper. Anti-microbial, spacer mesh linings with waterproof membrane. Blood borne pathogen resistant. Removable, contoured, breathable PU footbed. PU cushioning midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Heat resistant to 572 degrees F. TiTAN alloy safety toe. EH. WP. 30 day comfort guarantee.

ASTM F2413-18 F/ I/ C EH compliant





IRON AGE®

Compound Waterproof Shaft Boot**WGIA965** (Brown/Black) W 6-11; EW 6-11

Molded rubber bottom with waterproof leather shaft. Nylon mesh with waterproof membrane lining. Removable EVA cushion insert insole with sponge rubber heel wedge. IronTreads rubber slip-resistant outsole. Waterproof. Comp Toe. EH.

ASTM F2413-18 F/I/C EH compliant



CARHARTT®

6" Wedge Waterproof Boot**CFW6225-W** (Light Brown) M 6-10

Oil tanned upper leather. FastDry technology lining with Storm Defender breathable, waterproof membrane. PU cushion footbed. Dual density rubber wedge outsole. Goodyear welt construction. Steel toe. EH. WP.

ASTM F2413-18 F/I/C EH compliant



AVENGER®

Builder 6" Waterproof Boot**N8124** (Black) W 6-10**N8125** (Brown) M 6-10,11

Leather upper with scuff resistant heel overlay. Waterproof construction. Moisture wicking textile lining. Molded EVA footbed with arch support. PU midsole. Oil and slip-resistant PU outsole. Steel toe. EH. WP.

ASTM F2413-18 F/I/C EH compliant



HOSS BOOT COMPANY®

Lacy Waterproof 6" Boot**HS70120** (Black/Purple) D 6-10,11

Full grain tumbled leather upper. Hydry waterproof membrane construction. Dual density rebound foam footbed. Slip-resistant, direct attached midsole/outsole. Comp toe. EH. Lenzi nonmetallic puncture resistant plate. WP. Security friendly.

ASTM F2413-18 F/I/C EH PR compliant



SR MAX®

Bear 8" Waterproof Insulated Boot**SRM295** (Black) M 6-10

Waterproof, oiled, full grain leather upper. Mesh lining with waterproof bootie. 400 grams Thinsulate insulation. PU cup removable insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole with cold storage compound. Metal free. Comp toe. EH. WP/Insulated.

ASTM F2413-18 F/I/C EH compliant



EXCLUSIVE STYLE

NEW STYLE



Xena WORK WEAR

XENA WORKWEAR®

Spice Side-Zip Safety Boot**XESPBL1** (Jet Black) M 6-10,11

Full grain leather upper. Adjustable lace front with inside quarter zipper. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant dual density outsole. Steel toe. Hand crafted in North America. 6 month Xena warranty.

CAROLINA
Built For Work.

CAROLINA®

Elm Waterproof Logger**CA1435** (Dark Brown) M 6-10

Crazy Horse leather upper. Waterproof SCUBALINER membrane. Removable dual density PU and memory foam footbed. One piece rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP.

HYTEST
SAFETY FOOTWEAR

HYTEST®

Montana Pull-On Wellington**17122** (Brown/Red) M 6-10; W 6-10

Full grain leather upper. Moisture wicking mesh lining. Removable cushion footbed. Ultralight EVA midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.

FRYE
SUPPLY

FRYE®

Harness Work Boot**WGFR40602F** (Brown) M 6-10,11

Full grain leather upper. Moisture wicking lining for comfort and odor absorption. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant rubber outsole with defined heel breast. Steel toe. EH.

FRYE
SUPPLY

FRYE®

Harness Work Boot**WGFR40601F** (Black) M 6-10,11

Full grain leather upper. Moisture wicking lining for comfort and odor absorption. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant rubber outsole with defined heel breast. Steel toe. EH.




**ARIAT
WORK**
ARIAT®**Tracey Waterproof Wellington****AR10015405** (Oily Distressed Brown) B 6-10,11

Waterproof, full grain upper leather. Mesh lining. Patented U-turn flexible panel allows for easy entry and exit. 4LR support and cushioning feature. Oil and slip resistant Duratread outsole with shock absorbing EVA core. 90 degree heel breast. Waterproof Pro construction. Comp toe. WP.

ASTM F2413-18 F/I/C compliant
**Justin[®]
BOOTS**
JUSTIN BOOTS®**Wanette Wellington****JUGY9980** (Brown) B 6-10,11

Leather upper. J-Flex Flexible Comfort System footbed. Non leather outsole. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant
TWISTED X
TWISTED X®**11" Western Work Boot****TWWLCS003** (Distressed Latigo/Red) B 6-10; C 6-10

Full grain leather upper. Air mesh lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Steel toe. EH.

ASTM F2413-18 F/I/C EH compliant
TWISTED X
TWISTED X®**11" Western Work Boot****TWWXBN001** (Brown/Blue) B 6-10

Full grain leather upper with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Nano toe. EH.

ASTM F2413-18 F/I/C EH compliant
**AVENGER
SAFETY FOOTWEAR**
AVENGER®**Waterproof Wellington****N7146** (Brown) M 6-10,11

Full grain leather upper. Removable dual density EVA footbed. Direct attached dual density, slip-resistant PU outsole. Waterproof construction. 100% metal free. Comp toe. EH. WP.

ASTM F2413-18 F/I/C EH compliant

WOMEN'S

METATARSAL GUARD

ROCKPORT
WORKS



ROCKPORT WORKS®

Sailing Club 3 Eye Tie Internal Met-Guard Boat

Shoe

WGRK634 (Brown) M 6-10,11; W 6-10,11

Crazy Horse leather upper. Brushed microfiber lining. Removable EVA cushion footbed with heel stabilizer cup. Cushion EVA midsole with slip-resistant rubber boat shoe outsole. Steel toe. EH. Poron XRD internal met guard.

ASTM F2413-18 F/ I/ C EH Mt compliant



TWISTED X®



TWISTED X®

Internal Met-Guard Driving Moc

TWWDMCTM1 (Saddle) M 6-10,11

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Comp toe. EH. Mt.

ASTM F2413-18 F/ I/ C EH Mt compliant



poron Xrd™



HYTEST
FOOTRESTS



HYTEST FOOTRESTS®

XT Internal Met-Guard Slip-On Oxford

10961 (Brown) Men's M 4-12,13,14; W 4-12,13,14

*Women please refer to size conversion chart on page 128.

Full grain leather upper. Abrasion resistant mesh lining. Removable Footrests XT Poly-Tec three layer comfort footbed. Lightweight HY-Cush PU cushion midsole. Oil and slip-resistant rubber outsole. HYTEST Stealth nano technology safety toe. EH. Poron XRD internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant



30-DAY
COMFORT



poron Xrd™



Reebok



REEBOK WORK®

Centose Street Sport Internal Met-Guard Athletic

WGRB156 (Black) M 6-10,11; W 6-10

Leather upper. Nylon mesh lining. Removable EVA cushion footbed with sponge rubber heel wedge. EVA cushion midsole. SureGrip Plus rubber outsole. Comp toe. EH. Flex-Met internal met guard. 100% nonmetallic.

ASTM F2413-18 F/ I/ C EH Mt compliant



**HYTEST®****Annex Internal Met-Guard Athletic****11729** (Black) Men's M 3-12,13,14; W 7-12,13,14

*Women please refer to size conversion chart on page 128.



TecTuff and leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. ASTM F2413-18 M/ I/ C EH Mt compliant.

ASTM F2413-18 M/ I/ C EH Mt compliant**REEBOK WORK®****Sublite Work Black Athletic****WGRB460** (Black) (Black) M 6-10; W 6-10

Leather upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable, cushion footbed. CushGuard internal metatarsal guard. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. No exposed metal on upper. Alloy toe. EH. Internal met guard.

ASTM F2413-18 F/ I/ C EH Mt compliant**REEBOK WORK®****Sublite Cushion Work Mid Athletic****WGRB143** (Black) (Black) M 6-10,11; W 6-10,11

Leather upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable, cushion footbed. CushGuard internal metatarsal guard. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. No exposed metal on upper. Alloy toe. EH. Internal met guard.

ASTM F2413-18 F/ I/ C EH Mt compliant**HYTEST®****Apex Internal Met-Guard Waterproof 6" Hiker****12451** (Brown) Men's M 4-12,13,14,15; W 7-12,13,14,15

*Women please refer to size conversion chart on page 128.

Nomad waterproof leather upper. Mesh lining with waterproof bootie. Pesu III EVA footbed. EVA molded midsole. Apex oil and slip-resistant rubber outsole is heat resistant to 752 degrees F. Steel toe. EH. Poron XRD internal met guard.

ASTM F2413-18 M/ I/ C EH Mt compliant**CAROLINA®****Raleigh 5" Met-Guard Boot****CA1428** (Medium Brown) M 6-10,11; W 6-10,11

Full grain leather upper. Mesh lining. Pillow Cushion insole. Removable EVA footbed. EVA midsole. Slip-resistant rubber outsole. Cement construction. Aluminum safety toe. EH. PU internal met guard.

ASTM F2413-18 F/ I/ C EH Mt compliant

**HYTEST FOOTRESTS 2.0®****Rebound 6" Internal Met-Guard Waterproof Hiker****23130** (Black) Men's D 4-12,13,14; EEE 7-12,13,14

*Women please refer to size conversion chart on page 128.

Waterproof full grain leather with Tec-Tuff abrasion resistant toe. Moisture wicking lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Poron XRD internal met guard. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant

**HYTEST FOOTRESTS 2.0®****Maya Internal Met-Guard Waterproof 6" Hiker****27111** (Brown/Black) B 5-10,11; D 6-10,11

Full grain waterproof leather upper with TecTuff abrasion resistant collar strap. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. XRD internal met guard. WP. 30 day comfort guarantee.

ASTM F2413-18 F/ I/ C EH Mt compliant

**HYTEST FOOTRESTS®****Internal Met-Guard Waterproof 6" Boot****23231** (Brown) Men's D 4-12,13,14,15; EEE 7-12,13,14,15

*Women please refer to size conversion chart on page 128.

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. Internal met-guard. Dual density PU midsole. Tri-Tec oil and slip-resistant rubber outsole. Storm welt construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant

**HYTEST®****Apex 6" Internal Met-Guard Waterproof Boot****12250** (Black) Men's M 4-12,13,14,15; W 8-12,13,14,15

*Women please refer to size conversion chart on page 128.

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant

**HYTEST®****Apex 6" Internal Met-Guard Waterproof Boot****12251** (Brown) Men's M 4-12,13,14,15,16,17; W 7-12,13,14,15,16,17

*Women please refer to size conversion chart on page 128.

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Mt. WP.

ASTM F2413-18 M/ I/ C EH Mt compliant





HYTEST
MAYA
27111
See item on page 126


HYTEST®
SAFETY FOOTWEAR
HYTEST®**Apex 6" Internal Met-Guard Waterproof Boot****12253** (Brown) Men's M 4-12,13,14,15; W 7-12,13,14,15

*Women please refer to size conversion chart on page 128.

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane. 600g Thinsulate Ultra insulation. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. XRD internal metatarsal guard. Waterproof/insulated.

ASTM F2413-18 M/ I/ C EH Mt compliant
Reebok
REEBOK WORK®**Trainex 6" Internal Met-Guard Sport Boot****WGRB655** (Black) M 6-10

Leather upper with abrasion resistant toe bumper and heel counter. Nylon mesh linings. Removable EVA cushion footbed with sponge rubber heel wedge. PU cushion midsole with heel airbag. Direct attached construction. Athlite rubber outsole with 90 degree heel breast. 100% nonmetallic. Comp toe. EH. Flex-Met internal met guard.

ASTM F2413-18 F/ I/ C EH Mt compliant
HYTEST®
SAFETY FOOTWEAR
HYTEST®**Apex 8" Internal Met-Guard Waterproof Boot****14261** (Brown) Men's M 4-12,13,14; W 7-12,13,14

*Women please refer to size conversion chart on page 128.

Thunder full grain leather upper. High abrasion performance mesh lining. Waterproof membrane. Removable Pesu III EVA footbed. EVA cushion midsole with oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Comp toe. EH. Cement construction.

ASTM F2413-18 M/ I/ C EH Mt compliant
HYTEST®
SAFETY FOOTWEAR
HYTEST®**Iron Internal Met-Gard 10" Boot****04055** (Brown) Men's M 4-12,13,14,15,16; W 7-12,13,14,15,16

*Women please refer to size conversion chart on page 128.

Full-grain heat resistant and waterproof leather upper. Cambrelle lining. Pesu III EVA footbed. Internal met-guard. Storm welt construction. Clincher heat, oil, and slip-resistant rubber outsole. Heat resistant up to 752 degrees F. Mark 590L last. Comp toe. EH. Mt.

ASTM F2413-18 M/ I/ C EH Mt compliant

SIZE CONVERSION CHART

HYTEST® SIZE CONVERSIONS

Need Women's Size:	6	6.5	7	7.5	8	8.5	9	9.5	10	11
--------------------	---	-----	---	-----	---	-----	---	-----	----	----

Order Men's Size:	4	4.5	5	5.5	6	6.5	7	7.5	8	9
-------------------	---	-----	---	-----	---	-----	---	-----	---	---

WOMEN'S

SOFT TOE



SR MAX®

Geneva Dress Clog

SRM132 (Black) M 5.5-10,11

Full grain leather upper. Tricot lining with suede counter pocket. Cushioned EVA footbed with padded arch and fabric cover. Shock absorbing PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SR MAX®

Manteo EVA Clog

SRM770 (Black) EW 5-11 (no half sizes)

Injection molded EVA upper and midsole. Unlined. Removable cushion EVA footbed. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Waterproof. 100% nonmetallic.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SR MAX®

Charlotte Slip-On Athletic

SRM140 (Black) M 3-10,11; EW 6-10,11

Action leather with PU upper. Spandex underlays. Nylon mesh linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SR MAX®

Southport Slip-On Canvas Skate Athletic

SRM163 (Black) M 5-10,11

100Z canvas textile upper treated with DuPont™ Teflon® fabric protector. Twin elastic side gores. Canvas lining. PU with memory foam footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Vulcanized construction.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE

NEW STYLE

**SR MAX®****Dover Athletic****SRM610** (Black) M 2-10,11,12; EW 4-10,11,12

PU upper. Nylon mesh with tricot linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Nonmetallic.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Maxton Athletic****SRM620** (Black) M 5.5-10,11

PU upper. Nylon linings. Molded removable PU cup insole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Nonmetallic.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****SR MAX®****Aiken Athletic****SRM655** (Black) M 5-10,11; EW 5-10,11

Mesh and TPU upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. Mesh lining. PU and memory foam footbed. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****REEBOK WORK®****Sublite Max Athletic****SRB032** (Navy/Pink) M 6-10,11; W 6-10,11

Microfiber and mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. BK mesh lining. Memory Tech Massage removable cushioned footbed. Sublite EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Metal free.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE****REEBOK WORK®****Sublite Max Athletic****SRB033** (Black/Gray) M 6-10,11; W 6-10,11

Microfiber and mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. BK mesh lining. Memory Tech Massage removable cushioned footbed. Sublite EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Metal free.

Soft toe. No safety toe cap.**EXCLUSIVE STYLE**



SR MAX®
AIKEN

SRM655

See item on page 130

POWERED BY





SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Christina Athletic****SSK108096NVAQ** (Navy/Aqua) M 6-10,11

Water and stain resistant nylon upper with navy TPU toe and heel overlays. Padded knit tongue and heel wrap collar. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. EH compliant.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Sara Athletic****SSK403BLK** (Black) M 5-10,11

Leather upper. Fabric linings. Removable EVA footbed with full length memory foam. Injection molded EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SKECHERS
WORK
FOOTWEAR

SKECHERS WORK®**Stacey Athletic****SSK405NVAQ** (Navy/Aqua) M 5-10,11**SSK405BKW** (Black/White) M 6-10,11

Leather upper. Mesh linings. Removable EVA footbed with full length memory foam. Injection molded EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



X SR MAX®

SR MAX®**Kobuk 6" Waterproof Hiker****SRM260** (Black) M 6-10,11; EW 6-10,11

Waterproof, oiled, tumbled leather upper. Waterproof bootie construction. Taibrelle linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



Timberland PRO

TIMBERLAND PRO®**6" Direct Attach Waterproof Insulated Boot****STMA1X8E** (Black) M 5.5-10,11

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Direct attached construction. WP/Insulated.

Soft toe. No safety toe cap. ASTM EH compliant.



EXCLUSIVE STYLE

MEN'S & WOMEN'S

RUBBER BOOTS & OVERSHOES



DUNLOP®

6" PVC Waterproof Boot

ON87981 (Grey/Orange) Men's 6-13 (no half sizes)

6 inch PVC upper with PVC/nitrile rubber outsole. Waterproof. Removable cushion insole. Resists animal fats, petroleum, oils, grease and chemicals. Safety-Loc outsole. Kick-off lugs for easy removal. Made in USA. Steel toe.

ASTM F2413-18 M/I/C compliant



DUNLOP®

6" BPolyblend Waterproof Boot

ON86104 (Black) Men's 6-13 (no half sizes)

6 inch Polyblend PVC/PU lace up boot. Waterproof. Injection molded seamless construction. Ladder shank. Nonslip self cleaning outsoles. Steel toe. EH. Made in USA.

ASTM F2413-18 M/I/C EH compliant



SR MAX®

Summit 10" EVA Waterproof Boot

SRM8400 (Black) Men's W 4-14 (no half sizes)

Injected EVA upper. EVA cushion footbed. EVA midsole. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Comp toe. EH. WP.

ASTM F2413-18 M/I/C EH compliant



SR MAX®

Everett 10" EVA Waterproof Boot

SRM8450 (Black) Men's W 4-14 (no half sizes)

Injected EVA upper. EVA cushion footbed. EVA midsole. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



SR MAX®

SR MAX®

Seward 16" PVC Boot

SRM8200 (Black) Men's W 3-15 (no half sizes)

PVC injected upper with fabric lining. PU cup cushion footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



EXCLUSIVE STYLE



SR MAX®

SR MAX®

Montauk 16" PVC Waterproof Boot

SRM8300 (Black) Men's W 3-15 (no half sizes)

PVC injected upper without lining. PU cup cushion footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Waterproof.

Soft toe. No safety toe cap.



EXCLUSIVE STYLE



MUCK®

Chore Tall Waterproof Boot

MCHS000A (Black) Men's MW 6-14 (no half sizes)

Spandex covered neoprene upper with 5 mm CR flex-foam bootie with 4 way stretch nylon. Removable EVA footbed. EVA cushioned midsole. Rubber foot is triple reinforced in the toe area and quadruple reinforced in the heel area. Extra wide kick off lugs for hands free removal. Rubber outsole with self cleaning channels for optimal slip resistance. 100% waterproof. Comfort range from sub freezing to 85 degrees Fahrenheit. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



MUCK®

Chore Max Waterproof Boot

MCMAXCMP (Black) Men's M 7-14 (no half sizes)

Spandex shaft. Rubber foot. Blaze yellow high viz, air circulating, 3D Supermesh lining. Cushioned footbed. Slip-resistant rubber outsole. Comp toe. EH. Nonmetallic puncture plate. WP.

ASTM F2413-18 M/ I/ C EH PR compliant



LaCrosse®
BLUE COLLAR by CHOICE.

LACROSSE®

Meta Pack 12" Internal Met-Guard Waterproof

Boot

LC228040 (Black/Yellow) Men's 6-14 (no half sizes)

Ozone and abrasion resistant rubber. 100% waterproof. LaCrosse Ankle Fit design for better fit in the heel. Trac-Lite outsole for excellent traction. Steel toe. EH. Steel puncture resistant plate. Floating internal met guard.

ASTM F2413-18 M/ I/ C EH Mt PR compliant





TINGLEY
A TRADITION SINCE 1896

TINGLEY®

Flite 15" Safety Toe Boot

TI26256 (Dark Blue) Men's MW 4-15 (no half sizes)

Aerex 1.5.5 chemical resistant, thermally-insulative, microcellular polymer. Calf-Relief Topline for easier on and off, and roomier calf space. Chevron-Plus slip-resistant, nitrile rubber outsole. Comp toe. EH. WP/Insulated. 100% nonmetallic.

ASTM F2413-18 M/ I/ C EH compliant



TINGLEY
A TRADITION SINCE 1896

TINGLEY®

Flite 15" Waterproof Aerex 1.5.5 Boot

TI28259 (Gray) Men's M 8-13 (no half sizes)

Aerex 1.5.5 chemical resistant, thermally-insulative, microcellular polymer. Molded, waterproof, seamless construction. Calf-Relief Topline for easier on and off, and roomier calf space. Safety-Loc slip-resistant, nitrile rubber outsole. Comp toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant



TINGLEY
A TRADITION SINCE 1896

TINGLEY®

Steplite X Waterproof Pull On Boot

TI77253 (Yellow/Navy) Men's MW 4-14 (no half sizes)

Chemical resistant PU boot with seamless construction. Fully lined interior. Self insulating. Removable, contoured PU footbed. Self cleaning, slip-resistant, cleated outsole. 100% waterproof. Oil, fat, abrasion and chemical resistant. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



TINGLEY
A TRADITION SINCE 1896

TINGLEY®

Premier G2 Waterproof Knee Boot

TI93255 (Brick Red) Men's M 3-14 (no half sizes)

Injected molded PVC boot. Calf Relief Expansion topline shaft feature. Chemical resistant, waterproof upper. Removable, contoured, cushion footbed. Chevron-Plus abrasion, chemical and slip-resistant outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



Reed

REED FOOTWEAR®

Force II 14" Neoprene Waterproof Boot

RE3732 (Black/Yellow) Men's M 6-14 (no half sizes)

7 mm neoprene with 2mm of air mesh lining. Top back of shaft pull up loop. Removable comfort cushion footbed. Oil and slip-resistant rubber outsole. Steel toe. 100% waterproof. Comfort rated from -40 degrees F to 70 degrees F.

ASTM F2413-18 M/ I/ C compliant





DUNLOP®
DUNLOP
PROTECTIVE FOOTWEAR

DUNLOP®
16" Superpoly Waterproof Boot
ON85324 (Brown) Men's M 5-13 (no half sizes)

16 inch Superpoly PVC/PU pull on boot. Waterproof. Injection molded seamless construction. Removable cushion insoles. Heel and toe bumpers. Kick off heel lug for easy on/off. Steel toe. Made in USA.

ASTM F2413-18 M/ I/ C compliant



DUNLOP®
DUNLOP
PROTECTIVE FOOTWEAR

DUNLOP®
Economy 16" PVC Waterproof Boot
ON86622 (Black) Men's M 6-13 (no half sizes)

PVC injected, molded construction. Purofort thermal insulation. Cleated outsole for excellent traction in wet and muddy conditions. Outsole is fuel oil, slip and chemical resistant. WP/Insulated. Steel Toe. EH. PR.

ASTM F2413-18 M/ I/ C EH PR compliant



DUNLOP®
DUNLOP
PROTECTIVE FOOTWEAR

DUNLOP®
16" PVC Waterproof Boot
ON87982 (Grey/Orange) Men's 5-15 (no half sizes)

16 inch PVC upper with PVC/nitrile rubber outsole. Waterproof. Removable cushion insole. Resists animal fats, petroleum, oils, grease and chemicals. Safety-Loc outsole. Kick-off lugs for easy removable. Made in USA. Steel toe.

ASTM F2413-18 M/ I/ C compliant



DUNLOP®
DUNLOP
PROTECTIVE FOOTWEAR

DUNLOP®
Goliath 16" Black Polyblend Boot
ON89682 (Black) Men's M 5-15 (no half sizes)

Polyblend compound molded upper. Removable footbed. Power-Lug outsole. Superior resistance to animal fats, acids, oils, grease and chemicals. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



DUNLOP®
DUNLOP
PROTECTIVE FOOTWEAR

DUNLOP®
16" Pull On Waterproof Boot
ON81011 (White) Men's M 4-13 (no half sizes)

Injected, molded, seamless construction. Removable cushion footbed. Slip and chemical resistant safety-loc outsole. WP.

Soft toe. No safety toe cap.



**DUNLOP®****Polyflex 3 16" Polyblend Waterproof Boot****ON89908** (Black) Men's MW 5-15 (no half sizes)

Polyblend/PVC compound. Waterproof. Superior resistance to fats, oils and chemicals. Removable air cushion insole. Steel shank. Kick-off lugs for easy on/off. Made in USA. Steel toe.

ASTM F2413-18 M/ I/ C compliant**DUNLOP®****16" Polyblend PVC Waterproof Boot****ON89904** (Black) Men's M 6-15 (no half sizes)

Polyblend/PVC compound. Waterproof. Superior resistance to fats, oils and chemicals. Removable air cushion insole. Steel shank. Kick-off lugs for easy on/off. WP. Made in USA.

Soft toe. No safety toe cap.**BAFFIN®****IceBear Waterproof Insulated Boot****BAF5157** (Green) Men's MW 5-15 (no half sizes)

PU molded knee high upper. Thermal PU compound, cold resistant to -58 degrees Fahrenheit. GelFlex PU midsole. Acid, oil, and slip-resistant rubber outsole. Comp toe. EH. PR. WP/Insulated.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe. CSA puncture resistant plate, CSA ESR. CE approved.

**BAFFIN®****Refinery Waterproof Insulated Boot****BAF8574** (Black) Men's MW 6-14 (no half sizes)

Oarprene compound upper. One inch snow cuff at top of shaft. -40 degree F inner felt insulating liner. Self cleaning outsole. Steel Toe. EH. PR. WP/Insulated.

ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.



SERVUS®
by Honeywell

SERVUS®**16" Waterproof Pull On Boot****NCR22234** (Brown) Men's M 6-11,13 (no half sizes)

Neoprene rubber, seamless construction. Split calf design allows for expandable gusset. Fabric lining. Removable Breathe-O-Prene shock absorbing, moisture wicking footbed. Anti-skid rubber outsole. Steel toe. EH. 100% waterproof.

ASTM F2413-18 M/ I/ C EH compliant



LaCrosse®
BLUE COLLAR *by* CHOICE.

LACROSSE®

4X Alpha Snake Boot

LC376121 (Camo) Men's M 6-15 (no half sizes)

Realtree Xtra Green camo shaft. Rubber gusset for flexible fit. Interior 360 degree snake guard fabric. Removable PU footbed. Molded foot constructed of natural rubber over insulating neoprene. 4XBurley rubber outsole. Outsole has angled lugs that shed mud and muck. 90 degree heel breast.

Soft toe. No safety toe cap.



LaCrosse®
BLUE COLLAR *by* CHOICE.

LACROSSE®

Economy Waterproof Hip Boot

LC24009091 (Black/Yellow) Men's 7-16 (no half sizes)

Abrasion resistant rubber. 100% waterproof. Extra rubber protective toe cap. Removable EVA footbed. Slip-resistant Diamond Bar rubber outsole. 32 inch height. Steel Toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



ABEL & ACADIA

ABEL & ACADIA®

17" Pull-Over Slush Boot

AB6950BLK (Black) Men's MW 6-18 (no half sizes)

17 inch rubber pullover slush boot. Stretch nylon lining. Coated strap and buckle. Rugged outsole tread for superior traction. 100% waterproof.

Soft toe. No safety toe cap.



ABEL & ACADIA

ABEL & ACADIA®

17" Pull-Over Slush Boot

AB6950YEL (Yellow) Men's MW 6-18 (no half sizes)

17 inch rubber pullover slush boot. Stretch nylon lining. Coated strap and buckle. Rugged outsole tread for superior traction. 100% waterproof.

Soft toe. No safety toe cap.



SERVUS®
by Honeywell

SERVUS®

PVC Pull-On Overshoe

A11001 (Black)

S (Men's 6-8)

M (Men's 9-10)

L (Men's 11-13)

XL (Men's 14-15)

Seamless construction. Supersized to fit over bulky footwear. Elastic loop button closures. SF wide grip outsole with textured treads. 100% waterproof. Made in USA.

Soft toe. No safety toe cap.



**SR MAX®****Waterproof Overshoe****SRM1111 (Black)**

XXS (Men's 2-3 / Women's 4-5)

S+ (Men's 6.5-7.5 / Women's 8.5-9.5)

L (Men's 10-11.5)

XS (Men's 3.5-4.5 / Women's 5.5-6.5)

M (Men's 8-9 / Women's 10-11)

XL (Men's 12-14)

S (Men's 5-6 / Women's 7-8)

M+ (Men's 9-10 / Women's 11-12)

XXL (Men's 14.5-16)



The SR Max overshoe offers an alternative to slip-resistant shoes for those with larger or smaller feet, or those who are looking for a more cost effective way to get slip resistance. Especially useful for those who work in or around walk-in freezers or cold storage facilities.

**EXCLUSIVE STYLE****SERVUS®****PVC Overshoe****A11003 (Black)**

XS (Men's 4-5)

L (Men's 11-13)

S (Men's 6-8)

XL (Men's 14-15)

M (Men's 9-10)



Seamless construction. Supersized to fit over bulky footwear. Elastic loop button closures. SF wide grip outsole with textured treads. 100% waterproof. Made in USA.

Soft toe. No safety toe cap.

**TINGLEY®****Workbrutes Steel Toe Overshoe****TI35211 (Black/Yellow)**

XS (Men's 5-6.5 / Women's 7-8.5)

L (Men's 9.5-11 / Women's 11.5-13)

S (Men's 6.5-8 / Women's 8.5-10)

XL (Men's 11-12.5)

M (Men's 8-9.5 / Women's 10-11.5)



Injection molded Frigiflex PVC compound stays flexible in cold temperatures. 100% seamless construction. Pull on tab and heel kickoff. ShoeLocks molded in to the vamp and above the heel ensure proper fit for a variety of styles. Molded in oversize toe cap. Steel Toe. WP.

ASTM F2413-18 M / I / C compliant

**WILKURO®****Steel Toe Overshoe****WIL001 (Black/Gray) XS Men's size 4-5 / Women's 6-7****WIL002 (Black/White) S (Men's size 6-7 / Women's 8-9)****WIL003 (Black/Yellow) M (Men's size 8-9 / Women's 10-11)****WIL004 (Black/Red) L (Men's size 10-11 / Women's 12-13)****WIL005 (Black/Blue) XL (Men's size 12-13)****WIL006 (Black/Green) XXL (Men's size 13-14)****WIL007 (Black/Black) XXXL (Men's size 15-16)**

PVC overshoe with steel toe cap. Accepted by OSHA.

**STL-FLX®****ToeGUARDZ™ Safety Overshoes****SEN004 (Black -Toe cap color changes by size)**

XS (Women's 6-7)

XL (Men's 11-12)

S (Women's 8-9 / Men's 6-7)

XXL (Men's 13-14)

M (Women's 10-11 / Men's 8-9)

XXXL (Men's 15+)

L (Men's 9-10)

Oil, acid and chemical resistant TPR is crack resistant and waterproof. Slip resistant outsole. Molded in steel toe. Color coded sizes.

CSA Z334 certified and CE approved for use in Europe.





CLEAN FOAM.[™] CLEAN PLANET

LONG-LASTING CUSHIONING
MEETS SUSTAINABILITY

SR Max® x Blumaka Comfort Insoles redefine the category. The innovative foam recipe offers 14% more energy return than the average insole, giving you a spring in your step. After 1,000 miles of walking, these insoles provide just as much cushion as they did at mile 1. And, since they're made from up to 85% recycled materials and require 99% less water to manufacture, every step is like giving your feet and our planet some much-needed love.

SRMAX.COM/BLUMAKA

MEN'S & WOMEN'S

INSOLES

NEW STYLE



SR MAX® | BLUMAKA®

Comfort Insole

BLUMAX (Green/Blue) Men's 4-14 (no half sizes)

*Women please refer to size conversion chart on page 142.

Made with recycled materials and providing great energy return to reduce foot fatigue. Using 99% less water and 85% recycled materials by volume, the foam construction technology retains most of its original energy return, even after 650 miles of walking.

EXCLUSIVE STYLE

NEW STYLE

blumaka



BLUMAKA®

Blue Molded Comfort Footbed

CIN1001 (Blue) Men's 5-16 (no half sizes)

*Women please refer to size conversion chart on page 142.

Molded comfort footbed made of durable, lightweight foam that rebounds and returns energy. Our proprietary manufacturing process uses as much as 85% recycled materials which results in a 65% reduction in greenhouse gasses compared to traditional PU and a 26% reduction in greenhouse gasses compared to traditional EVA foam.

**MEGA
COMFORT™**
WORK-LIFE WELLNESS SOLUTIONS



MEGACOMFORT®

Personal Anti-Fatigue Mat Insole

PAM (Black/Yellow) Men's 3-14 (no half sizes)

*Women please refer to size conversion chart on page 142.

The MEGACOMFORT Personal Anti-Fatigue Mat (PAM) Insole is ergonomically designed by a Doctor, using a patented combination of high density dual layer 100% memory foam. MEGACOMFORT insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The PAM Insole provides maximum shock absorption and comfort in industrial footwear, making them far more effective than the standard anti-fatigue floor mats at reducing muscle strain and improving balance reactions. The heavy duty top cloth offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Aeration holes help to regulate foot temperature. Machine washable. For Arch Type: Medium, High

**MEGA
COMFORT™**
WORK-LIFE WELLNESS SOLUTIONS



MEGACOMFORT®

Personal Anti-Fatigue Mat ESD Insole

PAMESD (Black/Yellow) Men's 3,6,8,10,12,14

*Women please refer to size conversion chart on page 142.

The MEGACOMFORT Personal Anti-Fatigue Mat (PAM) ESD insole is ergonomically designed by a Doctor, using a patented combination of high density dual layer 100% memory foam for anti-static footwear only. ESD threads provide tested electrostatic dissipation. PAM ESD does not make regular footwear ESD compliant. MEGACOMFORT insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The heavy duty top cloth offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Aeration holes help to regulate foot temperature. Machine washable. Ideal for stationary and mobile workers. For use with Anti-Static Footwear only. For Arch Type: Medium and High.

**MEGACOMFORT®****Puncture Resistant Insole****PAMPR** (Black/Yellow) Men's 4,6,8,10,12,14

*Women please refer to size conversion chart on page 142.



MEGACOMfort's Personal Anti-Fatigue Mat (PAM) Puncture Resistant Insole is ergonomically designed by a Doctor, using a patented combination of high density dual layer 100% memory foam with an encapsulated steel plate that meets and exceeds ASTM F2413-11. MEGACOMfort insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The PAM Puncture Resistant insole helps protect from sharp objects such as shards of glass, metal and nails, making them far more effective in construction and renovation environments. Tested for penetration resistance and corrosion. . The heavy duty top cloth offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Machine washable.

**MEGACOMFORT®****MEGASole Insole****MEGASOLE** (Black/Yellow) Men's 5,6,8,10,12,14

*Women please refer to size conversion chart on page 142.



The MEGACOMfort MegaSole Insole is ergonomically designed by a Podiatrist, using a patented combination of high-density dual layer 100% memory foam. MEGACOMfort insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The gel enhanced MegaSole Insole provides vibration reduction, heel and arch cushioning, massaging, and aeration holes help to regulate foot temperature in footwear for all-day comfort and improve balance reactions. Ideal for stationary, mobile and those who work outdoors. For use with Casual and Work Footwear. For Arch Type: Medium, High.

**MEGACOMFORT®****MULTITHOTIC Insole****THOTIC** (Black/Yellow) Men's 4,6,8,10,12,14

*Women please refer to size conversion chart on page 142.



The MEGACOMfort MultiThotic 3-in-1 Orthotic Insole is ergonomically designed by a Podiatrist, using a patented combination of high-density dual layer 100% memory foam plus two re-attachable orthotic arch supports (medical grade materials). The light green flexible arch support is recommended for medium/regular arch type and the dark green rigid arch support is recommended for low arch/pronation support. Made with medical grade Polyplastic, the MultiThotic is a cost-effective initial replacement to custom made orthotics. Other features include heavy duty top cloth which offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Aeration holes help to regulate foot temperature. Machine washable.

SIZE CONVERSION CHARTS

STANDARD SIZE CONVERSIONS

Need Women's Size:	6	6.5	7	7.5	8	8.5	9	9.5	10	11
Order Men's Size:	4	4.5	5	5.5	6	6.5	7	7.5	8	9

DR. MARTENS® SIZE CONVERSIONS

Need Women's Size:	5	6	7	8	9	10	11
Order Men's Size:	4	5	6	7	8	9	10

BLUMAKA® INSOLE SIZE CONVERSIONS

Need Women's Size:	5	6	7	8	9	10	11	12	13	14
Order Men's Size:	4	5	6	7	8	9	10	11	12	13

MEGACOMFORT® INSOLE SIZE CONVERSIONS

Need Women's Size:	5	6	7	8	9	10	11	12	13	14
Order Men's Size:	3	4	5	6	7	8	9	10	11	12

5.11 TACTICAL®

FEL12416	62
FEL12421	51

ABEL & ACADIA®

AB6950BLK	138
AB6950YEL.....	138

ARIAT®

AR10015196.....	73
AR10015405.....	123
AR10017420.....	73
AR10022968.....	73
AR10023042.....	73
AR10024966.....	73
AR10029530.....	12
AR10034149.....	80
AR10036002.....	75
AR10036738.....	46
AR10036739.....	46
AR10038398.....	32

AVENGER®

N7120.....	117
N7123.....	117
N7130.....	117
N7146.....	123
N7223.....	53
N7245.....	54
N7264.....	54
N7286.....	117
N7402.....	83
N7421.....	32
N7471.....	117
N7573.....	63
N7712.....	54
N8124.....	121
N8125.....	121

BAFFIN®

BAF5157.....	137
BAF8574	137

BATES®

BA2272.....	56
BA2276.....	56
BA3164	39
BA3184	56

BLUMAKA®

BLUMAX.....	141
CIN1001	141

BLUNDSTONE®

BL140	53
BL172.....	53
BL179.....	53
BL990.....	53
BL994.....	91

CARHARTT®

CFW6225-W.....	121
CME1355.....	77
CME6355.....	52
CME8355.....	63
CML8360.....	67
CML8369.....	67
CMW6295.....	52

CAROLINA®

CA1309.....	48
CA1428.....	125
CA1435.....	122
CA1809.....	61
CA1821.....	65
CA1825.....	65
CA3535.....	48
CA4582.....	93
CA505USA.....	90
CA508USA.....	86
CA5582.....	86
CA5821.....	66
CA599.....	86
CA6921.....	66
CA7522.....	66
CA7821.....	90
CA9582.....	90
CA9824.....	66

CATERPILLAR®

CT110567.....	95
CT90936	39

CHIPPEWA®

CH73050.....	67
CH73060.....	67

DANNER®

DA12531	52
DA12534	62
DA13860	31
DA13868	63
DA15161	52
DA17311	63
DA17321	63
DA19453	52

DR. MARTENS®

DMR10294201	77
DMR13160201	77
DMR24381001	95
DMR24382001	100
DMR24383001	100

DUNLOP®

ON81011	136
ON85324	136
ON86104	133
ON86622	136
ON87981	133
ON87982	136
ON89682	136
ON89904	137
ON89908	137

FLORSHEIM WORK®

SFE2642	8
SFE2643	8
SFE2644	8
SFE2645	8
WGFE690	86
WGFS2000	8
WGFS2005	9
WGFS2023	9
WGFS2031	9
WGFS2400	14

FRYE®

WGFR40103	72
WGFR40201	65
WGFR40202	65
WGFR40502F	106
WGFR40601F.....	122
WGFR40602F	122
10961	124
10961	14
11170	14
11280	15
11430	15
11502	15
11509	15
11729	79
11729	125

GEORGIA BOOT®

GA4374	75
GA4603	75
GA6374	50
GA7313	66
GAGB00097	67
GAGB00337	50

HAIX®

HX603102	64
HX603110	64
HX603111	64
HX604103	55
HX620012	55

HARLEY-DAVIDSON®

HD83883	119
HD93329	28
HD93563	71
HD95055	85

HOSS BOOT COMPANY®

HS60230	55
HS70120	121

HUSH-PUPPIES PROFESSIONALS®

05040	8
-------------	---

HYTEST®

04052	91
04055	92
04055	128
04321	88
10043	10
10113	10
10119	10
10781	9

HYTEST® (CONTINUED)

12011.....	101
12170.....	27
12250.....	82
12250.....	126
12251.....	82
12251.....	126
12253.....	81
12253.....	128
12254.....	34
12320.....	23
12329.....	25
12451.....	80
12451.....	125
12481.....	35
12571.....	101
13180.....	35
13200.....	82
13261.....	81
13450.....	82
13500.....	35
13540.....	82
13562.....	81
13571.....	35
13610.....	35
13620.....	36
13621.....	36
13750.....	28
13751.....	28
13781.....	36
13860.....	36
13890.....	36
13910.....	83
13990.....	37
13991.....	37
14200.....	55
14261.....	88
14261.....	128
14562.....	87
14781.....	56
15021.....	92
15041.....	92
15221.....	92
15261.....	93
15271.....	93
15581.....	68
17033.....	107
17034.....	107
17122.....	122

HYTEST® (CONTINUED)

17300.....	107
17302.....	107
17320.....	107
17400.....	107
17402.....	107
17433.....	107
17751.....	119
20250.....	78
21103.....	23
21400.....	78
22470.....	32
22471.....	32
23130.....	80
23130.....	126
23131.....	80
23180.....	34
23181.....	34
23190.....	34
23231.....	81
23231.....	126
23250.....	80
23300.....	81
23332.....	34
23342.....	34
23343.....	34
24231.....	88
24251.....	88
25251.....	68
27111.....	126
43501.....	37
43511.....	83

IRON AGE®

WGIA0163.....	86
WGIA0195.....	94
WGIA5016.....	87
WGIA5018.....	87
WGIA965.....	121
WGIA9650.....	50

JUSTIN BOOTS®

JUGY9980.....	123
JUSE4570.....	94
JUSE4812.....	72
JUSE4824.....	72

KEEN UTILITY®

KN1007024.....	30
KN1007969.....	85
KN1011242.....	30
KN1011243.....	30
KN1011244.....	27
KN1011357.....	.47
KN1012771.....	30
KN1015401.....	.47
KN1017833.....	60
KN1018023.....	.47
KN1018079.....	.31
KN1021315.....	79
KN1021467.....	.47
KN1023217.....	27
KN1023220.....	112
KN1024182.....	.47
KN1024184.....	.47
KN1024588.....	.31
KN1024592.....	.31
KN1024604.....	.21
KN1025241.....	112
KN1025697.....	.47
KN1026486.....	48
KN1026487.....	48
KN1026704.....	.11
KN1026892.....	48
KN1027102.....	.31
KN1027104.....	.116

LACROSSE®

LC228040.....	134
LC24009091.....	138
LC376121.....	138

LEGGE SYSTEMS®

LS1031.....	102
-------------	-----

MEGACOMFORT®

MEGASOLE.....	142
PAM.....	141
PAMESD.....	141
PAMPR.....	142
THOTIC.....	142

MELLOW WALK®

MW402109.....	103
MW482072.....	105

MERRELL WORK®

MLJ099304.....	103
MLJ099319.....	11
MLJ11617.....	28

MICHELIN®

MIXPX761.....	87
MIXPX781.....	91

MUCK®

MCHS000A.....	134
MCMAXCMP.....	134

NAUTILUS®

N1607.....	14
N1620.....	14
N1630.....	14
N1652.....	105

PUMA SAFETY®

PU642855.....	114
PU642925.....	115
PU643835.....	23
PU643845.....	23
PU643945.....	115

REDBACK BOOTS®

REDUSNPU9.....	54
----------------	----

REEBOK WORK®

SRB032.....	130
SRB033.....	130
SRB1250.....	98
SRB3200.....	98
SRB3201.....	98

SRB3206.....

SRB3211.....	18
--------------	----

SRB3213.....

SRB3213.....	25
--------------	----

SRB3311.....

SRB3312.....	98
--------------	----

WGIB3501.....

WGIB3501.....	18
---------------	----

WGIB4039.....

WGIB4039.....	18
---------------	----

WGIB4041.....

WGIB4041.....	18
---------------	----

WGRB036.....

WGRB036.....	110
--------------	-----

WGRB039.....

WGRB039.....	110
--------------	-----

WGRB041.....

WGRB041.....	110
--------------	-----

WGRB045.....

WGRB045.....	110
--------------	-----

WGRB046.....

WGRB046.....	110
--------------	-----

WGRB049.....

WGRB049.....	102
--------------	-----

REEBOK WORK® (CONTINUED)

WGRB055.....	111
WGRB143.....	125
WGRB156.....	124
WGRB259.....	115
WGRB314.....	111
WGRB3214.....	60
WGRB3400.....	79
WGRB3401.....	25
WGRB3481.....	19
WGRB382.....	111
WGRB383.....	111
WGRB4036.....	19
WGRB4039.....	19
WGRB4040.....	19
WGRB4041.....	19
WGRB4043.....	19
WGRB4049.....	101
WGRB4050.....	20
WGRB406.....	115
WGRB4066.....	20
WGRB4120.....	20
WGRB4132.....	26
WGRB4133.....	26
WGRB4141.....	26
WGRB4143.....	79
WGRB4144.....	26
WGRB417.....	102
WGRB4177.....	101
WGRB4194.....	26
WGRB429.....	111
WGRB4311.....	20
WGRB4327.....	102
WGRB434.....	112
WGRB4360.....	60
WGRB437.....	102
WGRB4443.....	20
WGRB460.....	125
WGRB464.....	111
WGRB655.....	128
WGRB6765.....	46
WGRB8694.....	46
WGRB8807.....	60

REED FOOTWEAR®

RE3732.....	135
-------------	-----

ROCKPORT WORKS®

WGRK2151.....	12
WGRK600.....	103
WGRK634.....	124
WGRK643.....	104
WGRK644.....	104
WGRK670.....	104
WGRK6736.....	12
WGRK6748.....	12
WGRK676.....	105
WGRK6761.....	14
WGRK751.....	105
WGRK777.....	116
WGRK800.....	106
ROCKY®	
RY6114.....	50
R012002XP.....	90
R012161XP.....	91
R012311XPJ.....	91
R05628AG.....	55
R05725AG.....	64
SERVUS®	
A11001.....	138
A11003.....	139
NCR22234.....	137
SKECHERS WORK®	
SK108101BLK.....	114
SK108101RED.....	114
SK200206BKRD.....	22
SK200211NVGY.....	22
SSK108096NVAQ.....	132
SSK108097NVAQ.....	112
SSK108098BKPK.....	114
SSK108098GYPR.....	114
SSK200148NVBL.....	22
SSK403BLK.....	132
SSK405BKW.....	132
SSK405NVAQ.....	132
SSK406NVAQ.....	114
SSK605NVBL.....	98
SSK606NVBL.....	22
SSK8037BLK.....	22
SSK8436BLK.....	114
SSK8436NVY.....	114

SR MAX®

SRM111.....	139
SRM132.....	129
SRM140.....	129
SRM1400.....	96
SRM163.....	129
SRM1630.....	96
SRM188.....	109
SRM1880.....	16
SRM2050.....	9
SRM2060.....	9
SRM2090.....	10
SRM2160.....	71
SRM2170.....	71
SRM2400.....	99
SRM260.....	132
SRM2600.....	99
SRM2610.....	99
SRM265.....	120
SRM2650.....	40
SRM2660.....	40
SRM2670.....	40
SRM285.....	116
SRM2850.....	28
SRM295.....	121
SRM2950.....	57
SRM405.....	103
SRM415.....	104
SRM4400.....	16
SRM4660.....	27
SRM4760.....	29
SRM479.....	116
SRM4790.....	29
SRM5000.....	40
SRM610.....	130
SRM6100.....	96
SRM620.....	130
SRM6200.....	96
SRM6520.....	95
SRM655.....	130
SRM6550.....	96
SRM770.....	129
SRM7700.....	95
SRM8200.....	134
SRM8300.....	134
SRM8400.....	133
SRM8450.....	133
SRM9100.....	99
SRM9110.....	99

SR MAX® (CONTINUED)

SRM9150.....	40
SRM9160.....	40
SRM9170.....	40
SRM9960.....	57
SRM9990.....	57

STL-FLX®

SEN004.....	139
-------------	-----

TERRA®

TR305205BLK.....	54
TR608115BLK.....	23
TR608285BLK.....	27

THOROGOOD®

TG804-3320.....	75
TG804-3800.....	61
TG804-4200.....	50
TG804-4208.....	61
TG804-4364.....	61
TG804-4375.....	51
TG804-4378.....	61
TG804-4478.....	62
TG804-6190.....	51
TG804-6191.....	62
TG804-6449.....	10

TIMBERLAND PRO®

STMA1V48.....	99
STMA1W52.....	41
STMA1W6B.....	41
STMA1W6M.....	100
STMA1WDJ.....	59
STMA1WDU.....	59
STMA1X7R.....	120
STMA1X83.....	120
STMA1X8E.....	132
STMA1XPD.....	16
STMA1XS7.....	109
STMA21AV.....	16
STMA2BX1.....	29
STMA41PY.....	41
STMA41QN.....	41
STMA41S9.....	99
STMA4259.....	16
STMA4279.....	109
STMA44A9.....	16
STMA44B9.....	109

TIMBERLAND PRO® (CONTINUED)

STMA44EN	29
STMA44FE	29
STMA44N1	116
STMA5MEP	100
STMA5MFA	100
STMA5TDH	41
TM26038	41
TM26064	41
TM26078	43
TM26388	120
TM33031	43
TM33032	43
TM33034	43
TM40000	85
TM40044	10
TM47001	43
TM47019	57
TM47028	10
TM47591	43
TM47592	43
TM50507	44
TM50508	44
TM52561	57
TM52562	44
TM53359	120
TM53531	92
TM53534	11
TM63189	104
TM72399	120
TM85590	11
TM85594	44
TM86515	29
TM89604	71
TM89628	59
TM89652	93
TM89697	85
TM90646	44
TM91694	11
TM92615	44
TM92649	17
TM92671	59
TM95567	59
TMA11QF	30
TMA11RO	45
TMA176A	17
TMA1B6U	17
TMA1B7F	109
TMA1GHM	79

TIMBERLAND PRO® (CONTINUED)

TMA1GT9	17
TMA1H1S	109
TMA1HQL	45
TMA1Q54	45
TMA1RVS	45
TMA1RW4	59
TMA1XFX	71
TMA1XJP	45
TMA1XK1	45
TMA225Q	46
TMA2297	72
TMA24BH	72
TMA24FK	60
TMA25F5	93
TMA283H	109
TMA2844	109
TMA28Q0	65
TMA29G9	64
TMA5PKE	17
TMA5RMX	17
TMA5RRP	25
TMA5RTJ	110
TMA5UVU	115

TINGLEY®

TI26256	135
TI28259	135
TI35211	139
TI77253	135
TI93255	135

TWISTED X®

TWMCAAW01	51
TWMCAN003	12
TWMDMSM01	78
TWMDMST01	32
TWMHKBCW1	76
TWMLCSM01	94
TWMXBAA001	77
TWMXBAA002	76
TWMXBAA006	75
TWMXBAW01	76
TWMXBON01	76
TWMXBON02	76
TWMXBON04	77
TWMXCC001	51
TWMXCNM01	94
TWWDMCTM1	124

TWISTED X® (CONTINUED)

TWWDMST01	105
TWWLCS003	123
TWWXBN001	123
UA3024947	62
WGVM30110	.21
WGVM30110F	112
WGVM30117	.21
WGVM30468	.21
WGVM30471	.21
WIL001	139
WIL002	139
WIL003	139
WIL004	139
WIL005	139
WIL006	139
WIL007	139
WW10180	119
WW10181	119
WW10314	38
WW10316	56
WW10318	70
WW10653	38
WW10680	70
WW10702	70
WW10706	85
WW10926	37
WW10942	83
WW10945	88
WW201095	38
WW201175	38
WW201178	70
WW201218	70
WW2053	37
WW211005	.15
WW211020	25
WW211129	68
WW211130	68
WW211161	38
WW211176	.16
WW221032	119

WOLVERINE® (CONTINUED)

WW231013	68
WW231018	39
WW231047	28
WW3120	37
WW5679	83
WW5680	90
WW5698	39
WW8399	39

WORK ZONE®

WZM612-BL	87
-----------	----


XENA WORKWEAR®

XEGRBT1	106
XEGRCG3	106
XEOMBL1	106
XEOMB01	106
XESPBL1	122
XEVABL1	119
XEVACB1	119

WOLVERINE®

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. Slip-resistant SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip-resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip-resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip-resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose. PLEASE NOTE: Great care should always be taken to review the environment you walk in. Freezers and icy surfaces remain among the most dangerous to walk on. SR Max cold storage outsoles offer improved slip resistance, but no shoe is slip proof...especially on ice and in freezers.

POWERED BY



MAX
TRAX®

GRIP
THAT
WON'T
QUIT

Available in
steel and soft
toe styles.

Designed to channel
liquids like oil,
grease and water.

Maximum
surface area for
better traction.

Many of our safety shoe styles are available with the patented MaxTRAX® slip-resistant outsole. MaxTRAX® performs so well in independent tests that it's trusted by many of our favorite brands, like Timberland PRO®, SKECHERS Work and Reebok to name a few.

Saf-Gard

SAFETY SHOE COMPANY™

RETAIL LOCATIONS

CHARLOTTE, NC
Saf-Gard Safety Shoe Co.
4418 E. Independence Blvd.
Charlotte, NC 28205
(704) 568-8180

CHARLOTTE, NC
Saf-Gard Safety Shoe Co.
2900 Westinghouse Blvd,
Ste. 111
Charlotte, NC 28273
(704) 587-2427

DURHAM, NC
Saf-Gard Safety Shoe Co.
5010 South Miami Blvd.
Durham, NC 27703
(919) 941-5555

HICKORY, NC
Saf-Gard Safety Shoe Co.
2571 US Hwy 70 SE
Hickory, NC 28602
(828) 979-0171

WINSTON-SALEM, NC
Saf-Gard Safety Shoe Co.
908 Peters Creek Pkwy.
Winston-Salem, NC 27103
(336) 723-8110

MILFORD, CT
Saf-Gard Safety Shoe Co.
573 Boston Post Rd.
Milford, CT 06460
(203) 783-1270

WINDSOR, CT
Saf-Gard Safety Shoe Co.
625 Day Hill Rd.
Windsor, CT 06095
(860) 683-4140

NEW CASTLE, DE
Saf-Gard Safety Shoe Co.
2222 Hessler Blvd.
New Castle, DE 19720
(302) 654-1090

AUGUSTA, GA
Vulcan Boot Camp
3206 Peach Orchard Rd.
Augusta, GA 30906
(706) 496-8642

SAVANNAH, GA
Vulcan Boot Camp
2 Park of Commerce Blvd.
Savannah, GA 31405
(912) 236-4940

SUWANNEE, GA
Vulcan Boot Camp
50 Old Peachtree Rd. NE,
Ste. 102
Suwannee, GA 30024
(770) 904-6401

TUCKER, GA
Vulcan Boot Camp
4745 Hugh Howell Rd.
Tucker, GA 30084
(770) 934-5540

GREENSBORO, NC
CORPORATE HEADQUARTERS
Saf-Gard Safety Shoe Co.
2701 Patterson St.
Greensboro, NC 27407
(336) 299-1688

HONOLULU, HI
Saf-Gard Safety Shoe Co.
205 Sand Island Access Rd #2
Honolulu, HI 96819
(808) 746-5555

ELKHART, IN
Saf-Gard Safety Shoe Co.
4542 Elkhart Rd,
Ste. 700
Elkhart, IN 46517
(574) 500-2912

BALTIMORE, MD
Saf-Gard Safety Shoe Co.
1140 N. Rolling Rd.
Catoonsville, MD 21228
(410) 574-5170

BATTLE CREEK, MI
Michigan Industrial Shoe
4900 West Dickman Rd.
Battle Creek, MI 49037
(269) 962-0960

REDFORD, MI
Michigan Industrial Shoe
25477 West Eight Mile Rd.
Redford Charter Township,
MI 48240
(313) 385-3350

WHITEHALL, MI
Michigan Industrial Shoe
525 Lake St.
Whitehall, MI 49461
(231) 557-6876

EDISON, NJ
Saf-Gard Safety Shoe Co.
Nixon Plaza 2058, NJ-27
Edison, NJ 08817
(732) 287-2010

CHEEKETOWAGA, NY
Saf-Gard Safety Shoe Co.
1625 Walden Ave.
Cheektowaga, NY 14225
(716) 895-3646

AKRON, OH
Saf-Gard Safety Shoe Co.
830 Moe Dr.
Akron, OH 44310
(330) 633-3033

PARMA, OH
Saf-Gard Safety Shoe Co.
5367 Ridge Rd.
Parma, OH 44129
(440) 481-2002

TOLEDO, OH
Michigan Industrial Shoe
4558 Monroe St., Ste. D
Toledo OH 43613
(616) 333-9280

ALLENTOWN, PA
Saf-Gard Safety Shoe Co.*
1105 E. Susquehanna St.
Allentown, PA 18103
(610) 791-1577

LANCASTER, PA
Saf-Gard Safety Shoe Co.
1285 Manheim Pike
Lancaster, PA 17601
(717) 481-7401

YORK, PA
Saf-Gard Safety Shoe Co.
351 Loucks Rd, Ste. G2
York, PA 17404
(717) 472-4228

CHARLESTON, SC
Vulcan Boot Camp
7565 Rivers Ave.
Charleston, SC 29406
(843) 576-0748

FLORENCE, SC
Saf-Gard Safety Shoe Co.
787 North Cashua Dr.
Florence, SC 29501
(843) 679-5991

GREENVILLE, SC
Vulcan Boot Camp
1451 Woodruff Rd, Ste. M
Greenville, SC 29607
(864) 297-9660

SENECA, SC
Vulcan Boot Camp
1971 Sandifer Blvd.
Seneca, SC 29678
(864) 882-2920


LYNCHBURG, VA
Saf-Gard Safety Shoe Co.
2264 Lakeside Dr.
Lynchburg, VA 24501
(434) 385-0100

NEWPORT NEWS, VA
Saf-Gard Safety Shoe Co.
3608 Washington Ave.
Newport News, VA 23607
(757) 244-3911

RICHMOND, VA
Saf-Gard Safety Shoe Co.
1422 Commerce Rd.
Richmond, VA 23224
(804) 231-9060

*Formerly Lehigh Valley
Safety Shoes: A Division of
Saf-Gard Safety Shoe Co.

**VISIT US
ONLINE**



**VULCAN
SAFETY SHOES**

DIVISION OF SAF-GARD SAFETY SHOE CO.

**MICHIGAN
INDUSTRIAL SHOE**

DIVISION OF SAF-GARD SAFETY SHOE CO.

**HYTEST®
SAFETY FOOTWEAR
NETWORK**